BLUE DIAMOND ATTACHMENTS

# DEALER
## PRODUCT GUIDE

BlueDiamondAttachments.com

4512 ANDERSON ROAD, KNOXVILLE TN 37918 | 888-376-7027

# ABOUT BLUE DIAMOND® ATTACHMENTS

Blue Diamond® Attachments is a trusted and reliable company. Established in 1995, Blue Diamond® is a widely recognized name in the global attachments industry. We are committed to unparalleled customer service from the very first call to the after-sale follow-up and service.

In today's fast-paced environment, delivering quickly and on time are key to success. Blue Diamond® Attachments is very different in the fact that we stock thousands of finished products in our warehouses every day ready to ship. This results in a big advantage for our customers with many shipments leaving in 2–3 days. Our Tennessee facilities alone are now over 300,000-square-feet situated on 43 acres. These facilities, along with streamlined processes, allow most of our orders to leave our facility within 10 days.

Our parts department keeps thousands of replacement parts at the ready and strives to ship all parts orders received before noon the same day the order is placed! Tracking numbers are sent to our customer the day after the shipment leaves our dock.

We are located in Knoxville, Tennessee. This central location allows our products to reach more than half of the United States population within 2–3 days' shipping time. We have many loading docks, which allow us to keep trailers from several freight companies, making use of the best freight lines available. In addition, we are the only 1-day point of export to multiple foreign ports.

## PARTS & ACCESSORIES WAREHOUSE

Whether you have one attachment or maintain an entire fleet, having quick access to the right parts **24/7** can make the difference between keeping your attachments working properly and staying profitable or losing significant profit from downtime. When you buy genuine Blue Diamond® parts, you are buying top-quality parts and getting expert advice and assistance from our product support team.

Whether you buy parts online or through visiting your closest Blue Diamond® dealer, buy with trust, buy with confidence, and buy knowing that we will take care of you and your attachment – the first time and every time.

## ONLINE PARTS STORE

- Parts orders received before noon EST ship the same day
- Dealer-specific registration form
- Net 30-day terms available when qualified
- **24/7** ordering
- Confirm parts visually when ordering

## DEALER FLOOR PLAN FINANCING AVAILABLE

We are excited to offer a dealer floor plan financing program through ***Northpoint Commercial Finance***, featuring:

- No dealer setup fees
- 60 Day, 90 Day, or 180 Day interest-free financing

This opportunity is subject to credit approval and minimum annual commitment. Please contact a sales representative for more details.

## RENTAL RECOMMENDED ATTACHMENTS

More than 20 years of service in the rental industry has influenced the way we build attachments. The Rental Recommended seal helps guide our customers to attachment models that are best suited for rental use. Attachments marked with this seal are recommended for rental for any of these reasons:

- Heavy construction resists damage
- Hose routing keeps hoses out of harm's way
- Versatile, attaches to a variety of machines
- Easy to use, minimal training is required

While these select Blue Diamond® products are recommended for rental use, any of our products may be used for rental application with careful consideration. Please contact our sales representatives with any questions.

## MAKING A DIFFERENCE THROUGH COMMUNITY ASSISTANCE

Blue Diamond® Attachments founded the BD Assist program in 2016 to help communities in need of aid after violent storms and other natural disasters. Blue Diamond® created a fleet of equipment and attachments that are donated to help with cleanup and restoration efforts, giving back to the communities that support our business. If you are a non-profit organization or government agency with a need for this funded equipment program, please reach out to us to see if we have a unit available in your area (U.S. only).

### WHO

Non-profit organizations or government agencies in communities in need of aid after violent storms and other natural disasters.

### WHAT

A fleet of machines and attachments, to assist the community with clean-up and restoration efforts.

### HOW

Fill out an application on BlueDiamondAssist.com. Let us assist with your community's needs today.

# BD ASSIST MISSIONS

### GATLINBURG, TN WILDFIRE

Sadly, the fires in November 2016 claimed the lives of 14 residents, destroyed 2,500 structures, and caused millions of dollars' worth of destruction to homes, residences, and the beautiful Smoky Mountain National Park. This is exactly what the BD Assist program was designed for! In the pictures, you can see the machine in action at the street department headquarters in the city of Gatlinburg, assisting in cleanup.

## COOKEVILLE/LEBANON, TN TORNADO

In March 2020, three tornadoes hit Putnam County. One EF4 tornado hit the Cookeville and Lebanon area, killing 18 people. The destruction stretched 50 miles across 4 counties. The BD Assist team members delivered a BD Assist machine to one of the most damaged areas in Lebanon, Tennessee. The machine spent 4 months clearing debris in neighborhoods and local businesses.

## HOUSTON, TX HURRICANE HARVEY CLEANUP

In August 2017, Hurricane Harvey's massive damage left a substantial amount of cleanup to do. The BD Assist machine spent many months working in the Houston and Port Aransas areas assisting in removal of the endless amounts of debris.

## LAKESHORE PARK, KNOXVILLE TN

Heavy storms in August 2023 downed trees and power lines in Knoxville's Lakeshore Park. Lakeshore Park Conservancy, which co-manages the park with the City of Knoxville, greatly appreciated BD Assist equipment to help the cleanup effort.

## CHATTANOOGA, TN TORNADO

On April 2020, an EF3 tornado touched down overnight in 3 counties near Chattanooga, TN, causing widespread damage and killing 3 people. The tornado path was approximately 9 miles long and 1,500 yards wide. The BD Assist team partnered with Bobcat of Chattanooga to assist in the removal of debris and clean up in these devastated counties.

## NEWNAN, GA TORNADO

Newnan, GA. was struck by a tornado on March 2021 with damage at EF4 levels or greater. Wind speeds up to 170 mph carved a path of devastation, removing roofs, uprooting trees, and damaging businesses. Blue Diamond® was able to send our skid steer with our root grapple attachment to help clear debris and fallen trees.

## DAWSON SPRINGS, KY TORNADO

The BD Assist Excavator unit headed out to help the community in Dawson Springs, Kentucky. We assisted with helping their community cleanup debris from the devastating December 2021 tornadoes.

## BREMEN, KY TORNADO

Bremen, KY suffered significant damage in the December 2021 tornado. BD Assist was thrilled to contribute to their cleanup efforts with the loan of our excavator.

## BOWLING GREEN, KY TORNADO

In December 2021, Eastwood Baptist Church coordinated and conducted a significant amount of cleanup in Bowling Green following the tornadoes. BD Assist was proud to support both the city of Bowling Green and Western Kentucky University with two of our units.

## PONCHATOULA, LA HURRICANE IDA

In September 2021, Hurricane Ida left parts of Louisiana and Mississippi devastated in its wake with extensive damage and loss of life. BD Assist stepped in to lend our BD Assist machine and grapple bucket to help with cleanup efforts.

## WAVERLY, TN FLOODING

In August 2021, Waverly experienced severe flood damage after 17 inches of rain fell within 24 hours. BD Assist provided equipment to help with the cleanup work which was received with much gratitude by Humphreys County.

## MAYFIELD, KY TORNADO

The city of Mayfield, KY was heavily damaged by an EF4 tornado in December of 2021. Soon after, BD Assist deployed equipment to help the community with cleanup and recovery. In 2024, BD Assist returned to Mayfield, assisting with equipment used to build homes for families displaced by the December 2021 tornado.

## NORTHWEST CHURCH OF GOD, KNOXVILLE, TN CLEANUP

In March 2022, BD Assist provided a skid steer and grapple bucket to Northwest Church of God in Tennessee to assist in their volunteer efforts in cleaning up private property that had become encamped by displaced people. With the help of the equipment, the volunteers filled a 20 cubic foot dumpster with garbage and cleared the land of a lot of undergrowth.

## WINTERSET, IA TORNADO

Winterset, Iowa was struck by a deadly tornado killing 7 and damaging several homes on March 2022. As people banded together to help their neighbors in need, an energetic team of volunteers called GoServ Global reached out for a loan of equipment from BD Assist. We were thrilled to deliver our newest skid steer and 2 attachments to the site within 48 hours!

# DEALER

PRODUCT GUIDE INDEX

## SKID STEER ATTACHMENTS


AUGER ADAPTERS ..... 9
AUGER EXTENSION ..... 10
AUGER BITS ..... 10-11
AUGER DRIVE, EXTREME DUTY SERIES 2 ..... 8
AUGER MOUNT, TELESCOPIC ..... 9
BACKHOE ..... 12
BALE SQUEEZE, HYDRAULIC ROUND ..... 12
BLADE, 6-WAY DOZER ..... 43
BOX SCRAPPER RIPPER ..... 43
BREAKER, HYDRAULIC ..... 13
BROOM, ANGLE, HEAVY DUTY SERIES 2 ..... 14
BROOM, ANGLE, SEVERE DUTY SERIES 2 ..... 15
BROOM, PICKUP, SERIES 2 ..... 16
BROOM, PUSH, HEAVY | STANDARD DUTY ..... 16
BRUSH CUTTER, 84”DUAL SPINDLE ..... 17
BRUSH CUTTER, HEAVY DUTY ..... 17
BRUSH CUTTER, EXTREME DUTY (OPEN/CLOSED) ..... 18
BRUSH CUTTER, ED SERIES 2 (OPEN/CLOSED) ..... 19
BRUSH CUTTER, SWING ARM ..... 19
BRUSH CUTTER, SEVERE DUTY SERIES 2 (OPEN) ..... 20
BUCKET, 4-IN-1 ..... 21
BUCKET, DISPENSING ..... 21
BUCKET, DUMPSTER ..... 22
BUCKET, FRONT DUMP ..... 22
BUCKET, ROCK, STANDARD | EXTREME DUTY ..... 22
BUCKET, GENERAL PURPOSE ..... 23
BUCKET, LOW PROFILE, SEVERE DUTY ..... 24
BUCKET, TURKEY LITTER, HEAVY DUTY ..... 25
BUCKET, UTILITY ..... 25
BUCKET, UTILITY, HIGH-CAPACITY ..... 26
BUCKET, UTILITY, HIGH-CAPACITY, HIGH-BACK ..... 26
BUCKET, SCREENING ..... 27
BUCKET, SLAB ..... 27
BUCKET, STUMP ..... 27
BUCKET, SNOW & MULCH ..... 27-28
COLD PLANER ..... 29
DISC MULCHER ..... 30
DRUM MULCHER ..... 31
FORK, GRAPPLE, MAT | SEVERE DUTY ..... 32
FORK, NURSERY ..... 33
FORK, PALLET ..... 33-35
GRAPPLE, BUCKET ..... 36
GRAPPLE, BUCKET ROCK ..... 37
GRAPPLE, RAKE ..... 38
GRAPPLE, ROOT ..... 39-40
HAY ACCUMULATOR ..... 41
HAY SPEARS ..... 41
LAND GRADER ..... 42
LAND PLANE ..... 44
LOG GRAPPLE ..... 44
LOG SPLITTERS ..... 45
MATERIAL ROLLER ..... 45
MATERIAL SPREADER ..... 46
POST DRIVER, VIBRATORY SERIES 2 ..... 47
POWER RAKES ..... 48-50
RIPPER ..... 50
ROAD SAW ..... 51
ROCK AND CONCRETE GRINDER ..... 51
ROOF TRUSS JIB ..... 52
ROOT RAKE, SEVERE DUTY ..... 52
ROTOTILLER ..... 52
SILT FENCE INSTALLER ..... 53
SNOW BLADE, AUTOWING ..... 54
SNOW BLADE, HD SERIES 2 MULTI-PURPOSE ..... 54
SNOW BLADE, SD SERIES 2 MULTI-PURPOSE ..... 55
SNOW PLOW, V-BLADE ..... 55
SNOW BLOWER, EXTREME DUTY ..... 56
SNOW BLOWER, HEAVY DUTY ..... 57
SNOW PUSHER, STANDARD/HEAVY DUTY ..... 58
SOD ROLLER ..... 59
STUMP GRINDER, EXTREME DUTY ..... 60
STUMP GRINDER, SWING ARM ..... 60
TRAILER SPOTTER ..... 61
TREE BOOM ..... 61
TREE GRUBBER, EXTREME DUTY ..... 61
TREE PULLER, STANDARD & HEAVY DUTY ..... 62
TREE SHEAR ..... 62
TRENCHER ..... 63-64
VIBRATORY ROLLER ..... 64

# EXCAVATOR ATTACHMENTS


AUGER DRIVE, EXTREME DUTY, SERIES 2 ..... 65
BREAKER, HAMMER ..... 66
BRUSH CUTTER, HEAVY DUTY, MINI ..... 67
BRUSH CUTTER, SEVERE DUTY, MINI ..... 67
BRUSH CUTTER, SEVERE DUTY SERIES 2, MINI ..... 68
BRUSH CUTTER, EXTREME DUTY ..... 68
BRUSH CUTTER, SEVERE DUTY ..... 69
BUCKET, HEAVY DUTY ..... 70
BUCKET, SCREENING ..... 71
COLD PLANER, MINI EXCAVATOR ..... 71
DRUM MULCHER, EXCAVATOR, HEAVY DUTY ..... 72
DRUM MULCHER, EXCAVATOR, EXTREME DUTY ..... 73
DRUM MULCHER, EXCAVATOR, SEVERE DUTY ..... 73
DRUM MULCHER, EXCAVATOR, SDX ..... 74
LOG SPLITTER ..... 74
PLATE COMPACTOR ..... 75
RAKE, HEAVY DUTY ..... 75
ROCK AND CONCRETE GRINDER ..... 76
TREE GRUBBER ..... 77
VIBRATORY POST DRIVER, SERIES 2 ..... 77


# TRACTOR ATTACHMENTS


3-POINT CONVERSION ADAPTER ..... 78
AUGER DRIVE, EXTREME, SERIES 2 ..... 79
BALE SQUEEZE ..... 80
BOX BLADE SCRAPER ..... 80
BLADE, GRADER, HD ..... 81
BLADE, GRADER, DUAL-EDGE ..... 82
BROOM, ANGLE HD SERIES 2 ..... 82
BROOM, PUSH ..... 83
BUCKET, DISPENSING ..... 83
BUCKET, ROCK ..... 84
BUCKET, SNOW & MULCH. ..... 84
BUCKET, TRACTOR ..... 84
CUTTER, 4' STANDARD DUTY ..... 85
CUTTER, HD, ROUND BACK. ..... 86
CUTTER, HD, DUAL SPINDLE ..... 87-88
CUTTER, FLEX-WING ..... 89-90
CUTTER, TRACTOR ROTARY, STANDARD DUTY ..... 91
CUTTER, TRACTOR ROTARY, MEDIUM DUTY ..... 92
DISC HARROW ..... 93
FINISHING MOWER ..... 93
FLAIL MOWER, STANDARD/HEAVY DUTY ..... 94
GRAPPLE, TRACTOR ..... 94-95
HAY SPEARS ..... 96
MOUNT PLATE ..... 96
PALLET FORKS ..... 97
PLOW, MOLDBOARD ..... 98
POWER RAKE, EXTREME DUTY ..... 98
POWER RAKE, HEAVY DUTY SERIES 2 ..... 99
RAKE, LANDSCAPE ..... 100
ROTOTILLER ..... 101
SILT FENCE INSTALLER, 3 POINT HITCH ..... 102
SNOW BLADE, AUTOWING ..... 103
SNOW BLADE, HD SERIES 2, MULTI-PURPOSE ..... 103
SNOW BLADE, STD SERIES 2, MULTI-PURPOSE ..... 104
SNOW PUSHER, STANDARD & HEAVY DUTY ..... 104
SOD ROLLER ..... 105
TRAILER SPOTTER ..... 105
TREE BOOM ..... 106
TREE PULLER ..... 106

## MINI ATTACHMENTS


AUGER DRIVE ..... 107
BACKHOE ..... 107
BLADES ..... 108
HYDRAULIC BREAKER, HAMMER ..... 109
BROOMS, ANGLE HD, SERIES 2 ..... 109
BROOM, PICKUP ..... 110
BROOM, PUSH, STANDARD & HEAVY DUTY ..... 111
BROOM, PUSH, LIGHT DUTY ..... 111
BRUSH CUTTER, SERIES 2 ..... 112
BUCKET, 4-IN-1 ..... 112
BUCKET, DISPENSING ..... 113
BUCKET, FRONT DUMP ..... 113
BUCKET, ROCK ..... 113
BUCKET, LOW PROFILE ..... 114-115
BUCKET, SNOW & MULCH ..... 116
BUCKET, STUMP ..... 116
FORK, GRAPPLE ..... 117
FORK, NURSERY ..... 117
FORK, PALLET ..... 117
FORK, HYDRAULIC PALLET ..... 118
GRAPPLE, BUCKET ..... 118
GRAPPLE, RAKE ..... 118
GRAPPLE, ROCK BUCKET ..... 119
GRAPPLES, ROOT ..... 119
LAND PLANE ..... 119
LOG GRAPPLE ..... 120
LOG SPLITTER ..... 120
POST DRIVER, VIBRATORY, SERIES 2 ..... 120
RAKE, POWER, STANDARD DUTY ..... 121
RAKE, POWER, HEAVY DUTY, SERIES 2 ..... 121
ROTOTILLER, HEAVY DUTY ..... 122
SNOW BLOWER ..... 123
SNOW PUSHER ..... 123
SOD ROLLER ..... 124
STUMP GRINDER ..... 124
TRAILER SPOTTER ..... 124
TREE BOOM ..... 125
TRENCHER ..... 125


## FORKLIFT ATTACHMENTS


INDUSTRIAL JIB ..... 126
PUSH BROOM ..... 127
WORK PLATFORM ..... 127


## PARTS & ACCESSORIES


INTERFACE CONVERSION ADAPTERS ..... 128-129
SAFETY WINDSHIELDS ..... 130-131


## MARKETING & PROMOTIONAL PRODUCTS


LITERATURE & PROMOTIONAL ITEMS ..... 132


## STORAGE & DISPLAY SOLUTIONS


ATTACHMENT DISPLAY STANDS ..... 133

## AUGER DRIVE
### *EXTREME DUTY SERIES 2*

Blue Diamond® Extreme Duty Series 2 Auger Drive offers the ultimate in performance, quality, and cost effectiveness. Designed with high-grade materials and innovation, this design allows the gearbox to go down the hole, maximizing drilling depth while eliminating downtime. These drives are perfect for drilling and augering in most ground conditions.

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 305705 | EX1, W/2” Hex Shaft | 8-11 GPM | 260 lbs |
| 305708 | EX2, W/2” Hex Shaft | 12-16 GPM | 277 lbs |
| 305712 | EX3, W/2” Hex Shaft | 17-20 GPM | 282 lbs |
| 305715 | EX4, W/2” Hex Shaft | 19-23 GPM | 342 lbs |
| 305720 | EX4HF, W/2” Hex Shaft | 21-26 GPM | 337 lbs |

*See chart on Page 65 for more information.*

### FEATURES INCLUDE

- Compact high torque manufactured gearbox
- 2-piece shaft design ensures maximum side load ratings
- Lifetime shaft pull-out warranty
- 5-year planetary drive warranty
- 3-year hydraulic motor warranty
- 1-year mount and mount components warranty

# AUGER MOUNT
## *TELESCOPIC*

Blue Diamond® Attachments' piling & drilling mounts increase your reach for added drilling depth or helical pile installation. These extension mounts use only the highest quality steel and strict quality control. These telescopic extension mounts have a retracted length of 78" and are extendable by 36".

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 105780 | Mount | 359 lbs |
| 105781 | Transport Stand | 255 lbs |
| 205788 | 14" Hose Set 1/2" Couplers | 20 lbs |
| 205789 | 14" Hose Set 3/4" Couplers | 20 lbs |
| 205790 | 14" Hose Set 1/2" Couplers w/ Pressure Gauges | 20 lbs |
| 205791 | 14" Hose Set 3/4" Couplers w/ Pressure Gauges | 20 lbs |

*Optional Transport Stand (105781) sold separately.*

### FEATURES INCLUDE
- 78" retracted length
- Extendable by 36"
- Minimum skid steer ROC 1800 lbs
- Maximum auger drive torque 7000 ft/lbs
- Maximum auger bit weight 220 lbs
- Transport stand – sold separately
- Longer hose set required – sold separately
- Hose sets have pressure gauge option

# AUGER ADAPTERS

Blue Diamond® Auger Adapters allow you to mount Blue Diamond® Auger Bits on any Auger Drive unit. Select the dimensions and configurations that you need, and you'll be able to mix and match mounts and bits, giving you a full line of earth drilling and augering tools with full functionality and versatility!

### FEATURES INCLUDE
- Available in 6 configurations
- First dimension fits drive, second dimension fits bit
- Cannot be reversed
- Easy to install and remove
- Strong and durable

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 205105 | 2" Hex Female To 2" 9/16 Rd Male | 20 lbs |
| 205110 | 2" Hex Female To 2" Rd Male | 17 lbs |
| 205111 | 2" Hex Female To 2 1/2" Hex Male | 46 lbs |
| 205115 | 2" 9/16 Rd Female To 2" Hex Male | 15 lbs |
| 205120 | 2" 9/16 Rd Female To 2" Rd Male | 13 lbs |
| 205125 | 2" Rd Female To 2" Hex Male | 12 lbs |
| 205130 | 2" Rd Female To 2" 9/16 Rd Male | 12 lbs |
| 205135 | 2 1/2" Hex Female To 2" Hex Male | 42 lbs |
| 205136 | 2 5/8" Hex Female To 2" Hex Male | 45 lbs |

# AUGER EXTENSIONS
## *FIXED*

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 205375 | Fixed, 2” Hex 48” Long | 58 lbs |
| 205377 | Fixed, 2 9/16” Round 48” Long | 77 lbs |
| 205380 | Fixed, 2” Hex 72” Long | 84 lbs |
| 205370 | Fixed, 2” Hex 24” Long | 32 lbs |
| 205365 | Fixed, 2” Hex 12” Long | 20 lbs |
| 205369 | Fixed, 2 9/16” Round 18” Long | 40 lbs |
| 205371 | Fixed, 2” Round 24” Long | 57 lbs |
| 205382 | Fixed, 2 9/16” Round 72” Long | 110 lbs |
| 205372 | Fixed, 2 9/16” Round 24” Long | 40 lbs |
| 205367 | Fixed, 2 9/16” Round 12” Long | 21 lbs |
| 205373 | Fixed, 2” Round 48” Long | 40 lbs |

# AUGER EXTENSIONS
## *VARIABLE*

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 205315 | Variable, 2” Hex 24” Long | 34 lbs |
| 205320 | Variable, 2” Hex 48” Long | 56 lbs |
| 205325 | Variable, 2” Hex 72” Long | 77 lbs |
| 205347 | Variable, 2 9/16” Round 72” | 84 lbs |
| 205312 | Variable, 2 9/16” Round 12” Long | 21 lbs |
| 205317 | Variable, 2 9/16” Round 24” Long | 40 lbs |
| 205335 | Variable, 2 9/16” Round 48” Long | 74 lbs |
| 205334 | Variable, 2” Round 48” Long | 46 lbs |

# AUGER BITS
## *HEAVY DUTY*

### FEATURES INCLUDE

**Moderate ground conditions**

- Fabricated boring head
- Hardened bolt-on teeth; standard includes gauge teeth in outside position, wisdom teeth in inside position
- Hardened fishtail point
- Heavy duty double flighting
- 4’ standard length
- 2” hex, 2 9/16” round, and 2” round collars available

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 105105 | 4” Diameter, Heavy Duty, W/2” Hex | 37 lbs |
| 105110 | 6” Diameter, Heavy Duty, W/2” Hex | 45 lbs |
| 105115 | 8” Diameter, Heavy Duty, W/2” Hex | 76 lbs |
| 105120 | 9” Diameter, Heavy Duty, W/2” Hex | 85 lbs |
| 105125 | 10” Diameter, Heavy Duty, W/2” Hex | 100 lbs |
| 105130 | 12” Diameter, Heavy Duty, W/2” Hex | 113 lbs |
| 105135 | 15” Diameter, Heavy Duty, W/2” Hex | 132 lbs |
| 105140 | 16” Diameter, Heavy Duty, W/2” Hex | 136 lbs |
| 105145 | 18” Diameter, Heavy Duty, W/2” Hex | 166 lbs |
| 105147 | 20” Diameter, Heavy Duty, W/2” Hex | 182 lbs |
| 105150 | 24” Diameter, Heavy Duty, W/2” Hex | 210 lbs |
| 105155 | 30” Diameter, Heavy Duty, W/2” Hex | 278 lbs |
| 105160 | 36” Diameter, Heavy Duty, W/2” Hex | 372 lbs |


888-376-7027 BlueDiamondAttachments.com

# AUGER BITS

## *HEAVY DUTY* WITH CAST HEAD

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 105205 | 6” Diameter, Cast Head, W/2” Hex | 45 lbs |
| 105208 | 8” Diameter, Cast Head, W/2” Hex | 90 lbs |
| 105210 | 9” Diameter, Cast Head, W/2” Hex | 98 lbs |
| 105215 | 10” Diameter, Cast Head, W/2” Hex | 113 lbs |
| 105220 | 12” Diameter, Cast Head, W/2” Hex | 128 lbs |
| 105225 | 15” Diameter, Cast Head, W/2” Hex | 139 lbs |
| 105230 | 16” Diameter, Cast Head, W/2” Hex | 167 lbs |
| 105235 | 18” Diameter, Cast Head, W/2” Hex | 204 lbs |
| 105237 | 20” Diameter, Cast Head, W/2” Hex | 231 lbs |
| 105239 | 24” Diameter, Cast Head, W/2” Hex | 272 lbs |
| 105241 | 30” Diameter, Cast Head, W/2” Hex | 312 lbs |
| 105243 | 36” Diameter, Cast Head, W/2” Hex | 430 lbs |
| 105245 | 42” Diameter, Cast Head, W/2” Hex | 460 lbs |
| 105250 | 48” Diameter, Cast Head, W/2” Hex | 550 lbs |

### FEATURES INCLUDE

**Difficult ground conditions**

- Cast steel boring head
- Hardened drive-in teeth; standard includes gauge teeth in outside position, chisel teeth in inside position
- Hardened fishtail point
- Heavy duty double flighting
- 4’ standard length; 3’, 5’, and 6’ lengths available
- 2” hex, 2 9/16” round, and 2” round collars available

# *ROCK BITS*

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 105305 | 4” Diameter, Rock, W/2” Hex | 70 lbs |
| 105310 | 6” Diameter, Rock, W/2” Hex | 66 lbs |
| 105320 | 9” Diameter, Rock, W/2” Hex | 102 lbs |
| 105330 | 12” Diameter, Rock, W/2” Hex | 134 lbs |
| 105340 | 16” Diameter Rock, W/2” Hex | 203 lbs |
| 105345 | 18” Diameter, Rock, W/2” Hex | 201 lbs |
| 105350 | 24” Diameter, Rock, W/2” Hex | 291 lbs |
| 105355 | 30” Diameter, Rock, W/2” Hex | 340 lbs |
| 105360 | 36” Diameter, Rock, W/2” Hex | 395 lbs |

### FEATURES INCLUDE

**Rock, asphalt, and frozen ground**

- Solid rock and concrete
- Cast tooth pockets
- Drive-in carbide bullet teeth
- 3/4” thick boring head
- 4’ standard length
- 2” hex, 2 9/16” round, and 2” round collars available

# *TREE BITS*

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 105405 | 18-9” Diameter, Tree, W/2” Hex | 120 lbs |
| 105410 | 24-12” Diameter, Tree, W/2” Hex | 176 lbs |
| 105415 | 30-15” Diameter, Tree, W/2” Hex | 264 lbs |
| 105420 | 36-18” Diameter, Tree, W/2” Hex | 286 lbs |
| 105425 | 42-18” Diameter, Tree, W/2” Hex | 432 lbs |
| 105430 | 48-24” Diameter, Tree, W/2” Hex | 449 lbs |

### FEATURES INCLUDE

**Tree and shrub planting**

- Fabricated boring head
- Hardened bolt-on teeth; standard includes gauge teeth in outside position, wisdom teeth in inside position
- Hardened fishtail point
- Heavy duty double flighting
- 4’ standard length; 3’, 5’, and 6’ lengths available
- 2” hex, 2 9/16” round, and 2” round collars available

# BACKHOE

The Blue Diamond® Backhoe is a quick and easy way to dig trenches with a skid steer. This powerful unit uses the biggest cylinder in the industry with the largest bucket capacity. The linkage geometry gives exceptional bucket rotation and breakout force.

## FEATURES INCLUDE

- 3 1/2″ bore, 20″ stroke cylinder
- Linkage between cylinder and bucket
- Includes hose and flat face couplers
- Bucket sizes range from 9” to 30”
- Heavy duty cast replaceable teeth
- Grease fittings on all pivot points
- Quick off and on machine
- No specific machine requirements
- Easy to operate
- Requires no electrical hookups

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 130005 | Backhoe, Hyd (No Bucket) | 388 lbs |
| 130009 | 8” Backhoe Bucket | 103 lbs |
| 130010 | 9” Backhoe Bucket | 103 lbs |
| 130015 | 12” Backhoe Bucket | 139 lbs |
| 130020 | 18” Backhoe Bucket | 169 lbs |
| 130025 | 24” Backhoe Bucket | 202 lbs |
| 130027 | 30” Backhoe Bucket | 202 lbs |

# BALE SQUEEZE

## *HYDRAULIC ROUND*

The Blue Diamond® Bale Squeeze is an excellent alternative to a bale spear, especially when using wrapped bales. This versatile attachment can pick up bales whether they are sitting flat or are on their side.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 111105 | Bale Squeeze | 400 lbs |
| 211110 | Optional Bolt-On Grippers* | 60 lbs |

*Optional grippers help when handling wet or plastic wrapped bales.*

## FEATURES INCLUDE

- Strong, tubular design, handles round bales
- 2,000 lb capacity
- Flat face couplers
- Opens to 72” for handling up to 60” bales
- Equalizer bar standard
- Use on skid steers or tractors with universal mount

# HYDRAULIC BREAKER
## *HAMMER*

Our 5-year quest to develop a superior hydraulic breaker is now available from Blue Diamond®. This “hammer” design offers technology, simplicity, reliability, ease of setup, and service support. With no more downtime, you can get started on your demolition, construction, and quarry jobs now.

### FEATURES INCLUDE

- 3-year warranty
- Mono-block design / no tie rods
- Anti-blank firing system
- Hydraulic brake
- No re-gassing needed
- Only 2 internal moving parts
- 2 speed control / variable stroke
- Quiet operation
- Self-regulating
- Body bushings around piston

| PART** NUMBER | MODEL | WORKING PRESSURE | MAX OIL FLOW | FREQUENCY (BPM) | OPERATING WEIGHT* | TOOL DIAMETER | ENERGY CLASS | CARRIER WEIGHT | (PSI) BACK PRESSURE |
|---|---|---|---|---|---|---|---|---|---|
| 335005 | HB50 | 1,750 | 7 | 1,200 | 257 lbs | 1.5 | 100 | 1,500-2,650 lbs | 290-360 |
| 335009 | HB95 | | 11 | | 355 lbs | 1.8 | 200 | 2,650-4,000 lbs | |
| 335016 | HB165 | | 13 | | 498 lbs | 2.2 | 400 | 4,000-6,600 lbs | |
| 335021 | HB210 | | 16 | 1,100 | 598 lbs | 2.5 | 500 | 6,100-9,900 lbs | |
| 335030 | HB300 | | 21.2 | | 921 lbs | 2.9 | 700 | 8,800-15,500 lbs | |
| 335040 | HB400 | | 29.2 | 900 | 1,139 lbs | 3.1 | 1,000 | 13,500-20,900 lbs | 363 |
| 335053 | HB530 | | 32 | | 1,404 lbs | 3.3 | 1,200 | 17,650-25,350 lbs | |

**Operating weight does not include any mount used. **Mount Suffixes: (no suffix) – Skid Steer, “-EX” – Excavator, “-25” Mini Universal, “-26”, Bobcat MT, “-35” Avant, “-36” – ASV.*

## BREAKER CUTAWAY

**ACCUMULATOR:**
The large dimension accumulator with diaphragm supplies power to the breaker and protects the excavator hydraulic pump and pipeline from damage due to the backshock blows

**ISOLATION:**
An isolation with vulcanized polyurethane between the metal case and the monoblock drastically reduced noise and vibrations

**MONOBLOCK:**
The absence of a tie rod increases reliability and makes eventual servicing more simple and economical



**BODY BUSHINGS:**
In case of a damaged piston, body bushings protect the monoblock

**HYDRAULIC BRAKE:**
A hydraulic brake on the piston prohibits the breaker from harmful blank firing

# BROOMS - ANGLE
## *HEAVY DUTY SERIES 2*

The Blue Diamond® Heavy Duty Series 2 Angle Broom is available in manual and hydraulic angle options. A simple-to-use control comes with the hydraulic angle model for control from inside your cab. The bristles are available in poly, steel, or poly/steel mix and are protected by retractable legs when not in use.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 116207 | 60” Manual Angle | 620 lbs |
| 116212 | 72” Manual Angle | 665 lbs |
| 116217 | 84” Manual Angle | 811 lbs |
| 116222 | 96" Manual Angle | 980 lbs |
| 116205 | 60” Hydraulic Angle (Req Wiring Harness) | 652 lbs |
| 116210 | 72” Hydraulic Angle (Req Wiring Harness) | 687 lbs |
| 116215 | 84” Hydraulic Angle (Req Wiring Harness) | 756 lbs |
| 116220 | 96" Hydraulic Angle (Req Wiring Harness) | 824 lbs |

*Attachment is weighed without mount.*

OPTIONAL WATER KIT

### FEATURES INCLUDE

- 60”, 72”, 84”, and 96” widths
- 26” bristles, poly, steel, or poly/steel mix
- Manual or hydraulic options
- Stand protects bristles when not in use
- 7-pin, 8-pin, and 14-pin OEM connector available
- Optional water kit
- Mini model available
- 30˚ pivot angle

26" POLY, POLY/STEEL MIX, STEEL WAFERS

# BROOMS - ANGLE
## *SEVERE DUTY SERIES 2*

The Blue Diamond® Severe Duty Series 2 Angle Broom is a powerful attachment for the serious user. It has been engineered for daily use in tough conditions. Everywhere you look on this broom, you will see quality and ingenuity.

| PART NUMBER | MODEL | ANGLED WIDTH | WEIGHT |
|---|---|---|---|
| 116408 | 60” Manual Angle | 48.7” | 860 lbs |
| 116413 | 72” Manual Angle | 59.2” | 940 lbs |
| 116418 | 84” Manual Angle | 69.3” | 1,010 lbs |
| 116423 | 96” Manual Angle | 79.7” | 1,095 lbs |
| 116410 | 60” Hydraulic Angle | 48.7” | 890 lbs |
| 116415 | 72” Hydraulic Angle | 59.2” | 970 lbs |
| 116420 | 84” Hydraulic Angle | 69.3” | 1,040 lbs |
| 116425 | 96” Hydraulic Angle | 79.7” | 1,125 lbs |

OPTIONAL WATER KIT

### FEATURES INCLUDE

- Hydraulic angle and bristle operate simultaneously
- Oversized main shaft spindles
- Massive bearings
- Bidirectional motor
- Welded heavy duty cylinder
- Grease fittings on pivot points
- 32” bristles with poly, steel, or poly/steel mix available
- 7-pin, 8-pin, and 14-pin OEM connector available
- Optional water kit

32" POLY, POLY/STEEL MIX, STEEL

# BROOMS - PICKUP
## *SERIES 2*

### FEATURES INCLUDE

- Predrilled for optional water kit
- Mounts for gutter brush included
- Bolt-on rubber skirting to contain debris
- Motor and shaft guards
- 1 1/2” x 7” Zinc height-adjustment pins with 4 positions
- Heavy duty dump stops
- Grease fittings on all pivot points and bearings
- Steps mounted on back of broom for entering and exiting the host machine

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 116512 | 60” Pickup Broom, Series 2 | 945 lbs |
| 116517 | 72” Pickup Broom, Series 2 | 1,390 lbs |
| 116522 | 84” Pickup Broom, Series 2 | 1,585 lbs |
| 116527 | 96” Pickup Broom, Series 2 | 1,765 lbs |
| 116555 | Optional Gutter Brush | 128 lbs |

OPTIONAL GUTTER BRUSH

WATER KIT RUNNING

# BROOMS - PUSH
## *STANDARD & HEAVY DUTY*

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris.

### FEATURES INCLUDE

- Standard Duty comes with 8 rows of bristles
- Heavy Duty has 11 rows of bristles
- Heavy Duty models are available in 60”, 72”, or 96” widths
- Standard Duty models are available in 60” and 72” widths

| PART NUMBER | MODEL | WEIGHT | BRISTLES |
|---|---|---|---|
| 316030 | 60” Push Standard Duty | 158 lbs | 8 rows |
| 316035 | 72” Push Standard Duty | 180 lbs | 8 rows |
| 316040 | 60” Push Heavy Duty | 216 lbs | 11 rows |
| 316045 | 72” Push Heavy Duty | 262 lbs | 11 rows |
| 316055 | 96” Push Heavy Duty | 535 lbs | 11 rows |
| 116020 | Forklift Mount (HD Model Req 116027) | 52 lbs | — |
| 116026 | Skid Steer Mount (HD Model Req 116027) | 187 lbs | — |

# BRUSH CUTTER
## *84” DUAL SPINDLE MOTOR*

The Blue Diamond® Dual Motor Brush Cutter is in a class of its own! Featuring a new floating deck design, this cutter can cover the uneven ground with ease. The front wheels are adjustable to meet whatever cut height you need. It leaves a neat finish when mowing grass and can also cut up to 3” material in the brush.

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 103920 | 84” Dual 80 CC Motor | 15-22 GPM | 1,911 lbs |
| 103930 | 84” Dual 125 CC Motor | 23-30 GPM | 1,920 lbs |

*Includes couplers, direct drive*

### FEATURES INCLUDE

- 84” cutting width
- Adjustable height wheels
- Floating deck design for uneven ground
- Grease fittings on all pivots
- 4 double sided blades
- Cuts 3” material
- 1-year warranty

---

# BRUSH CUTTER
## *HEAVY DUTY*

The Blue Diamond® Heavy Duty Brush Cutter is a high-performance cutter that is priced right for the everyday non-commercial user. It easily mows grass and cuts up to 3” diameter brush!

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 103004 | 60” HD Brush Cutter, 80cc | 11-16 GPM | 940 lbs |
| 103007 | 60” HD Brush Cutter, 100cc | 16-20 GPM | 1,069 lbs |
| 103012 | 72” HD Brush Cutter, 160cc | 19-26 GPM | 1,333 lbs |

### FEATURES INCLUDE

- Available in 60” and 72” cutting widths
- Chain curtain minimizes discharge
- Perimeter wire/vine guard on blade carrier
- 3” diameter cutting capacity
- Dual external crossover relief valves
- 4000 Series geroler motor
- Dual-direction cutting

# BRUSH CUTTER
## *EXTREME DUTY OPEN/CLOSED FRONT*

The Blue Diamond® Extreme Duty Open/Closed Front Brush Cutter is the most versatile skid steer brush cutter on the market. This attachment cuts grass like a lawn mower and still can cut up to 5” trees! Why buy a brush cutter that limits you to one or the other? Very few brush cutters, if any, are able to perform in such a variety of applications like the Blue Diamond® Extreme Duty Brush Cutters can!

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 103015 | 60” Standard Flow-Closed Front | 14-22 GPM | 1,235 lbs |
| 103020 | 72” Standard Flow-Closed Front | 16-26 GPM | 1,589 lbs |
| 103016 | 60” Standard Flow-Open Front | 14-22 GPM | 1,232 lbs |
| 103027 | 72” Standard Flow-Open Front | 12-16 GPM | 1,580 lbs |
| 103025 | 72” Standard Flow-Open Front | 16-26 GPM | 1,560 lbs |
| 103017 | 60” High Flow-Open Front | 23-40 GPM | 1,296 lbs |
| 103023 | 72” High Flow-Closed Front | 27-35 GPM | 1,653 lbs |
| 103024 | 72” High Flow-Closed Front | 36-45 GPM | 1,690 lbs |
| 103030 | 72” High Flow-Open Front | 27-35 GPM | 1,607 lbs |
| 103032 | 72” High Flow-Open Front | 36-45 GPM | 1,633 lbs |

OPEN-FRONT

CLOSED-FRONT

### 60" STANDARD FLOW:
- 3 double-sided blades
- 3/4" thick blade carrier
- 4000 Series geroler motor
- 5" diameter cutting capacity
- 14 – 22 GPM flow range
- Dual-direction cutting

### 60” HIGH FLOW:
- 3 double-sided blades
- 3/4” thick blade carrier
- 6000 Series geroler motor
- 5” diameter cutting capacity
- 23 – 40 GPM flow range
- Dual-direction cutting

### 72" STANDARD FLOW:
- 4 double-sided blades
- 3/4" thick blade carrier
- 4000 Series geroler motor
- 6” diameter cutting capacity
- 12 – 26 GPM flow range
- Dual-direction cutting

### 72" HIGH FLOW:
- 4 double-sided blades
- 3/4" thick blade carrier
- 6000 Series geroler motor
- 8” diameter cutting capacity
- 27 – 45 GPM flow range
- Dual-direction cutting

888-376-7027 BlueDiamondAttachments.com

# BRUSH CUTTER
## *EXTREME DUTY SERIES 2 OPEN/CLOSED FRONT*

The Blue Diamond® Extreme Duty Series 2 Closed and Open Front Brush Cutters are aggressive - even the standard-flow models outperform most high-flow cutters. The durable push bar keeps trees off the deck. The very heavy duty direct-drive system makes this commercial-grade cutter extremely reliable.

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 103015-2 | 60” Standard-Closed Front | 15-22 GPM | 1,235 lbs |
| 103020-2 | 72” Standard-Closed Front | 16-26 GPM | 1,617 lbs |
| 103016-2 | 60” Standard-Open Front | 15-22 GPM | 1,220 lbs |
| 103027-2 | 72” Standard-Open Front | 13-18 GPM | 1,794 lbs |
| 103025-2 | 72” Standard-Open Front | 16-26 GPM | 1,794 lbs |
| 103017-2 | 60” High Flow-Closed Front | 23-40 GPM | 1,225 lbs |
| 103023-2 | 72” High Flow-Closed Front | 27-35 GPM | 1,617 lbs |
| 103024-2 | 72” High Flow-Closed Front | 36-45 GPM | 1,617 lbs |
| 103030-2 | 72” High Flow-Open Front | 27-35 GPM | 1,794 lbs |
| 103032-2 | 72” High Flow-Open Front | 36-45 GPM | 1,794 lbs |

OPEN-FRONT

CLOSED-FRONT

### 60" STANDARD FLOW:
- 3 double-sided blades
- 3/4" thick blade carrier
- 4000 Series geroler motor
- 5" diameter cutting capacity
- 14–22 GPM flow range
- Dual-direction cutting

### 60" HIGH FLOW:
- 3 double-sided blades
- 3/4" thick blade carrier
- 6000 Series geroler motor
- 5" diameter cutting capacity
- 27–40 GPM flow range
- Dual-direction cutting

### 72" STANDARD FLOW:
- 4 double-sided blades
- 3/4" thick blade carrier
- 4000 Series geroler motor
- 6" diameter cutting capacity
- 13–26 GPM flow range
- Dual-direction cutting

### 72” HIGH FLOW:
- 4 double-sided blades
- 3/4” thick blade carrier
- 6000 Series geroler motor
- 8” diameter cutting capacity
- 27–45 GPM flow range
- Dual-direction cutting

## *SWING ARM*

The Blue Diamond® Swing Arm Cutter is a great implement to add to your collection. It is designed for cutting banks, right of ways, and fence lines. The cutter also works great for clearing pond banks and cutting trails. The Swing Arm Cutter provides significant reach advantage over our typical cutter.

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 103870 | Brush Cutter Swing Arm | 14-20 GPM | 845 lbs |
| 103875 | Brush Cutter Swing Arm | 17-30 GPM | 1,025 lbs |
| 103877 | Brush Cutter Swing Arm | 27-35 GPM | 1,200 lbs |

### FEATURES INCLUDE
- Reach advantage over our typical cutter
- Can be used as a side cutter
- Direct drive piston motor with max 4000 PSI
- 3” x 16” tilt cylinders
- 5/8” AR400 Blades
- 44” cutting width
- Requires case drain
- Optional universal, 7-pin, 8-pin, or 14-pin wiring harnesses are available

# BRUSH CUTTER
## *SEVERE DUTY SERIES 2*

The incredible power and versatility of the Blue Diamond® Severe Duty Series 2 Brush Cutter will all but remove the need for a mulching head. Its 10” cutting capacity and incredible performance in grass make this brutally tough unit the top in its class. Using the highest quality piston motor on the market, the torque throughout its flow range is unmatched. The visible pressure gauge keeps you aware of the workload and keeps you working at peak performance, increasing productivity tremendously! Adjustable skid shoes allow the cutting height to be adjusted. The mammoth 1” thick blade carrier weighs over 500 lbs and has a serrated edge to help with mulching and destroying fence wire that often takes out other brush cutters. The innovative debris covers prevent brush and other materials from building up on the top of the deck. Keeping this surface clear of debris ensures maximum life of the durable powder coat as well as adding safety for entering and exiting the machine.

500 LB BLADE CARRIER

***10” CUTTING CAPACITY***

### FEATURES INCLUDE

- 72” cutting width
- 4 double-sided blades
- Piston motor
- 1” thick blade carrier with serrated edge
- Visible pressure gauge to monitor workload
- Adjustable bolt-on skid shoes
- Easy machine entry
- Dual redundant hydraulic protection for the motor

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 103122 | 72" Severe Duty, 150 CC | 16-26 GPM | 1,957 lbs |
| 103127 | 72" Severe Duty, 200 CC | 27-35 GPM | 2,224 lbs |
| 103132 | 72" Severe Duty, 250 CC | 35-45 GPM | 2,250 lbs |

# BUCKETS

## *4-IN-1*

The Blue Diamond® 4-in-1 Bucket will make a skid steer or compact track loader into a versatile machine. Use as a grapple for moving logs or debris, pushing dirt with the blade, digging with the bucket, and backdragging with the open bucket like a box blade. The 4-in-1 uses 2 powerful cylinders and can be greased on all pivot points. A pilot-operated check-valve to control drifting is available.

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108780 | 66” 4-In-1, W/Smooth Edge | 13.9 CU FT | 862 lbs |
| 108785 | 72” 4-In-1, W/Smooth Edge | 15.2 CU FT | 908 lbs |
| 108790 | 78” 4-In-1, W/Smooth Edge | 16.5 CU FT | 979 lbs |
| 108795 | 84” 4-In-1, W/Smooth Edge | 17.7 CU FT | 1,004 lbs |
| 108776 | 60” 4-In-1, W/Teeth | 12 CU FT | 855 lbs |
| 108781 | 66” 4-In-1, W/Teeth | 13.9 CU FT | 750 lbs |
| 108786 | 72” 4-In-1, W/Teeth | 15.2 CU FT | 981 lbs |
| 108791 | 78” 4-In-1, W/Teeth | 16.5 CU FT | 959 lbs |
| 108796 | 84” 4-In-1, W/Teeth | 17.7 CU FT | 1,190 lbs |

### FEATURES INCLUDE

- Protected hoses
- Standard bolt-on edge on dozer portion
- Front bolt-on edge available
- Weld on shanks and teeth available

## *DISPENSING*

The Blue Diamond® Dispensing Bucket is great for any flowable material feed to concrete. The hopper has splash guards around the top to contain material while traveling on rough terrain. The heavy duty chute is enclosed at the back to control the flow and is removable for transportation or storage.

### FEATURES INCLUDE

- Available with 1/2 yard or 3/4 yard hopper with tapered front
- Removable chute for cleaning and storage
- Splash guard around top line
- Available with or without hydraulic door
- 1-year warranty

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 110005 | 1/2 Yard Dispensing Bucket | 393 lbs |
| 110010 | 1/2 Yard Dispensing Bucket W/Hydraulic Door | 403 lbs |
| 110036 | 3/4 Yard Dispensing Bucket Series 2 | 480 lbs |
| 110040 | 3/4 Yard Dispensing Bucket W/Hydraulic Door | 477 lbs |

# BUCKETS

## *DUMPSTER*

The Blue Diamond® Dumpster Bucket is handy around a job site for collecting trash. It acts like a large garbage can that can easily hook onto your skid steer and be dumped into a truck or larger dumpster. The bucket also works well for carrying mulch, potted trees, and tools across a job site.

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108898 | 50” Dumpster Bucket | 27.6 CU FT | 360 lbs |
| 108899 | 66” Dumpster Bucket | 37.3 CU FT | 430 lbs |
| 108900 | 72” Dumpster Bucket | 40.5 CU FT | 510 lbs |
| 108902 | 84” Dumpster Bucket | 47.3 CU FT | 595 lbs |

### FEATURES INCLUDE

- 6′ wide, 1.5 yard capacity
- Skid steer quick attachment
- Drain holes in bottom to allow water to escape

## *FRONT DUMP*

The Blue Diamond® Front Dump Bucket allows you to load trucks you normally could not reach. You gain an average of 5 feet in height and 3 feet in reach.

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108801 | 72” Front Dump Bucket | 25.1 CU FT | 935 lbs |
| 108803 | 78” Front Dump Bucket | 27.1 CU FT | 965 lbs |
| 108805 | 84” Front Dump Bucket | 29.1 CU FT | 1,009 lbs |
| 108815 | 96” Front Dump Bucket | 48.1 CU FT | 1,100 lbs |

### FEATURES INCLUDE

- Available in 72″, 78″, 84″, and 96″ widths

## *ROCK - STANDARD & EXTREME DUTY*

The Blue Diamond® Extreme Duty Rock Bucket is one of the heaviest rock buckets available. With the increased horsepower and size of many new skid steers and compact track loaders, this rock bucket has become very popular. The Standard Duty Rock Bucket is constructed from 3/8” thick material and is perfect for raking rocks, removing brush or separating dirt from firewood or roots.

| PART NUMBER | MODEL | TINE THICKNESS | WEIGHT |
|---|---|---|---|
| 108320 | 66” Standard Duty Rock Bucket | 3/8" | 424 lbs |
| 108335 | 72” Standard Duty Rock Bucket | 3/8" | 465 lbs |
| 108350 | 78” Standard Duty Rock Bucket | 3/8” | 512 lbs |
| 108405 | 66” Extreme Duty Rock Bucket | 1/2" | 615 lbs |
| 108410 | 72” Extreme Duty Rock Bucket | 1/2" | 615 lbs |
| 108415 | 78” Extreme Duty Rock Bucket | 1/2" | 656 lbs |
| 108420 | 84” Extreme Duty Rock Bucket | 1/2" | 690 lbs |

### FEATURES INCLUDE

- 3” spacing between tines
- Available in 66”, 72”, 78”, and
- 84” widths
- 3/8” or 1/2” thick tines
- Available with Euro/Global mount

# BUCKETS
## *GENERAL PURPOSE*

The Blue Diamond® General Purpose Buckets for skid steers are available in a variety of configurations. We offer weld-on cutting edge, bolt-on cutting edge, teeth, tooth bar, or a long-bottom version. These well-engineered, low-profile buckets offer a powerful breakout force and great visibility. Buckets up to 72" wide use 3/16" material back and bottom. The 78" and larger sizes use 1/4" material. All standard buckets are 20" tall and use a 3/4" by 6" cutting edge. The standard bottom is 30" front to back, and the long-bottom bucket is 36".

TOOTH BUCKET



SMOOTH BUCKET

BUCKET WITH SERRATED BOLT-ON-EDGE

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108090 | 60” Low Profile-Smooth | 10.8 CU FT | 334 lbs |
| 108095 | 60” Low Profile-Tooth | 10.8 CU FT | 384 lbs |
| 108100 | 66” Low Profile-Smooth | 12.2 CU FT | 354 lbs |
| 108105 | 66” Low Profile-Tooth | 12.2 CU FT | 409 lbs |
| 108110 | 72” Low Profile-Smooth | 13.2 CU FT | 378 lbs |
| 108115 | 72” Low Profile-Tooth | 13.2 CU FT | 437 lbs |
| 108120 | 78” Low Profile-Smooth | 14.3 CU FT | 408 lbs |
| 108125 | 78” Low Profile-Tooth | 14.3 CU FT | 460 lbs |
| 108130 | 84” Low Profile-Smooth | 15.7 CU FT | 436 lbs |
| 108135 | 84” Low Profile-Tooth | 15.7 CU FT | 515 lbs |
| 108140 | 60” Low Profile-Long Bottom-Smooth | 15.7 CU FT | 385 lbs |
| 108145 | 60” Low Profile-Long Bottom-Tooth | 15.7 CU FT | 434 lbs |
| 108150 | 66” Low Profile-Long Bottom-Smooth | 17.3 CU FT | 426 lbs |
| 108155 | 66” Low Profile-Long Bottom-Tooth | 17.3 CU FT | 472 lbs |
| 108160 | 72” Low Profile-Long Bottom-Smooth | 18.6 CU FT | 446 lbs |
| 108165 | 72” Low Profile-Long Bottom-Tooth | 18.6 CU FT | 505 lbs |
| 108170 | 78” Low Profile-Long Bottom-Smooth | 20 CU FT | 441 lbs |
| 108180 | 84” Low Profile-Long Bottom-Tooth | 22 CU FT | 505 lbs |

# BUCKETS
## *LOW PROFILE, SEVERE DUTY*

The Blue Diamond® Severe Duty Bucket is among the heaviest duty skid steer buckets on the market. It is available in 66”, 72”, 78”, 84”, or 90” widths, low profile, and/or, high capacity. It is constructed from heavy gauge steel consisting of a 1/2” bottom, double-layer 1/4” back, and a 1” x 8” cutting blade.



TOOTH BUCKET

BUCKET WITH SERRATED BOLT-ON-EDGE

SMOOTH BUCKET

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108260 | 66” Low Profile, Severe Duty, Smooth | 11.4 CU FT | 650 lbs |
| 108263 | 66” Low Profile, Severe Duty, Tooth | 11.4 CU FT | 675 lbs |
| 108270 | 72” Low Profile, Severe Duty, Smooth | 11 CU FT | 710 lbs |
| 108273 | 72” Low Profile, Severe Duty, Tooth | 11 CU FT | 724 lbs |
| 108275 | 78” Low Profile, Severe Duty, Smooth | 12 CU FT | 690 lbs |
| 108277 | 78” Low Profile, Severe Duty, Tooth | 12 CU FT | 757 lbs |
| 108280 | 84” Low Profile, Severe Duty, Smooth | 12.9 CU FT | 738 lbs |
| 108282 | 84” Low Profile, Severe Duty, Tooth | 12.9 CU FT | 813 lbs |
| 108283 | 90” Low Profile, Severe Duty Tooth | 18.8 CU FT | 925 lbs |
| 108284 | 72” Low Profile, Severe Duty, Smooth-Long Bottom | 15.2 CU FT | 732 lbs |
| 108285 | 72” Low Profile, Severe Duty, Tooth-Long Bottom | 15.2 CU FT | 774 lbs |
| 108286 | 78” Low Profile, Severe Duty, Smooth-Long Bottom | 16.47 CU FT | 759 lbs |
| 108287 | 78” Low Profile, Severe Duty, Tooth-Long Bottom | 16.47 CU FT | 846 lbs |
| 108290 | 84” Low Profile, Severe Duty, Smooth-Long Bottom | 17.74 CU FT | 853 lbs |
| 108293 | 84” Low Profile, Severe Duty, Tooth-Long Bottom | 17.5 CU FT | 892 lbs |
| 108296 | 90” Low Profile, Severe Duty, Tooth-Long Bottom | 18.8 CU FT | 875 lbs |


888-376-7027 BlueDiamondAttachments.com

# BUCKETS

## *TURKEY LITTER, HEAVY DUTY*

The Blue Diamond® Turkey Litter bucket allows you to move large volumes of light material in one scoop. These large capacity buckets were originally designed to clean out turkey farms, but also work great for sawdust, corn, or other light materials.

### FEATURES INCLUDE

- 40” high back
- 42” deep front to back
- Reinforced back and floor
- Pre-drilled for bolt-on edge option
- 1/4” wrap thickness

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108745 | 78” HD Turkey Litter Bucket, 1/4” Wrap | 1.8 yards$^3$ | 802 lbs |
| 108750 | 84” HD Turkey Litter Bucket, 1/4” Wrap | 2.0 yards$^3$ | 837 lbs |
| 108751 | 96” HD Turkey Litter Bucket, 1/4” Wrap | 2.2 yards$^3$ | 875 lbs |

## *UTILITY*

The Blue Diamond® Utility Bucket is ruggedly built. It offers more capacity than a standard low-profile bucket yet does not get as cumbersome as a high-capacity bucket. Designed for larger machines, it can handle the horsepower and not get overloaded as fast as some OEM buckets. The rolled back on the inside allows the bucket to clean out easier yet the rear heel still offers excellent backdragging and leveling capabilities.

SMOOTH BUCKET
34”D X 22”H

TOOTH BUCKET

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108960 | 72” Smooth W/Bolt-On Edge | 13.5 CU FT | 610 lbs |
| 108965 | 72” Tooth | 13.5 CU FT | 598 lbs |
| 108970 | 78” Smooth W/Bolt-On Edge | 14.58 CU FT | 670 lbs |
| 108975 | 78” Tooth | 14.58 CU FT | 656 lbs |
| 108980 | 84” Smooth W/Bolt-On Edge | 15.66 CU FT | 695 lbs |
| 108985 | 84” Tooth | 15.66 CU FT | 678 lbs |
| 108987 | 90” Smooth W/Bolt-On Edge | 16.74 CU FT | 670 lbs |

### FEATURES INCLUDE

- 34” deep front to back
- 22” high back

# BUCKETS

## *UTILITY* - HIGH CAPACITY

### FEATURES INCLUDE

- 1/2” Rolled back
- 5/8” Thick cutting Edge

SMOOTH BUCKET

TOOTH BUCKET

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108944 | 72” High-Capacity Utility - Smooth w/BOE | 19.71 CU FT | 785 lbs |
| 108946 | 72” High-Capacity Utility - Tooth | 19.71 CU FT | 785 lbs |
| 108948 | 78” High-Capacity Utility - Smooth w/BOE | 21.33 CU FT | 785 lbs |
| 108950 | 78” High-Capacity Utility - Tooth | 21.33 CU FT | 785 lbs |
| 108952 | 84” High-Capacity Utility - Smooth w/BOE | 23 CU FT | 785 lbs |
| 108954 | 84” High-Capacity Utility - Tooth | 26 CU FT | 792 lbs |
| 108956 | 90” High-Capacity Utility - Smooth w/BOE | 25 CU FT | 792 lbs |
| 108957 | 90” High-Capacity Utility - Tooth | 25 CU FT | 795 lbs |
| 108958 | 96” High-Capacity Utility - Smooth w/BOE | 26.19 CU FT | 802 lbs |
| 108959 | 96” High-Capacity Utility - Tooth | 26.19 CU FT | 802 lbs |

## *UTILITY* - HIGH CAPACITY | HIGH BACK

The Blue Diamond High Capacity High Back Utility Buckets are key for productivity on the job site. With a durable reinforced back and massive capacity, these buckets are sure to meet whatever demands you can throw at them. The mesh in the back provides exceptional visibility, while the optional bolt on side cutters help scrape materials into the bucket.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 108946-HB | 72” High-Back/High-Capacity Utility - Tooth | 930 lbs |
| 108950-HB | 78” High-Back/High-Capacity Utility - Tooth | 965 lbs |
| 108954-HB | 84” High-Back/High-Capacity Utility - Tooth | 1,033 lbs |
| 108957-HB | 90” High-Back/High-Capacity Utility - Tooth | 1,035 lbs |
| 108959-HB | 96” High-Back/High-Capacity Utility - Tooth | 1,055 lbs |
| 108944-HB | 72” High-Back/High-Capacity Utility - Smooth w/BOE | 945 lbs |
| 108948-HB | 78” High-Back/High-Capacity Utility - Smooth w/BOE | 980 lbs |
| 108952-HB | 84” High-Back/High-Capacity Utility - Smooth w/BOE | 1,015 lbs |
| 108956-HB | 90” High-Back/High-Capacity Utility - Smooth w/BOE | 1,050 lbs |
| 108958-HB | 96” High-Back/High-Capacity Utility - Smooth w/BOE | 1,070 lbs |

# BUCKETS
## *SCREENING*

The Blue Diamond® Screening Bucket is used for the screening, aerating, separating and mixing of soils, and aggregating wood chip and compost. The efficient screening process is created by the star rotors agitating the material, causing the fines to flow through the rotating stars leaving the oversized material in the bucket. A hydraulic flow regulator is included to maintain correct RPM for poly stars.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 145010 | 47” Skid Steer | 928 lbs |
| 145015 | 60” Skid Steer | 1,320 lbs |

** Optional comb kits.*

### FEATURES INCLUDE
- 1” or smaller material will flow through
- Horizontal shafts, fitted with poly stars that rotate in the same upwards direction
- Hardened steel cutting edge
- 2-position mount plate
- Hoses and couplers included
- Skid steer mount included

## *SLAB*

### FEATURES INCLUDE
- 3/4” sides
- 1” x 8” cutting edge
- Cast replaceable teeth
- Reinforced quick attach for prying
- Powder coat paint

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 108895 | Slab Bucket | 600 lbs |

## *STUMP*

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 102015 | Stump Bucket, Severe Duty Curved Bottom | 443 lbs |

*For digging stumps, shrubs, and trenches.*

## *SNOW & MULCH* - SPECIAL CAPACITY

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108513 | 48” Snow & Mulch | 1 YARD | 507 lbs |
| 108525 | 60” Snow & Mulch | 1 YARD | 509 lbs |
| 108565 | 84” Snow & Mulch | 1 1/2 YARD | 601 lbs |
| 108585 | 96” Snow & Mulch | 1 1/2 YARD | 728 lbs |

*Great for loading short bed trucks.*

# BUCKETS

## *SNOW & MULCH* - STANDARD DUTY

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108520 | 60” Snow & Mulch, 3/16" Wrap | 21 CU FT | 450 lbs |
| 108530 | 66” Snow & Mulch, 3/16" Wrap | 22.9 CU FT | 468 lbs |
| 108540 | 72” Snow & Mulch, 3/16" Wrap | 25 CU FT | 508 lbs |
| 108545 | 78” Snow & Mulch, 3/16" Wrap | 27 CU FT | 550 lbs |
| 108550 | 84” Snow & Mulch, 3/16" Wrap | 29.1 CU FT | 605 lbs |
| 108570 | 90” Snow & Mulch, 3/16" Wrap | 31.2 CU FT | 601 lbs |
| 108580 | 96” Snow & Mulch, 3/16" Wrap | 34.5 CU FT | 767 lbs |
| 108590 | 102” Snow & Mulch, 3/16" Wrap | 35 CU FT | 728 lbs |

38”D X 26”H

**TECH TIP**

The “wrap” is the back and bottom of a bucket.

## *SNOW & MULCH* - HEAVY DUTY

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108620 | 60” Snow & Mulch, HD, 1/4 Wrap | 21 CU FT | 532 lbs |
| 108630 | 66” Snow & Mulch, HD, 1/4 Wrap | 22.9 CU FT | 550 lbs |
| 108640 | 72” Snow & Mulch, HD, 1/4 Wrap | 25 CU FT | 575 lbs |
| 108650 | 78” Snow & Mulch, HD, 1/4 Wrap | 27 CU FT | 805 lbs |
| 108660 | 84” Snow & Mulch, HD, 1/4 Wrap | 29.1 CU FT | 875 lbs |
| 108670 | 90” Snow & Mulch, HD, 1/4 Wrap | 31.2 CU FT | 950 lbs |
| 108680 | 96” Snow & Mulch, HD, 1/4 Wrap | 34.5 CU FT | 1,000 lbs |
| 108682 | 102” Snow & Mulch, HD, 1/4 Wrap | 36 CU FT | 1,115 lbs |

38”D X 26”H

## *SNOW & MULCH* - HIGH BACK

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 108701 | 60” Snow & Mulch, High Back With Mesh | 491 lbs |
| 108702 | 72” Snow & Mulch, High Back With Mesh | 553 lbs |
| 108700 | 78” Snow & Mulch, High Back With Mesh | 615 lbs |
| 108705 | 84” Snow & Mulch, High Back With Mesh | 724 lbs |
| 108710 | 96” Snow & Mulch, High Back With Mesh | 754 lbs |
| 108715 | 102” Snow & Mulch, High Back With Mesh | 771 lbs |

38”D X 32”H

**FEATURES INCLUDE**

- Ribs inside to strengthen floor and back
- Available with a 3/16” wrap and a 3/8” edge

# COLD PLANER

## *HIGH & LOW FLOW*

This premium Blue Diamond® self-leveling Cold Planer is designed for removing the entire layer of asphalt or cement in preparation for trenching or for milling deteriorated sections for later resurfacing. Created to mill pre-set sections on hard and compact surfaces such as asphalt and cement, they allow the possibility to reuse milled material for backfilling trenches.

Thanks to the self-levelling system on the working surface, a constant milling depth is guaranteed under all conditions. The side slides of the road planer automatically align themselves to the milling surface on which they rest, providing maximum stability.

### FEATURES INCLUDE

- 14” to 48” grinding widths
- 4.3” to 6.7” cutting depths
- Independant depth adjustment on right or left
- Milled material remains in work area
- Floating transverse tilt with damper
- Electronic side shift
- Self-leveling system - constant planing depth
- Hydraulic motor in direct drive with the drum
- Cut and depth indicators
- Optional water kit and drum options available

### Applications Include:

- Removing asphalt surfaces prior to overlay
- Widening shoulders
- Repairing potholes
- Restoring drainage lines
- Mixing stabilizing agents into base for a more durable repair

| PART NUMBER | MODEL | CUTTING DEPTH | MIN-MAX FLOW | MAX PRESSURE | TILT DEGREES | WEIGHT* |
|---|---|---|---|---|---|---|
| 160950 | 14” Extreme Duty Series 2, Low Fow | 4.3” | 12-21 GPM | 3,625 PSI | 16° | 1,350 lbs |
| 160951 | 16” Extreme Duty Series 2, Low Fow | 5.9” | 17-30 GPM | 3,625 PSI | 16° | 1,450 lbs |
| 160952 | 18” Extreme Duty Series 2, High Flow | 6.7” | 27-40 GPM | 4,500 PSI | 16° | 1,900 lbs |
| 160953 | 20” Extreme Duty Series 2, High Flow | 6.7” | 27-40 GPM | 4,500 PSI | 16° | 2,000 lbs |
| 160954 | 24” Extreme Duty Series 2, High Flow | 6.7” | 27-40 GPM | 4,500 PSI | 16° | 2,100 lbs |
| 160955 | 30” Extreme Duty Series 2, High Flow | 6.7” | 29-45 GPM | 4,500 PSI | 16° | 2,300 lbs |
| 160956 | 40” Extreme Duty Series 2, High Flow | 5” | 29-50 GPM | 4,500 PSI | 16° | 2,400 lbs |
| 160957 | 48” Extreme Duty Series 2, High Flow | 5” | 32-50 GPM | 4,500 PSI | 16° | 2,660 lbs |

**Weight does not includes water tank*

# DISC MULCHER

The Blue Diamond® Skid Steer Disc Mulcher is the most capable disc mulcher the market has to offer. Available in 44" and 60" cutting widths, it has chipping teeth that can rotated 4 times to lengthen their usable life before needing to be sharpened.

## FEATURES INCLUDE

- Available in 44” and 60” widths
- 3/8” thick deck and reinforced sides
- Teeth on top, side, and bottom of carrier
- 1” thick hinged deflector
- Throws material away from the machine
- Can cut below ground surface

| PART NUMBER | MODEL | MOTOR | BEST FLOW | WEIGHT |
|---|---|---|---|---|
| 103305 | 44” Disc Mulcher | 100 CC | 20-30 GPM | 1,725 lbs |
| 103307 | 44” Disc Mulcher | 150 CC | 30-44 GPM | 1,725 lbs |
| 103310 | 60” Disc Mulcher | 150 CC | 32-45 GPM | 2,450 lbs |

888-376-7027 BlueDiamondAttachments.com

# DRUM MULCHER

The Blue Diamond® Drum Mulcher is designed for clearing brush and heavy mulching with skid steers and compact track loaders. Our mulchers feature a 34-tooth bite control cutting drum, allowing the operator to control the depth of cut and keep the rotor working efficiently.

The 2-speed motor provides smooth, efficient performance and can be configured for a closed or open loop hydraulic system. From clearing acres of dense trees to site prep, no job is too big or small for your skid steer with this attachment.



| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 190120 | 60” W/Chipping Teeth | 35-52 GPM | 2,560 lbs |
| 390120 | 60” W/Carbide Teeth | 35-52 GPM | 2,604 lbs |

## FEATURES INCLUDE

- 60” bite control drum with reversible chipping or carbide teeth.
- Low profile tooth anvil with secondary edge guard and single bolt tooth fastening
- Danfoss 2-speed hydraulic motor
- Hydraulic motor case overpressure protection (COP)
- Synchronous drive belt with heavy duty drum bearings
- Closed or open loop hydraulic configuration
- Heavy duty overhung load adapter
- Adjustable push bar and rear chain guard provide operator protection
- Mulcher body constructed of 3/8” STRENX™ performance steel
- Replaceable skid shoes
- Manual or hydraulic gate options available
- Requires: 35-52 GPM high flow

# FORK

## *GRAPPLE FORK* - MAT & SEVERE DUTY

The Blue Diamond® Grapple Fork is a great attachment for carrying everything from pipes and logs to pallets. The adjustable cylinder mount point allows the grapple to open wider or close tighter depending on your needs.

GRAPPLE FORK

### FEATURES INCLUDE

- 4-position top clamps
- 48″, 60″, 72″, and 84″ tines available
- 4,000 lb capacity
- 45″ wide
- Hoses and couplers included
- Fits Class 2 fork tines
- Tines do not adjust

MAT GRAPPLE

### FEATURES INCLUDE

- 4-position top clamp
- 48″, 60″, 72”, and 84″ tines available
- 4,000 lb capacity
- Designed for equipment mats
- Special top clamp that holds mats
- Teeth on grapple that grip mats
- Fits Class 2 fork tines
- Tines do not adjust

SEVERE DUTY GRAPPLE FORK

### FEATURES INCLUDE

- 4-position top clamp
- 48″, 60″, 72″, 84″, and 96″ tines available
- 10,000 lb capacity
- 45″ wide
- Fits Class 3 tines
- 3-position tine width adjustment

| PART NUMBER | MODEL | TINE SIZE | WEIGHT |
|---|---|---|---|
| 106009 | Grapple Fork, Frame ONLY (Select Tines) | — | 426 lbs |
| 106010 | Grapple Fork, 60” Wide Frame ONLY (Select Tines) | — | 685 lbs |
| 106004 | Mat Grapple Without Tines | — | 476 lbs |
| 306017 | Mat Grapple with 48” Tines | 48” X 1 3/4” | 704 lbs |
| 306016 | Mat Grapple with 60” Tines | 60” X 1 3/4” | 756 lbs |
| 306015 | Mat Grapple with 72” Tines | 72” X 1 3/4” | 802 lbs |
| 306014 | Mat Grapple with 84” Tines | 84” X 1 3/4” | 854 lbs |
| 106012 | Grapple Fork, Severe Duty, 10,000 Lbs (Tines Not Included) Fits Class 3 | — | 850 lbs |
| 106016 | Mat Grapple, Severe Duty, 10,000 Lbs (Tines Not Included) Fits Class 3 | — | 553 lbs |

# FORK
## *NURSERY*

The Blue Diamond® Severe Duty Nursery Fork was designed for the operator who handles trees, bushes, and more. The attachment comes ready to use and includes hoses, couplers, and a protective foam sleeve to cradle the tree trunk. The hoses can be routed to the left or right side to best fit where your machine couplers are. The hose protector spring prevents the hose from getting pinched in between the mount and machine. All pivots have grease fittings and can be accessed without removing any panels.

SEVERE DUTY

| PART NUMBER | MODEL | LIFT CAPACITY | WEIGHT |
|---|---|---|---|
| 114092 | Hydraulic Nursery Fork, Standard Duty | 2,500 | 442 lbs |
| 114095 | Hydraulic Nursery Fork, Severe Duty | 3,000 | 693 lbs |

## *PALLET FORK* - HYDRAULIC

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 114045 | HD Pallet Fork, Hydraulic | 48” | 4,000 LBS | 419 lbs |
| 114047 | HD Pallet Fork, Hydraulic | 60” | 4,000 LBS | 460 lbs |
| 114050-2 | SD Pallet Fork, Hydraulic | 48” | 6,000 LBS | 624 lbs |
| 114055-2 | SD Pallet Fork, Hydraulic | 60” | 6,000 LBS | 672 lbs |
| 114057-2 | SD Pallet Fork, Hydraulic | 72” | 6,000 LBS | 700 lbs |



HEAVY DUTY

SEVERE DUTY

## *PALLET FORK* - LIGHT & STANDARD DUTY

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314003 | Pallet Fork, Light Duty | 42” X 1 1/4” | 2,000 LBS | 322 lbs |
| 314061 | Pallet Fork, Light Duty | 36” X 1 1/2” | 2,000 LBS | 295 lbs |
| 314060 | Pallet Fork, Light Duty | 48” X 1 1/2” | 2,000 LBS | 371 lbs |
| 314006 | Pallet Fork Standard, W/Steps | 42” X 1 1/4” | 3,700 LBS | 311 lbs |
| 314007 | Pallet Fork Standard | 42” X 1 1/4” | 3,700 LBS | 318 lbs |
| 314004 | Pallet Fork, Standard, W/Steps | 48” X 1 1/2” | 4,000 LBS | 375 lbs |
| 314070 | Pallet Fork Standard, W/Steps | 60” X 1 1/2” | 4,000 LBS | 413 lbs |
| 314075 | Pallet Fork Standard, W/Steps | 72” X 1 3/4” | 4,000 LBS | 493 lbs |

# FORK

## *PALLET FORK* - HEAVY DUTY

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314011 | Pallet Fork, HD, W/Steps | 48” X 1 1/2” | 5,000 LBS | 375 lbs |
| 314012 | Pallet Fork, HD, No Steps | 48” X 1 3/4” | 5,000 LBS | 375 lbs |
| 314013 | Pallet Fork, HD, W/Steps | 48” X 1 3/4” | 5,000 LBS | 375 lbs |
| 314014 | Pallet Fork, HD, W/Steps | 60” X 1 3/4” | 5,000 LBS | 452 lbs |
| 314085 | Pallet Fork, HD, W/Steps | 60” X 1 1/2” | 5,000 LBS | 420 lbs |
| 314090 | Pallet Fork, HD, W/Steps | 72” X 1 3/4” | 5,000 LBS | 500 lbs |

## *PALLET FORK* - WALK THROUGH STYLE

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314009 | Walk Through with 48” Tines | 48” X 1 1/2” | 4,200 lbs | 369 lbs |
| 314100 | Walk Through with 60” Tines | 60” X 1 1/2” | 4,200 lbs | 411 lbs |
| 314008 | Walk Through with 48” Tines | 48” X 1 1/2” | 5,000 lbs | 418 lbs |
| 314110 | Walk Through with 60” Tines | 60” X 1 1/2” | 5,000 lbs | 422 lbs |
| 314115 | Walk Through with 72” Tines | 72” X 1 3/4” | 5,000 lbs | 450 lbs |

## *PALLET FORK* - EXTRA LARGE, HEAVY DUTY

Our Extra Large, Heavy Duty Pallet Forks are rated for 6,000 lbs lift. Using an easy-to-see-through oversized frame, this heavy duty pallet fork provides added lift capacity for larger skid steers. The heavily reinforced brick guard and quick attach area make it extremely durable for heavy use. 48” x 1 3/4” tines are standard, and 60” and 72” are available. These pallet forks feature a extra wide and tall frame.

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314015 | Pallet Fork, Extra Large HD | 48” X 1 3/4” | 6,000 lbs | 500 lbs |
| 314016 | Pallet Fork, Extra Large HD | 60” X 1 3/4” | 6,000 lbs | 500 lbs |
| 314017 | Pallet Fork, Extra Large HD | 72” X 1 3/4” | 6,000 lbs | 591 lbs |

### FEATURES INCLUDE

- 3” heavily reinforced carriage bar
- 51” wide frame
- 44” tall frame
- 6,000 lb. capacity
- Side steps standard

## *PALLET FORK* - WIDE FRAME, HEAVY DUTY

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314025 | Pallet Fork W/Backrest | 72” X 1 3/4” | 5,500 LBS | 788 lbs |
| 314027 | Pallet Fork W/Backrest | 60” X 1 3/4” | 5,500 LBS | 720 lbs |
| 314028 | Pallet Fork | 60” X 1 3/4” | 5,500 LBS | 670 lbs |
| 314029 | Pallet Fork | 72” X 1 3/4” | 5,500 LBS | 738 lbs |

# FORK

## *PALLET FORK* - TALL FRAME, HEAVY DUTY D-RING

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314019 | Pallet Fork, HD, W/Steps/D-Ring | 48” X 1 3/4” | 6,000 LBS | 375 lbs |
| 314020 | Pallet Fork, HD, W/Steps/D-Ring | 48” X 1 1/2” | 5,500 LBS | 486 lbs |
| 314021 | Pallet Fork, HD, W/Steps/D-Ring | 60” X 1 3/4” | 6,000 LBS | 560 lbs |
| 314022 | Pallet Fork, HD, W/Steps/D-Ring | 60” X 1 1/2” | 5,500 LBS | 520 lbs |
| 314023 | Pallet Fork, HD, W/Steps/D-Ring | 72” X 1 3/4” | 6,000 LBS | 562 lbs |
| 314024 | Pallet Fork, HD, W/Steps/D-Ring | 42” X 1 3/4” | 6,000 LBS | 481 lbs |

## *PALLET FORK* - WALK THROUGH CLASS 3, 10,000 LBS.



| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314150 | Walk Through, Class 3 | 48” X 1 3/4”X 5” | 10,000 lbs | 517 lbs |
| 314152 | Walk Through, Class 3 | 60” X 1 3/4” X 5” | 10,000 lbs | 579 lbs |
| 314155 | Walk Through, Class 3 | 60” X 2” X 5” | 10,000 lbs | 758 lbs |
| 314160 | Walk Through, Class 3 | 72” X 2” X 5” | 10,000 lbs | 828 lbs |
| 314165 | Walk Through, Class 3 | 84” X 2” X 5” | 10,000 lbs | 848 lbs |
| 314167 | Walk Through, Class 3 | 96” X 2” X 5” | 10,000 lbs | 875 lbs |

## *PALLET FORK* - BLOCK & BRICK, HEAVY & STANDARD DUTY

The Blue Diamond® Heavy and Standard Duty Block & Brick Pallet Forks are available to fit a wide range of equipment, including skid steers, tractors, and telehandlers that have the skid steer quick attach. Block and Brick Tines are available in 42” and 48” lengths and designed to help construction crews move large amounts of masonry materials quickly and efficiently.

| PART NUMBER | MODEL | TINE SIZE | LIFT CAPACITY | WEIGHT |
|---|---|---|---|---|
| 314500 | Pallet Fork, STD, W/Steps | 48” x 2” x 1 1/2” | 3,200 lbs | 313 lbs |
| 314505 | Pallet Fork, STD, W/Steps | 48” x 2” x 2” | 4,000 lbs | 445 lbs |
| 314515 | Pallet Fork, HD, W/Steps | 48” x 2” x 1 1/2” | **3,200 lbs** | 363 lbs |
| 314520 | Pallet Fork, HD, W/Steps/D-Ring | 48” x 2” x 2” | 4,800 lbs | 410 lbs |
| 314510 | Pallet Fork, HD, W/Steps | 48” x 2” x 2” | 4,800 lbs | 471 lbs |
| 114175 | 42” Tine Class 2 | 42" x 2" x 1 1/2" | 3,200 lbs | 64 lbs |
| 114178 | 48” Tine Class 2 | 48" x 2" x 1 1/2" | 3,200 lbs | 69 lbs |
| 114185 | 42” Tine Class 2 | 42" x 2" x 2" | 4,800 lbs | 77 lbs |
| 114180 | 48” Tine Class 2 | 48" x 2" x 2" | 4,800 lbs | 84 lbs |

*The 114 series part numbers are tine only. The 314 series are assemblies with 4 tines included.*

# GRAPPLES

## *BUCKET* - LIGHT DUTY

The Blue Diamond® Light Duty Grapple Bucket is designed with small loaders in mind with limited lift capacity. The light weight of the this attachment lets you grab a load without the fear of tipping your skid steer. Dual top clamps and grease fittings are standard.

| PART NUMBER | MODEL | LIFT CAPACITY | WEIGHT |
|---|---|---|---|
| 106065 | 66” Grapple Bucket, Light Duty, Dual Clamps | 11.07 CU FT | 588 lbs |

### FEATURES INCLUDE

- Dual independent clamps
- 3/8” steel
- Greaseable 1” pivot pins
- Flat face couplers included
- Opens to 30”

## *BUCKET* - HEAVY DUTY

The Blue Diamond® Heavy Duty Grapple Bucket is designed for up to 50 hp skid steers with a moderate work load. Made from 1/2” steel, this attachment is strong yet light enough for smaller machines. Pivot-point grease fittings and couplers are standard.

| PART NUMBER | MODEL | LIFT CAPACITY | WEIGHT |
|---|---|---|---|
| 106078 | 60” Grapple Bucket, HD, Dual Clamps | 10.26 CU FT | 620 lbs |
| 106086 | 66” Grapple Bucket, HD, Dual Clamps | 11.07 CU FT | 640 lbs |
| 106095 | 72” Grapple Bucket, HD, Dual Clamps | 11.88 CU FT | 668 lbs |

### FEATURES INCLUDE

- 1/2″ thick top clamps
- Cylinder protection covers
- Opens to 32″
- Best suited for machines up to 50 hp or 1800 lb lift capacity
- Protected hoses

## *BUCKET* - SEVERE DUTY

This Blue Diamond® Skid Steer Severe Duty Grapple Bucket comes from years of input from demolition contractors and recyclers. This Severe Duty model combines features from our demolition series, such as our Extreme Duty model, with some new features to offer one of the most effective and durable grapple buckets in the industry. The bolt-on sides allow the operator to contain more material if needed or remove them for handling longer products like pipe or trees.

| PART NUMBER | MODEL | LIFT CAPACITY | WEIGHT |
|---|---|---|---|
| 106429 | 60” Grapple Bucket, Severe Duty | 10.26 CU FT | 905 lbs |
| 106444 | 66” Grapple Bucket, Severe Duty | 11.07 CU FT | 1,139 lbs |
| 106454 | 72” Grapple Bucket, Severe Duty | 11.88 CU FT | 1,179 lbs |
| 106457 | 72” Grapple Bucket, Severe Duty W/Teeth | 11.88 CU FT | 1,066 lbs |
| 106464 | 78” Grapple Bucket, Severe Duty | 12.69 CU FT | 1,210 lbs |
| 106476 | 84” Grapple Bucket, Severe Duty | 14.04 CU FT | 1,227 lbs |

### FEATURES INCLUDE

- No-pinch hose routing
- Bolt-on sides
- 3/4″ top tines
- Heavily reinforced top clamps

# GRAPPLES

## *ROCK BUCKET* - STANDARD & HEAVY DUTY

The Blue Diamond® Standard & Heavy Duty Rock Bucket/Grapple uses 3/8" steel with the tines spaced at 3" apart. This popular bucket can be used for sifting or raking and is available with dual grapples for holding your load. It works well as a land plane, skimming off high spots with the leading edge and smoothing the loose soil with the rear crossbar. The drop down inside keeps rocks from sliding out.

STANDARD DUTY

HEAVY DUTY

### FEATURES INCLUDE

- Laser-cut cutting edge gussets on tips of tines
- 3” spacing between tines
- Works great as a land plane and for light clearing

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 108319 | 60” Rock Bucket, W/Standard Grapple | 592 lbs |
| 108325 | 66” Rock Bucket, W/Standard Grapple | 608 lbs |
| 108340 | 72” Rock Bucket, W/Standard Grapple | 633 lbs |
| 108332 | 66” Rock Bucket, W/Heavy Duty Grapple | 689 lbs |
| 108347 | 72” Rock Bucket, W/Heavy Duty Grapple | 740 lbs |
| 108362 | 78” Rock Bucket, W/Heavy Duty Grapple | 775 lbs |
| 108382 | 84” Rock Bucket, W/Heavy Duty Grapple | 787 lbs |

## *ROCK BUCKET* - SEVERE DUTY

The Blue Diamond® Severe Duty Skid Steer Grapple Rock Bucket uses 1/2” steel with the tines spaced at 3”. This popular bucket can be used for sifting or raking and is available with dual grapples for holding your material. This attachment also works well as a land plane, skimming off high spots with the leading edge and smoothing the loose soil off again with the rear cross bar. The drop down inside keeps rocks from sliding out.

SEVERE DUTY

### FEATURES INCLUDE

- No pinch hose routing
- 3″ spacing between tines
- Bolt-on sides can be removed for moving logs
- Back is open either side of quick attach for better sifting
- New style cutting edge for better leveling
- Increased structure in top clamps to prevent twisting

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 108450 | 72” Rock Bucket, Severe Duty W/Grapple | 1,280 lbs |
| 108455 | 78” Rock Bucket, Severe Duty W/Grapple | 1,342 lbs |
| 108460 | 84” Rock Bucket, Severe Duty W/Grapple | 1,384 lbs |

# GRAPPLES
## *RAKE* - HEAVY DUTY

The Blue Diamond® Heavy Duty Grapple Rake for skid steers is a great alternative to a root grapple when visibility is important. This grapple rake features a single top clamp and 1/2″ tines. It fully opens to 52″

HEAVY DUTY

### FEATURES INCLUDE
- Single top clamp
- Opens to 52”
- 1/2” tine width

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 107001 | 63” Grapple, Rake, HD, Single Clamp | 689 lbs |
| 107005 | 72” Grapple, Rake, HD, Single Clamp | 740 lbs |
| 107010 | 80” Grapple, Rake, HD, Single Clamp | 770 lbs |
| 107015 | 84” Grapple, Rake, HD, Single Clamp | 955 lbs |

## *RAKE* - SEVERE DUTY

The Blue Diamond® Severe Duty Grapple Rake for skid steers is built to tackle the most demanding projects. The attachment comes with 3/4″ tines, replaceable teeth, and dual top clamps.

SEVERE DUTY

### FEATURES INCLUDE
- Dual top clamps
- 3/4” tine width
- Replaceable teeth

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106515 | 72” Grapple, Rake, SD, Dual Clamp | 1,247 lbs |
| 106520 | 78” Grapple, Rake, SD, Dual Clamp | 1,269 lbs |
| 106525 | 84” Grapple, Rake, SD, Dual Clamp | 1,350 lbs |

# GRAPPLES

## *ROOT* - LIGHT DUTY

The Blue Diamond® Light Duty Root Grapple is designed with small skid steers in mind with limited lift capacity. The light weight model of this attachment lets you grab a load without the fear of tipping your machine.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106053-S | 48" Grapple, Root, Light Duty, Single Clamp | 350 LBS |
| 106054-S | 52" Grapple, Root, Light Duty, Single Clamp | 365 LBS |
| 106053 | 48” Grapple, Root, Light Duty, Dual Clamps | 399 LBS |
| 106054 | 52” Grapple, Root, Light Duty, Dual Clamps | 407 LBS |
| 106057 | 56” Grapple, Root, Light Duty, Dual Clamps | 425 LBS |
| 106055 | 60” Grapple, Root, Light Duty, Dual Clamps | 440 LBS |
| 106060 | 66” Grapple, Root, Light Duty, Dual Clamps | 467 LBS |

### FEATURES INCLUDE

- 3/8” Tines
- Dual or single top clamps
- Greasable pivot pins
- Universal mount
- 3” X 3” tube
- 1” Pivot pins
- Includes hoses and couplers
- 1,500 Lb lifting capacity

## *ROOT* - HEAVY DUTY

The Blue Diamond® Heavy Duty Root Grapple is designed for up to 50 hp machines with a moderate work load. Made from 1/2” steel, this attachment is strong yet light enough for smaller machines such as skid steers. Pivot-point grease fittings and couplers are standard.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106076 | 60” Grapple, Root, HD, Dual Clamps | 450 lbs |
| 106080 | 66” Grapple, Root, HD, Dual Clamps | 525 lbs |
| 106090 | 72” Grapple, Root, HD, Dual Clamps | 679 lbs |

### FEATURES INCLUDE

- 1/2″ thick top clamps
- Cylinder protection covers
- Opens to 32″
- Best suited for machines up to 50 HP or 1800 lb lift capacity
- Protected hoses

## *ROOT* - SEVERE DUTY

This Blue Diamond® Severe Duty Root Grapple has a number of improved features that take it a step above the extreme design. An enclosed back, heavier top clamps, 1-piece tines, and hose routing are all improvements to reinforce areas that are prone to damage from heavy use. In addition, extra long tubing in the top clamp prevents twisting.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106440 | 66” Grapple, Root, Severe Duty | 730 lbs |
| 106450 | 72” Grapple, Root, Severe Duty | 984 lbs |
| 106460 | 78” Grapple, Root, Severe Duty | 903 lbs |
| 106470 | 84” Grapple, Root, Severe Duty | 985 lbs |

### FEATURES INCLUDE

- 1/2” thick tines
- Closed-in quick-attach area
- Reinforced top clamps
- Hoses exit left cylinder tower to prevent pinching

# GRAPPLES

## *ROOT* - EXTREME DUTY, HIGH CAPACITY

This Blue Diamond® Extreme Duty, High Capacity Root Grapple is designed to handle huge jobs with ease. The protected cylinders and hoses ensure that down time is kept to a minimum. From the heavily reinforced mount to the rugged top clamps, this grapple is one of the toughest on the market. The massive top clamps allow for 25” x 42” worth of material to be grabbed in each load.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106220 | 72” Grapple, Root, Extreme Duty, High Capacity | 1,159 lbs |
| 106230 | 78” Grapple, Root, Extreme Duty, High Capacity | 1,194 lbs |
| 106240 | 84” Grapple, Root, Extreme Duty, High Capacity | 1,294 lbs |
| 106260 | 96” Grapple, Root, Extreme Duty, High Capacity | 1,360 lbs |

### FEATURES INCLUDE

- 3/8” thick tines with 1/2” top clamps
- 25” x 42” opening inside of clamps
- Opens to 59” at tip of tines/clamp
- Dual acting cylinders
- Heavily reinforced mount
- Serrated tine tips to rip through roots

# HAY ACCUMULATOR GRAPPLE

The Blue Diamond® Hay Accumulator Grapple is the most efficient attachment out there for collecting hay bales. It allows you to gather 8-10 square bales at a time and transport them quickly and easily with your skid steer. The grapple can also be used to load and unload trailers or stack piles of hay, making this attachment a priceless hay transportation tool. This attachment makes gathering and organizing hay a truly one tool job, saving you time and money and making your life that much easier!

## FEATURES INCLUDE

- Stack bales or load trailers
- Can carry 8 to 10 square bales of hay
- 2” x 6” cylinder
- 9-inch hooks
- Radial bearings
- Adjustable with sides

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 111405 | Hay Accumulator Grapple, Fit 8-10 SQ Bales | 785 lbs |

# HAY SPEARS

Blue Diamond® offers a very high quality yet compact Hay Spear. It is available in three styles: a single spear with standard or heavy duty stabilizers for round bales, a double bottom, or a quad bottom style for large square bales which can also be used as a pallet fork. The high quality German-made spear tines are rated for 3,500 lbs each, and the lower stabilizers are replaceable. These strong frames are powder coated, and a bolt-on back rack is available.

***All of our hay spears carry a 1-year warranty, with a 2-year warranty on tines.***

SINGLE SPEAR

DOUBLE BOTTOM SPEAR

QUAD BOTTOM SPEAR

OPTIONAL BOLT-ON RACK SHOWN ON DOUBLE BOTTOM

| PART NUMBER | MODEL | SPEAR LENGTH | WEIGHT |
|---|---|---|---|
| 311003 | Hay Spear W/ HD Stabilizers (Short Spear) | 36" | 154 lbs |
| 311006 | Hay Spear W/Standard Stabilizers | 48" | 160 lbs |
| 311007 | Hay Spear W/Standard Stabilizers & Back Rack | 48" | 204 lbs |
| 311008 | Hay Spear W/ HD Stabilizers | 48" | 165 lbs |
| 311009 | Double Bottom Hay Spear (Short Spears) | 36" | 180 lbs |
| 311010 | Double Bottom Hay Spear | 48" | 190 lbs |
| 311011 | Double Bottom Hay Spear W/Rack | 48" | 218 lbs |
| 311040 | Double Top Tine Hay Spear W/Bottom Stabilizers | 48" | 190 lbs |
| 311045 | Quad Bottom Hay Spear, 45" Wide | 48" | 262 lbs |
| 311050 | Quad Bottom Hay Spear, 60" Wide | 48" | 280 lbs |
| 311060 | Quad Bottom Hay Spear, 75" Wide | 48" | 304 lbs |

# LAND GRADER

The Blue Diamond® Land Grader has proven itself a reliable skid steer attachment for finish grading. Whether being used in buildings or arenas, sports fields or courts, trails or sidewalks, parking lots or golf courses, it's not uncommon for this attachment to quickly return the initial investment! Pair with a bolt-on automatic grade control system, and sit back and let the grader do the work!



| SPECIFICATIONS | |
|---|---|
| PART NUMBER | 123515 |
| MODEL | 84" |
| BOX HEIGHT | 19" |
| WEIGHT | 469 lbs |
| FRONT BOX CAPACITY | 17 cu. ft. |
| REAR BOX CAPACITY | 10 cu. ft. |
| MIN HP REQUIRED | 55 |
| LASER RECEIVER KIT | Optional |

## FEATURES INCLUDE

- Rear-positioned casters
- Dual-sided cutting edge
- Highly maneuverable
- User-friendly controls
- Hydraulically controlled
- Overbuilt to outlast
- Ribs inside to strengthen floor & back 3/16" wrap, 3/8" edge
- Optional laser receiver kit (Compatible with most laser units – 600 RPM or more)

# 6-WAY DOZER BLADE

The Blue Diamond® 6-Way Dozer Blade is extremely rugged, easy to use, and offers superior visibility. It has a bolt-on edge, skid shoes, and heavy duty cylinders. Using a proven pivot system, it can tilt 10˚ and angle 30˚. A blade extension is available for 8” of added height. It converts to a snow plow by pulling 2 pins and adding a height extension and trip springs. Don’t settle for anything less!

### FEATURES INCLUDE

- Heavy moldboard design
- Heavy duty cylinders
- Grease fittings on all cylinder pins
- Added protection on electrical and hydraulic valve components
- Tried and proven tilt system
- Optional trip springs
- Trip override pin
- Replaceable skid shoes
- Replaceable bolt-on edge
- Optional 8″ blade height extension

| PART NUMBER | MODEL | ANGLED WIDTH | WEIGHT |
|---|---|---|---|
| 123065 | Heavy Duty 72” | 62.3” | 1,012 lbs |
| 123070 | Heavy Duty 84” | 72.7” | 1,040 lbs |
| 123075 | Heavy Duty 96” | 83.1” | 1,068 lbs |
| 223700 | Trip Springs Kit (Set Of 4) | - | 14 lbs |

# BOX SCRAPER RIPPER

The Blue Diamond® Skid Steer Box Scraper Ripper is the perfect skid steer attachment for reconditioning gravel roads and driveways. The rippers will resurface the gravel that gets buried in the ground over time, while the cutting edges will smooth out and level the gravel.

### FEATURES INCLUDE

- Replaceable and reversible cutting edges
- Replaceable ripper shanks
- Adjustable ripper tines
- Powder coated for durability

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 115520 | Box Grader with Rippers and Replaceable Cutting Edges 60” | 648 lbs |
| 115525 | Box Grader with Rippers and Replaceable Cutting Edges 72” | 778 lbs |
| 115530 | Box Grader with Rippers and Replaceable Cutting Edges 84” | 907 lbs |
| 115535 | Box Grader with Rippers and Replaceable Cutting Edges 90” | 1,037 lbs |

# LAND PLANE

The Blue Diamond® Skid Steer Land Plane is an exceptional tool for leveling dirt and gravel to a fine finish. The 4 cutting edges skim off the high areas and fill in the low areas. Other uses include sod removal and trail leveling. This attachment works great in forward or reverse.

### FEATURES INCLUDE

- Multiple cutting edges
- Works in forward or reverse
- Available in 72” and 84” widths
- Replaceable edge

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 115040 | 72” Land Plane | 350 lbs |
| 115060 | 84” Land Plane | 450 lbs |

# LOG GRAPPLE

The Blue Diamond Rotating® Log Grapple is a high quality attachment for tree work. Whether you are working in the log yard or clearing land, this tool can handle the load. The serrated brace helps stabilize logs when moving. The impressive clamping force holds onto large logs very tightly. Two models are offered: manual rotation and hydraulic rotation.

### FEATURES INCLUDE

- 2,500 lb capacity
- Serrated quick attach for load stabilization
- Heavy duty welded cylinder
- Serrated boom to stabilize and push
- Rope tie / chain tie off attach point
- Closes up to 5 inches
- Opens to 62 inches

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106815 | Manual Rotation | 500 lbs |
| 106820 | Hydraulic Rotation | 550 lbs |



LOAD STABILIZATION BASE

# LOG SPLITTER

## *25-TON*

The Blue Diamond® 25-Ton Traditional Log Splitter can be used horizontally or vertically. The powerful cylinder is controlled by a single easy-to-use lever. It can handle up to a 24” long log with ease.



25-TON

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 150000 | 25-Ton Log Splitter, Traditional | 475 lbs |

## *35-TON*

The Blue Diamond® 35-Ton Inverted Log Splitter takes firewood production to the next level. With the optional 4-way wedge and the 35-ton cylinder, you can split incredible amounts of wood from the comfort of your cab!

35-TON

### FEATURES INCLUDE

- 2- or 4-way wedge available
- Protected 35-ton cylinder
- Heavy duty sliders
- Opens to 30"
- 1-year warranty

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 150015 | 35-Ton Log Splitter, Inverted (Req Wedge) | 450 lbs |
| 150017 | Single Wedge For 35-Ton Inverted | 85 lbs |
| 150018 | 4-Way Wedge For 35-Ton Inverted | 105 lbs |

# MATERIAL ROLLER

Your workday just got a lot easier, introducing the Blue Diamond® Material Roller. Precisely crafted and ruggedly built, the material roller will not only lighten your load but will also cut your crew requirements by almost half. From loading and unloading the flat-bed to laying down roll after roll, any project will get done faster with less physical effort with the material roller.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 174005 | Material Roller, Hydraulic Side Angle (Requires Stem) | 500 lbs |
| 174105 | 3 1/2” Dia, Roll Stem for 4’ Wide Roll | 40 lbs |
| 174110 | 3 1/2” Dia, Roll Stem for 6.67’ Wide Roll | 60 lbs |
| 174115 | 3 1/2” Dia, Roll Stem for 8’ Wide Roll | 66 lbs |
| 174120 | 3 1/2” Dia, Roll Stem for 16’ Wide Roll | 174 lbs |
| 174130 | 2 3/8” Dia, Roll Stem for 4’ Wide Roll | 18 lbs |
| 174135 | 2 3/8” Dia, Roll Stem for 6.67’ Wide Roll | 28 lbs |
| 174140 | 2 3/8” Dia, Roll Stem for 8’ Wide Roll | 33 lbs |

### FEATURES INCLUDE

- Hydraulic actuator allows the stem to swing 180˚ left or right, 115˚ up, and 8˚ down
- Detachable stem available in 3 lengths
- Retaining collar with quick pin keeps material perfectly positioned on the stem

# MATERIAL SPREADER

The Blue Diamond® Heavy Duty Material Spreader is the most efficient way to spread material! Simply use the hopper like a bucket to scoop your material then turn on the hydraulics to spread up to 30' wide.

## FEATURES INCLUDE

- Durable steel hopper available in 8 and 18 cu. ft. capacities
- Spreads up to 30’ wide
- Self-loading: scoop material into the hopper
- Hardened steel cutting edge
- Protective steel grate to prevent clogging
- Adjustable flow with a manually operated gate
- Steel spreader with replaceable paddles
- Steel agitator to keep material flowing smoothly
- Optional sidewalk deflector

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 101110 | Spreader, Heavy Duty, 8 Cu/Ft | 415 lbs |
| 101115 | Spreader, Heavy Duty, 18 Cu/Ft | 635 lbs |
| 101155 | Sidewalk Deflector Kit For Heavy Duty | 27 lbs |

# MULTI-PURPOSE MATERIAL SPREADER

The Blue Diamond® Multi-Purpose Material Spreader can be used on skid steers and tractors with a 2” trailer receiver. The heavy duty poly hopper has a 4.75 cu ft capacity and holds 460 lbs of salt. A variable speed controller allows you to spread evenly up to a 40’ pattern width. A full wiring harness is included with a quick disconnect at the spreader for easy removal. Options available include a vibrator kit and a gate kit for pelletized material such as fertilizer and seed.

## FEATURES INCLUDE

- Heavy duty poly hopper with 4.75 cu ft capacity
- Connects with 2” receiver mount
- Spreads up to 40 feet
- Variable speed controller with quick disconnect harness
- 3” vertical super flow auger
- 10” spinner
- Comes with top screen and weather cover
- Optional vibrator kit available
- Optional gate kit available

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 101055 | Spreader,  Standard Duty, 5 Cu/Ft | 95 lbs |
| 101060 | Receiver 2, Heavy Duty (For Standard Duty) | 10 lbs |
| 101065 | Salt Spreader, Vibrator Kit (For Standard Duty) | 9 lbs |
| 101070 | Gate Kit Spreader, Free Flowing (For Standard Duty) | 8 lbs |

# POST DRIVER
## *VIBRATORY SERIES 2*

The Blue Diamond® Vibratory Series 2 Post Driver is the best post driver for full-size skid steers, mini skid steers, and excavators, ideal for both commercial and for rental fleet use! Useful for many industries, a vibratory post driver makes the job faster and more efficient for works in construction, agriculture, solar installation, and more!

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 100502 | Post Driver, Vibratory S2 (Requires Mount) | 264 lbs |
| 100507 | Post Driver, Vibratory, W/Tilt (Requires Mount) | 400 lbs |
| 100510 | Vibratory Tilt Option | 123 lbs |
| 100555 | Skid Steer Mount | 125 lbs |
| 100516 | 4” Round Post Adapter | 15 lbs |
| 100521 | 6” Round Post Adapter | 17 lbs |
| 100526 | 9” Round Post Adapter | 19 lbs |
| 100528 | 10” Round Post Adapter | 37 lbs |
| 100531 | 12” Round Post Adapter | 50 lbs |
| 100552 | 12” Square Flat Post Adapter | 41 lbs |
| 100553 | 12” Round Flat Post Adapter | 35 lbs |

### FEATURES INCLUDE

- Optional tilt function allows for 10 degrees of adjustment
- Hydraulic orbital technology maximizes auxiliary flow
- Available with 4” - 12” round and flat post adapters
- Compact design that is easy to transport and store
- Requires 7-26 GPM auxiliary flow and case drain
- OEM and universal wiring harnesses available
- Easily swap between machines with the interchangeable mount

# POWER RAKE

## *HEAVY DUTY SERIES 2*

This Heavy Duty Series 2 Power Rake follows close on the heels of our previously released Severe Duty model. This lighter unit is suited to smaller-frame skid steers and walk-behind machines. The bolt-on mount allows greater flexibility for rental companies and dealers to have the correct model for the right machine, with mounts offered for mini and full size skid steer machines.

SHOWN WITH FIXED TEETH OPTION

REVERSIBLE SIDE SHIELD

FLIP UP WHEELS

HYDRAULIC ANGLE KIT SHOWN ATTACHED

HEAVY DUTY PROTECTED BEARING

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 132407 | 48” Power Rake, HD2, Replaceable Teeth | 528 lbs |
| 132408 | 60” Power Rake, HD2, Replaceable Teeth | 580 lbs |
| 132409 | 72” Power Rake, HD2, Replaceable Teeth | 600 lbs |
| 132400 | 48” Power Rake, HD2, Fixed Teeth | 526 lbs |
| 132401 | 60” Power Rake, HD2, Fixed Teeth | 584 lbs |
| 132402 | 72” Power Rake, HD2, Fixed Teeth | 714 lbs |
| 132404 | Skid Steer Mount, Heavy Duty Series 2 | 159 lbs |
| 132406 | HD2 Hose Kit For Manual Angle | 10 lbs |
| 132410 | HD2 Hose Kit For Manual Angle 78" Hoses | 15 lbs |
| 232469 | HD2 Hydraulic Angle Hoses 85” Oal | 9 lbs |

*Select base model, mount and hydraulic kit. You can get harden steel or carbide teeth that are either replaceable or fixed.*

## *SEVERE DUTY SERIES 3*

The Blue Diamond® Severe Duty Series 3 Power Rake is a must-have for anyone who uses a power rake for a living. This unit is the biggest and strongest power rake that we offer, and an industry leader for durability and ease of maintenance. It comes standard with the airless tires and the increased drum diameter moves soil faster than ever before.




| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 132515 | 84” Power Rake, Replaceable Teeth | 1,225 lbs |
| 132520 | 96” Power Rake, Replaceable Teeth | 1,275 lbs |
| 132055 | Case Drain Line 84" Cut Length | 2 lbs |
| 132056 | Case Drain Line 156" Cut Length For 96" & 120" | 5 lbs |
| 132525 | 108” Power Rake, Replaceable Teeth | 1,385 lbs |
| 132530 | 120” Power Rake, Replaceable Teeth | 1,366 lbs |

*You can get harden steel or carbide teeth that are either replaceable or fixed.*



888-376-7027 BlueDiamondAttachments.com

# POWER RAKE
## *EXTREME DUTY*

When productivity matters, look no further. Travel faster, cut deeper, and get on to the next job! With skid steer machine sizes increasing in the industry, there is a need for a more powerful and durable power rake/soil conditioner attachment. The Blue Diamond® Extreme Duty Power Rake is designed to power though jobs where others fail and is set up for simple servicing. This massive 6000 series motor and optimal drum size produce maximum torque, and the motor is kept out of the way, maximizing usable width in tighter areas. Aggressive 2” teeth are ideal for leaving a fresh seed bed with fewer passes.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 132126 | 48” Power Rake, Replaceable Teeth (W/Skid Steer Mount) | 590 lbs |
| 132110 | 72” Power Rake, Replaceable Teeth | 1,136 lbs |
| 132115 | 84” Power Rake, Replaceable Teeth | 1,160 lbs |
| 132120 | 96” Power Rake, Replaceable Teeth | 1,185 lbs |
| 132125 | 48” Power Rake, Fixed Teeth (W/Skid Steer Mount) | 590 lbs |
| 132112 | 72” Power Rake, Fixed Teeth | 1,085 lbs |
| 132117 | 84” Power Rake, Fixed Teeth | 1,110 lbs |
| 132122 | 96” Power Rake, Fixed Teeth | 1,135 lbs |
| 332520 | Hydraulic Angle Kit, Fits 72-84" (Universal Harness Included, OEM Connection Sold Separately) | 51 lbs |
| 332525 | Hydraulic Angle Kit, Fits 96" (Universal harness included, OEM connection sold separately) | 52 lbs |
| 132065 | Power Rake Manual Angle Kit, Fits 72-96" | 20 lbs |
| 132066 | Power Rake Manual Angle Kit, Fits 120" | 25 lbs |
| 132050 | Optional Power Rake Skid Shoes | 30 lbs |
| 216900 | OEM 14-Pin Harness (Specify Machine) | 1 lbs |
| 216915 | OEM 14-Pin Jd Harness | 3 lbs |
| 216905 | OEM 8-Pin Cat Harness | 3 lbs |
| 216950 | OEM 7-Pin Bobcat Harness | 1 lbs |
| 200011 | OEM Extension Harness | 1 lbs |

*You can get harden steel or carbide teeth that are either replaceable or fixed.*

### FEATURES INCLUDE

- 6,000 series motor weighs twice what competitive models do and has around 40% more torque
- 4” x 4″ square tube frame
- 18 – 26 GPM hydraulic flow, max 4000 PSI
- Optional replaceable teeth versus fixed teeth that require welding to replace
- 1.5” spindle on castors with spacers versus friction adjusters that work loose
- Airless tires – no flats
- 1” front wheel axles versus competitive ¾”
- 1.5” motor shaft and high pressure seals
- 5 position, 20 degree angle, manual or hydraulic
- Optional bolt-on skid shoes add 30% load capacity over side plates alone
- 6 3/4” drum diameter, 10 3/4” including teeth
- Replaceable teeth hardness is HRC 50
- Double struts on the castors



SIDE PLATE WITH SKID SHOE

AIRLESS TIRES - NO FLATS

# POWER RAKE
## *STANDARD DUTY*

This lighter unit is suited to smaller frame skid steers and walk-behind machines. The bolt-on mount allows greater flexibility for rental companies and dealers to have the correct model for the right machine, with mounts offered for mini and full size skid steer machines.

| PART NUMBER | MODEL | WEIGHT* |
|---|---|---|
| 332450 | 48” Power Rake With Fixed Mount | 550 lbs |
| 332451 | 48” Power Rake With Manual Angle Mount | 600 lbs |
| 332452 | 48” Power Rake With Hydraulic Angle Mount | 625 lbs |
| 332453 | 60” Power Rake With Fixed Mount | 600 lbs |
| 332454 | 60” Power Rake With Manual Angle Mount | 650 lbs |
| 332455 | 60” Power Rake With Hydraulic Angle Mount | 675 lbs |
| 332456 | 72” Power Rake With Fixed Mount | 700 lbs |
| 332457 | 72” Power Rake With Manual Angle Mount | 750 lbs |
| 332458 | 72” Power Rake With Hydraulic Angle Mount | 775 lbs |

** — Add -25 for Mini Universal and add -26 for Bobcat MT. ** — Weight varies on mount*

### FEATURES INCLUDE

- Flip up wheels
- No-flat airless wheels
- Drum width 48″, 60″, and 72″
- 5/8″ greaseable axles on wheels
- 7″ diameter drum with 1 1/2″ teeth
- Overall width 12″ more than drum width
- 1 1/4″ spindles with adjustable height
- Bolt-on mount (can be switched for a different mini or full size skid steer mount)
- Spindles on drum are 1 3/8″ diameter greaseable bearings
- Fixed carbide teeth
- Available with manual or hydraulic angle

# RIPPER

The Blue Diamond® Ripper is great for penetrating the ground on farms, gardens, and driveways. You can easily prepare a garden or till up a large parcel of land, and it’s great for loosening hard-packed ground. The tines on the ripper can be adjusted for more or less ground penetration. Alternate names for the ripper include tiller and field cultivator in the skid steer-related industries. This ripper fits mini and full-size skid steer machines.

SHOWN WITH OPTIONAL FINISHING RAKE

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 170210 | 60” Ripper Skid Steer Mount | 300 lbs |
| 170215 | 72” Ripper Skid Steer Mount | 405 lbs |
| 170225 | 84” Ripper Skid Steer Mount | 419 lbs |
| 170230 | 96” Ripper Skid Steer Mount | 519 lbs |
| 170310 | Optional, Finish Rake 60” | 440 lbs |
| 170315 | Optional, Finish Rake 72” | 487 lbs |
| 170325 | Optional, Finish Rake 84” | 512 lbs |
| 170330 | Optional, Finish Rake 96” | 554 lbs |

### FEATURES INCLUDE

- Adjustable tines
- Available sizes: 60”, 72”, 84”, or 96”
- Optional finishing rake

## ROAD SAW

Blue Diamond® High Flow Road Saws offer high rates of production at a substantially lower cost than smaller, self-propelled wheel saws. Our skid steer Road Saws are offered in cutting depths up to 10 or 18 inches! All feature planetary reduction drives, which efficiently provide maximum cutting torque under load. All saws utilize a ground-engaging frame, which provides accurate depth of cut control. This means the frame is in contact with the ground during the cutting operation, and the cutting wheel moves up and down within this frame, giving the operator the ability to maintain control of the cut.

OPTIONAL WATER KIT AVAILABLE

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 161000-HP | 10" Cut Depth, Road Saw (Req Cutting Wheel) | 1,196 lbs |
| 161005-HP | 18" Cut Depth, Road Saw (Req Cutting Wheel) | 1,972 lbs |
| 161505 | 10" Depth X 2.5"W Cutting Wheel | 127 lbs |
| 161510 | 10" Depth X 4.5"W Cutting Wheel | 165 lbs |
| 161530 | 18" Depth X 3"W Cutting Wheel | 372 lbs |
| 161533 | 18" Depth X 4.5"W Cutting Wheel | 426 lbs |
| 161535 | 18" Depth X 6"W Cutting Wheel | 481 lbs |

## ROCK & CONCRETE GRINDER

The Blue Diamond® Rock & Concrete Grinders are a must-have tool for any application where rock, concrete, or asphalt need to be removed. They allow for a clean trench to be made with vertical walls. Four different models are available. When pairing with a skid steer, use the model with the flow that best matches the host machine.

### APPLICATIONS:

- Trenching
- Demolition
- Rock Excavation

### FEATURES INCLUDE

- All American-made parts & components
- Powerful high torque hydraulic motors
- Robust cutting drums to ensure maximum production & prolonged life
- Customizable drums to accommodate performance maximized applications
- Durable spur gears & housing
- Bolt-on mount for excavator or skid steer

| PART NUMBER | MODEL | WEIGHT (WITHOUT MOUNT) | CUTTING WIDTH | HEAD DIAMETER | REQUIRED FLOW (GPM) | CARRIER WEIGHT |
|---|---|---|---|---|---|---|
| 159010 | G1S | 265 lbs | 19” | 9” | 5-12 | 1,300-5,000 lbs |
| 159015 | G1 | 635 lbs | 21” | 11” | 8-20 | 6,900-17,000 lbs |
| 159020 | G2 | 1,035 lbs | 25” | 16.5” | 12-26 | 17,000-30,000 lbs |
| 159025 | G3 | 2,045 lbs | 31” | 22” | 30-45 | 22,000-39,000 lbs |

# ROOF TRUSS JIB

The Blue Diamond® Roof Truss Jib is a hydraulically driven pole allows for easy transportation of your items with the ability to hydraulically extend your height by 72". The pole has a 4" x 4" base with 3/8" thick walls. The manual extension arm can be positioned in 2 different height locations, one at 12" and the other at 24".

## FEATURES INCLUDE

- Up to 220″ additional reach
- 1,200 lbs capacity retracted, 500 lb extended
- 3" X 3" X 48″ hydraulic extension arm
- 2" X 2" X 24″ manual extension arm
- 2 1/2″ hole for hooking chains and straps
- Ideal for setting roof trusses or beams

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 112105 | Roof Truss Jib, Hydraulic Telescopic, 1200 LB Capacity, 220" Long | 265 lbs |

# ROOT RAKE
## *SEVERE DUTY*

The Blue Diamond® Severe Duty Root Rake is great for cleaning up your land. The 5 1/4" tine spacing allows you to rake through the dirt and push out rocks, sticks, and other debris.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 170165 | 60" Root Rake Severe Duty | 235 lbs |
| 170170 | 66" Root Rake Severe Duty | 392 lbs |
| 170175 | 72" Root Rake Severe Duty | 415 lbs |
| 170180 | 78" Root Rake Severe Duty | 453 lbs |
| 170185 | 84" Root Rake Severe Duty | 547 lbs |

## FEATURES INCLUDE

- Solid 1-piece tines
- 5/8" thick tines
- Reinforced tubing in main frame
- 33" tall

# ROTOTILLER

Till 6" or 8" deep with the heavy duty bidirectional Blue Diamond® Rototiller. A heavy front cross-tube keeps the unit floating and strengthens the leading edge. A minimum of 15 GPM is required. The pivoting tines allow for maximum bite in either direction.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 129010 | 68" Rototiller, 6" Depth | 490 lbs |
| 129012 | 68" Rototiller, 8" Depth | 590 lbs |
| 129015 | 76" Rototiller, 6" Depth | 630 lbs |
| 129017 | 76" Rototiller, 8" Depth | 630 lbs |

# SILT FENCE INSTALLER

The Blue Diamond® Silt Fence Installer is essential for erosion control. Easily install silt fencing in a fraction of the time. The design allows a trench to be cut and installs the fence up to 20” deep without needing to pre-trench and backfill. Two models are available to best suit your application; a fixed center mount fits most applications, or a sliding offset mount for installation near buildings or other structures.

CENTER MOUNT MODEL

## FEATURES INCLUDE

- Trench and install fencing in once pass
- 40° pivot to either side of center for turning
- Fits up to 30” diameter roll
- Spring-loaded coulter easily cuts through trash, roots, and other debris
- Installs up to 20” deep
- Fits 36”, 42”, and 48” tall fencing
- Sliding offset mount allows for installation next to buildings/ structures
- No hydraulics = minimal maintenance
- Install thousands of feet of fencing per hour

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 175015 | Silt Fence, W/Center Mount | 775 lbs |
| 175020 | Silt Fence, W/Side Shift Mount | 780 lbs |
| 275110 | Silt Fence Fabric Bulk Roll 36”H X 1,500 FT | 68 lbs |
| 275108 | Silt Fence Fabric 3' (Sold Per Ft, Min 100') | .10 lbs |
| 475015 | Silt Fence, W/Center Mount, 3-point hitch | 800 lbs |
| 475020 | Silt Fence, W/Side Shift Mount, 3-point hitch | 800 lbs |

SIDE SHIFT MODEL

# AUTOWING SNOW PLOW

Move more snow with a snow plow that thinks for itself with the Blue Diamond® Autowing Snow Plow. Its mechanical wings automatically adjust from scoop mode to windrow position as you angle the plow, allowing multiple angles to add torsional strength and prevent twisting under heavy loads. By combining the ease of straight blade operation with the productivity of a winged snow plow, the Blue Diamond® Autowing Snow Plow clears big jobs fast and ensures quality and consistency on every plow.

## FEATURES INCLUDE

- 103” width
- 29” blade height
- Side wings adjust automatically
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle
- 6° oscillation to follow ground contour

FULL-TRIP MOLDBOARD

FULLY ANGLED BLADE

| PART NUMBER | STRAIGHT WIDTH | ANGLED WIDTH | ANGLE | COUPLERS | SIDE MARKERS | CYLINDERS | MOUNT | WEIGHT |
|---|---|---|---|---|---|---|---|---|
| 120720 | 103” | 93.4° | 25° | 1/2” Flat Face | Yes | 2 | Universal Skid Steer | 945 lbs |
| 120730 | Autowing Skid Steer Mount Assembly (Includes Hoses) | | | | | | Skid Steer | 463 lbs |

# SNOW BLADE

## *HEAVY DUTY SERIES 2 MULTI-PURPOSE*

The Blue Diamond® Heavy Duty Series 2 Multi-Purpose Blade is designed for commercial contractors. At 28” tall, this blade is purpose-built for large applications and has an optional 8” height extension that can be bolted on for even more capacity. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.

| PART NUMBER | STRAIGHT WIDTH | ANGLED WIDTH | ANGLE | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| 123470 | 84” | 72 1/2” | 30° | 28” | 901 lbs |
| 123475 | 96” | 83” | 30° | 28” | 946 lbs |
| 123480 | 108” | 93” | 30° | 28” | 986 lbs |
| 123485 | 120” | 104” | 30° | 28” | 1,016 lbs |

## FEATURES INCLUDE

- Available in 84”, 96”, 108”, and 120” widths
- 28” blade height
- Optional bolt-on 8” height extension
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle

# SNOW BLADE
## *STANDARD DUTY SERIES 2 MULTI-PURPOSE*

The Blue Diamond® Standard Duty Series 2 Multi-Purpose Blade is great for snow and light dirt work. At 22” tall, this blade is a great fit for most users and has an optional 8” height extension that can be bolted on for high-volume applications. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.

SHOWN WITH OPTIONAL HEIGHT EXTENSION

| PART NUMBER | STRAIGHT WIDTH | ANGLED WIDTH | ANGLE | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| 123405 | 48” | 62 1/4” | 30° | 22” | 318 lbs |
| 123410 | 60” | 72 1/2” | 30° | 22” | 405 lbs |
| 123415 | 72” | 62 1/4” | 30° | 22” | 590 lbs |
| 123420 | 84” | 72 1/2” | 30° | 22” | 900 lbs |

### FEATURES INCLUDE

- Available in 48”, 60”, 72”, and 84” widths
- 22” blade height
- Optional bolt-on 8” height extension
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle

# SNOW PLOW V-BLADE

The Blue Diamond® Snow Plow V-Blade is a versatile, heavy duty V-style blade that can be used both for snow and for dirt work. The electric-over-hydraulic controls allow this blade to be used in a conventional-style straight blade. The V-back style pushes off to both sides, and the V-forward setting scoops material. The trip function has a lockout for use in dirt, and the electrical hookup can be set for use with any skid steer model.

| PART NUMBER | MODEL | ANGLED WIDTH | WEIGHT |
|---|---|---|---|
| 120500 | 6’ Without Float | 63.87” | 823 lbs |
| 120505 | 6’ W/Float | 63.87” | 823 lbs |
| 120510 | 7’ Without Float | 78.38” | 863 lbs |
| 120515 | 7’ W/Float | 78.38” | 863 lbs |
| 120520 | 8’ Without Float | 84.87” | 903 lbs |
| 120525 | 8’ W/Float | 84.87” | 903 lbs |
| 120530 | 9’ Without Float | 95.38” | 943 lbs |
| 120535 | 9’ W/Float | 95.38” | 943 lbs |

### FEATURES INCLUDE

- Best for snow and light dirt applications
- V, scoop, and angle up to 30° left or right
- Trip springs for snow; trip lockout for dirt applications
- Replaceable cutting edge; adjustable skid shoes
- Rolled moldboard for better material flow
- Available for mini-machines

# SNOW BLOWER
## *EXTREME DUTY*

The Blue Diamond® Extreme Duty Snow Blower is engineered for years of use. A high-pressure bypass relief system eliminates the need for shear pins during sudden stops. With a choice of widths and motor packages, you can find the optimal size of snow blower to match your skid steer or compact track loader's capacity.

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 119100 | 68" Snow Blower | 21-23 GPM | 915 lbs |
| 119103 | 72" Snow Blower | 17-20 GPM | 950 lbs |
| 119104 | 72" Snow Blower | 21-23 GPM | 950 lbs |
| 119105 | 72" Snow Blower | 24-25 GPM | 950 lbs |
| 119106 | 72" Snow Blower | 26-29 GPM | 950 lbs |
| 119107 | 72" Snow Blower | 30-40 GPM | 950 lbs |
| 119109 | 84" Snow Blower | 21-23 GPM | 1,050 lbs |
| 119110 | 84" Snow Blower | 24-25 GPM | 1,050 lbs |
| 119111 | 84" Snow Blower | 26-29 GPM | 1,050 lbs |
| 119112 | 84" Snow Blower | 30-40 GPM | 1,050 lbs |

### FEATURES INCLUDE

- 4-blade fan, 22" diameter, 6 1/2" deep
- 16" auger with teeth and 2 1/4" x 1/4" ribbon flighting
- No shear pins; high-pressure bypass relief system
- No chains; direct-drive auger and fan
- 270˚ hydraulic rotary chute angle with 7" opening
- Hydraulic chute deflector
- Adjustable steel skid shoes
- 7-gauge steel fan housing
- 10-gauge steel blower shell
- 1/4" end plates
- High-strength corner bracing
- Heavy duty polyurethane idler wheels
- Bolt-on grader cutting edge

# SNOW BLOWER
## *HEAVY DUTY*

The Blue Diamond® Heavy Duty Snow Blower has been built with durability in mind, constructed from heavy gauge steel with a one-piece side plate for added strength and rigidity. This snow blower uses machine formed hand-welded augers made with high tensile steel ribbon flighting to provide strength and productivity for years to come. The 26” diameter, 5-bladed fan evacuates high volumes of snow quickly and efficiently. Available in cutting widths from 62” to 96”.



### FEATURES INCLUDE:

- 19” auger made with high tensile steel ribbon flighting
- Heavy duty 5-blade fan, 26” diameter
- Manual pin-style adjustable deflector
- Adjustable skid shoes
- Hydraulic powered chute rotator
- Direct fan drive mounted with 2” bearings
- Hydraulic line check valve prevents reverse rotation
- 3.5” round auger tube
- 11” chute diameter
- Replaceable bolt-on cutting edge
- Offset chute design provides better operator visibility
- Optional hydraulic deflector available
- Required flow 14-40 GPM

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 119310 | 62” Snow Blower, Heavy Duty | 14-17 GPM | 900 lbs |
| 119311 | 62” Snow Blower, Heavy Duty | 17-20 GPM | 900 lbs |
| 119312 | 62” Snow Blower, Heavy Duty | 20-22 GPM | 900 lbs |
| 119315 | 66” Snow Blower, Heavy Duty | 14-17 GPM | 925 lbs |
| 119316 | 66” Snow Blower, Heavy Duty | 17-20 GPM | 925 lbs |
| 119317 | 66” Snow Blower, Heavy Duty | 20-22 GPM | 925 lbs |
| 119318 | 66” Snow Blower, Heavy Duty | 22-26 GPM | 925 lbs |
| 119320 | 76” Snow Blower, Heavy Duty | 14-17 GPM | 950 lbs |
| 119321 | 76” Snow Blower, Heavy Duty | 17-20 GPM | 950 lbs |
| 119322 | 76” Snow Blower, Heavy Duty | 20-22 GPM | 950 lbs |
| 119323 | 76” Snow Blower, Heavy Duty | 22-26 GPM | 950 lbs |
| 119324 | 76” Snow Blower, Heavy Duty | 26-33 GPM | 950 lbs |
| 119325 | 76” Snow Blower, Heavy Duty | 33-40 GPM | 950 lbs |
| 119330 | 86” Snow Blower, Heavy Duty | 23-26 GPM | 975 lbs |
| 119331 | 86” Snow Blower, Heavy Duty | 26-33 GPM | 975 lbs |
| 119332 | 86” Snow Blower, Heavy Duty | 33-40 GPM | 975 lbs |
| 119335 | 96” Snow Blower, Heavy Duty | 33-40 GPM | 1,025 lbs |

# SNOW PUSHER
## *STANDARD & HEAVY DUTY*

The Blue Diamond® Standard and Heavy Duty Snow Pushers offer excellent value for anyone from light users to commercial snow removal contractors. Both models use an adjustable rubber cutting-edge and bolt-on wear shoes made from AR400. The rolled moldboard keeps the snow load live to reduce the host machine horsepower needed to move large snow loads. The Heavy Duty model uses thicker wear shoes, heavier side plates, and more crossbraces than the Standard Duty model. A vertical brace ties the crossbraces together to spread out the impact force on the Heavy Duty unit.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 120111 | 60” Snow Pusher, W/Rubber Edge | 625 lbs |
| 120113 | 72” Snow Pusher, W/Rubber Edge | 650 lbs |
| 120115 | 96” Snow Pusher, W/Rubber Edge | 835 lbs |
| 120135 | 72” Snow Pusher, Heavy Duty | 624 lbs |
| 120150 | 96” Snow Pusher, Heavy Duty | 770 lbs |
| 120155 | 120” Snow Pusher, Heavy Duty | 839 lbs |
| 120114 | 72” Snow Pusher, Pull Back Option, Standard/HD | 100 lbs |
| 120117 | 96” Snow Pusher, Pull Back Option, Standard/HD | 132 lbs |
| 120122 | 120” Snow Pusher, Pull Back Option, Standard/HD | 165 lbs |
| 220330 | Optional Poly Skid Shoe (Req 2) | 14 lbs |

# SOD ROLLER

The Blue Diamond® Sod Roller makes laying large sod rolls simple. Slide the roller shaft through the center of the roll, then pick it up with the attachment, and roll the sod out. The sod roll can be mounted to roll out while driving either forward or in reverse.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 102200 | 36” Sod Roller with 40” Arms | 235 lbs |
| 102202 | 36” Sod Roller with 32” Arms | 205 lbs |
| 102210 | 42” Sod Roller with 40” Arms | 240 lbs |
| 102215 | 50” Sod Roller with 40” Arms | 264 lbs |
| 302310 | Adjustable, 36”- 48” Wide Roll, 32” Arms | 265 lbs |
| 302305 | Adjustable, 36”- 48” Wide Roll, 40” Arms | 280 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

## FEATURES INCLUDE

- Can be mounted to roll out while driving either forward or in reverse
- Comes in 36”, 42”, and 50” widths
- Easy to use and adjustable

## APPLICATIONS

- Barbed wire rolls
- Cable
- Wire

FIXED WIDTH MODEL

ADJUSTABLE WIDTH MODEL

# STUMP GRINDER
## *EXTREME DUTY*

This tough package has it all! This attachment has the highest torque in its class, it is compact, it cuts forward or in reverse, and it has great visibility! Using an extremely durable piston motor and Greenteeth® setup, the Blue Diamond® Extreme Duty Stump Grinder will push through the most demanding applications. A skid steer is limited in its ability to produce hydraulic horsepower, but this stump grinder is designed to maximize performance. Being engineered to cut while moving forward or in reverse sets this machine ahead of its rivals, which are often limited to a single direction. Spend less on fuel! This highly efficient motor can keep your RPMs down in some applications. Spend less time on each stump and increase your profitability. We are sure you will agree that it's worth going with the best!

| PART NUMBER | MODEL | MOTOR | BEST FLOW | WEIGHT |
|---|---|---|---|---|
| 104110 | 24" Wheel, Standard Flow | 60 CC | 16-20 GPM | 747 lbs |
| 104120 | 24" Wheel, Standard Flow | 75 CC | 20-25 GPM | 745 lbs |
| 104130 | 24" Wheel, Standard Flow | 90 CC | 25-29 GPM | 740 lbs |
| 104210 | 26" Wheel, High Flow | 130 CC | 29-33 GPM | 801 lbs |
| 104220 | 26" Wheel, High Flow | 150 CC | 33-39 GPM | 784 lbs |
| 104230 | 26" Wheel, High Flow | 170 CC | 39-45 GPM | 787 lbs |

### FEATURES INCLUDE

- High torque, radial piston motor
- Cuts when moving forward or in reverse
- Excellent visibility
- Compact
- No electrical power needed
- Requires case drain line
- 3 standard flow models and 3 high flow models

## *SWING ARM*

The Blue Diamond® Swing Arm Stump Grinder is an incredibly efficient tool for commercial stump grinding. The unique design of this model makes it equal in performance to a 75 HP dedicated stump grinder. This model allows the host machine to remain stationary and can be operated using the OEM controls or a universal control box.

| PART NUMBER | MODEL | MOTOR | BEST FLOW | WEIGHT |
|---|---|---|---|---|
| 104605 | Swing Arm, High Flow | 130 CC | 29-33 GPM | 1,472 lbs |
| 104610 | Swing Arm, High Flow | 150 CC | 33-39 GPM | 1,459 lbs |
| 104615 | Swing Arm, High Flow | 170 CC | 39-45 GPM | 1,740 lbs |

### FEATURES INCLUDE

- 6-way cutting positioning (up/down, side/side, in/out)
- Piston motor for best-in-class cutting efficiency
- Built with oversized components for longevity
- 26" wheel with 30 durable green teeth
- Push blade for backfill
- Best suited for machines with 50-95 HP
- Chain guard for debris

## TRAILER SPOTTER

The Blue Diamond® Trailer Spotter is a great tool for moving trailers in tight areas with your skid steer.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 112010 | Trailer Spotter, Skid Steer Mount | 118 lbs |

## TREE BOOM

The Blue Diamond® Tree Boom is designed for setting new trees or moving cut trees. The 3,500, 5,000, or 6,000 lb capacity makes this attachment useful in many applications. This attachment also features a hole for mounting a chain, strap, or our optional clevis with swivel hook.

STANDARD DUTY

HEAVY DUTY SERIES 2

SEVERE DUTY
*SHOWN WITH OPTIONAL SWIVEL HOOK AND CLEVIS*

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 112005 | Tree Boom, Standard Duty, 3,500 Lift Cap | 169 lbs |
| 112003 | Tree Boom, Heavy Duty Series 2, 5,000 Lift Cap | 328 lbs |
| 112002 | Tree Boom, Severe Duty, 6,000 Lift Cap | 498 lbs |
| 212050 | Optional Clevis W/Swivel Hook | 4 lbs |

**Applications:**

- Nurseries
- Landscaping
- Setting pipe in trenches
- Mechanical contracting
- Scrap yards
- Lifting feed totes

## TREE GRUBBER
### *EXTREME DUTY*

The Blue Diamond® Tree Grubber attachment is an effective skid steer tool for permanent removal of unwanted shrubs and trees. Designed to prevent regrowth from the taproot, the grubber can protect your land from persistent invasive brush and trees.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 102100 | Tree Grubber, Extreme Duty | 285 lbs |
| 102105 | Tree Grubber, Extreme Duty, W/Teeth | 345 lbs |

# TREE PULLER
## *STANDARD & HEAVY DUTY*

The Blue Diamond® Tree Puller is an excellent tool for removing small trees and shrubs when the roots need to be pulled out. The serrated teeth lock onto the base of the tree, then pry or pull roots and all from the ground, shake the dirt out of the roots, and carry removed tree or shrub to where you want to stack your material. The Heavy Duty version has 2 rows of teeth for added grip.

STANDARD DUTY

HEAVY DUTY

### FEATURES INCLUDE

- Heavy Duty Tree Puller has protected cylinder
- Heavily gusseted quick attach
- Opens to 11”
- 2 or 4 rows of teeth

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 127006 | Tree & Post Puller, Standard Duty | 291 lbs |
| 127010 | Tree & Post Puller, Heavy Duty | 415 lbs |

# TREE SHEAR

The Blue Diamond® Tree Shear cuts trees up to 12" diameter with ease. The powerful 5" x 12" cylinder produces 29 tons of force at 2,500 psi. By simply pulling a pin, the shear will rotate 90˚ for cutting limbs or felled trees.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 128005 | Tree Shear | 1,123 lbs |

### FEATURES INCLUDE

- Cuts up to 12″
- 5″ x 12″ cylinder
- 29 tons of cutting force at 2500 PSI
- Cutting head rotates 90 degrees
- 1″ thick T1 steel cutting edge and construction
- Excellent visibility opens to 11”

# TRENCHER

The Blue Diamond® Trencher is extremely durable and has a number of features to make it more productive than our competitors' models. The extended auger carries the dirt farther from the trench to prevent it from falling back in. The self-adjusting crumber brings any residual dirt back to the chain to be removed from the trench for an immaculate finish. A selection of chain options is available from dirt to rock and with varying widths. An adjustable foot keeps the trench depth consistent. The Eaton drive motor mounts to an industry-leading planetary drive that provides the high torque to the digging chain. This attachment has been designed and built for the serious contractor who depends on production and reliability. It is made in USA with American components!

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 131110 | Trencher, 36" Depth, 4" Dirt Chain | 390 lbs |
| 131125 | Trencher, 36" Depth, 4" Combo Chain | 697 lbs |
| 131140 | Trencher, 36" Depth, 4" Rock Chain | 751 lbs |
| 131115 | Trencher, 36" Depth, 6" Dirt Chain | 575 lbs |
| 131130 | Trencher, 36" Depth, 6" Combo Chain | 780 lbs |
| 131145 | Trencher, 36" Depth, 6" Rock Chain | 751 lbs |
| 131120 | Trencher, 36" Depth, 8" Dirt Chain | 585 lbs |
| 131135 | Trencher, 36" Depth, 8" Combo Chain | 780 lbs |
| 131150 | Trencher, 36" Depth, 8" Rock Chain | 751 lbs |
| 131210 | Trencher, 48" Depth, 6" Earth Chain | 1,120 lbs |
| 131230 | Trencher, 48" Depth, 6" Combo Chain | 1,075 lbs |
| 131250 | Trencher, 48" Depth, 6" Rock Chain | 1,075 lbs |
| 131215 | Trencher, 48" Depth, 8" Earth Chain | 1,120 lbs |
| 131235 | Trencher, 48" Depth, 8" Combo Chain | 1,120 lbs |
| 131255 | Trencher, 48" Depth, 8" Rock Chain | 1,120 lbs |
| 131220 | Trencher, 48" Depth, 10" Earth Chain | 1,120 lbs |
| 131240 | Trencher, 48" Depth, 10" Combo Chain | 1,120 lbs |
| 131260 | Trencher, 48" Depth, 10" Rock Chain | 1,120 lbs |
| 131225 | Trencher, 48" Depth, 12" Earth Chain | 1,120 lbs |
| 131245 | Trencher, 48" Depth, 12" Combo Chain | 1,120 lbs |
| 131265 | Trencher, 48" Depth, 12" Rock Chain | 1,120 lbs |
| 131005 | Trencher Mount Skid Steer | 146 lbs |
| 131006 | Trencher Mount, Wide Frame Side Shift | 200 lbs |

## FEATURES INCLUDE

- Extended auger
- Self-adjusting crumber
- Adjustable foot to keep the trench depth consistent
- Eaton drive motor
- Side shift option

# TRENCHER
## *HIGH-FLOW (28-45 GPM)*

### FEATURES INCLUDE
- Recommended flow of 28-45 GPM
- Cutting depths up to 60″
- Combo chain with 6″, 8″, and 12″ cutting widths.
- Extended auger removes debris quickly
- Adjustable foot to keep trench depth consistent
- Spring-loaded, self-adjusting crumber for sweeping the trench clean
- Manually adjustable side shift
- Side auger to prevent dirt falling back into the trench
- Bell Eaton drive motor

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 131300-HF | Trencher, High Flow, 60” Depth, 6” Combo | 1,020 lbs |
| 131305-HF | Trencher, High Flow, 60” Depth, 8” Combo | 1,040 lbs |
| 131310-HF | Trencher, High Flow, 60” Depth, 12” Combo | 1,080 lbs |

*Includes Crumber*

# VIBRATORY ROLLER

The Blue Diamond® Vibratory Rollers are available in 73" and 84" working widths. All models feature hydraulically powered exciter systems designed with oil-mist lubrication. All models minimize exciter shaft deflection, lower operating temperatures, and provide our customers with the industry’s lowest incidence of bearing and seal failure. A knockdown blade is integral to the roller frame. Vibrating drums are isolated from the frame, minimizing transmission of vibration to the host machine. All models come with a universal quick-attach system. Smooth or pad foot drum options are available.

PAD FOOT

SMOOTH

### FEATURES INCLUDE
- Industry-leading bearing design
- Integral knockdown blade
- Smooth or padfoot models
- Exciter systems have oil-mist lubrication
- Vibrating drums are effectively isolated from the roller frame
- 12 heavy duty rubber shock mounts
- Control valve block compensates for the correct flow of oil to prevent overspeeding and overpressure of the exciter shaft
- Universal adapter plate
- Drive motor is protected inside a heavy duty steel frame

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 124010 | 73” Vibratory Roller, Smooth | 2,050 lbs |
| 124015 | 73” Vibratory Roller, Padfoot | 2,210 lbs |
| 124030 | 84” Vibratory Roller, Smooth | 2,300 lbs |
| 124035 | 84” Vibratory Roller, Padfoot | 2,450 lbs |

## AUGER DRIVE
### *EXTREME DUTY - SERIES 2*

Blue Diamond® Extreme Duty Series 2 Auger Drive offers the ultimate in performance, quality, and cost effectiveness. Designed with high-grade materials and innovation, this design allows the gearbox to go down the hole, maximizing drilling depth while eliminating downtime. These drives are perfect for drilling and augering in most ground conditions.

### FEATURES INCLUDE

- Compact high torque manufactured gearbox
- 2-piece shaft design ensures maximum side load ratings
- 2” hex shaft comes standard but also available with 2 9/16” round
- Lifetime shaft pull-out warranty
- 5-year planetary drive warranty
- 3-year hydraulic motor warranty
- 1-year mount and mount components warranty

| MODEL | EX1 | EX2 | EX3 | EX4 | EX4HF | EX5HF | EX6HF | EX7HF |
|---|---|---|---|---|---|---|---|---|
| PART NUMBER | 305705 | 305708 | 305712 | 305715 | 305720 | 305725 | 305728 | 305730 |
| TORQUE FT-LBS @ 3,000 PSI | 1,467 | 2,254 | 2,829 | 3,275 | 3,583 | 3,903 | 4,909 | 6,162 |
| MAX TORQUE FT-LBS @ 3,500 PSI | 1,712 | 2,630 | 3,300 | 3,821 | 4,180 | 4,553 | 5,728 | 7,189 |
| RECOMMENDED FLOW (GPM) | 6–16 | 10–26 | 10–30 | 10–30 | 10–36 | 10-36 | 12-36 | 14-36 |
| PEAK EFFICIENCY (GPM) | 8–11 | 12–16 | 17–20 | 19–23 | 21–26 | — | — | — |
| MOTOR TYPE | Eaton | | | | | | | |
| MAX PRESSURE — DO NOT EXCEED | 3,500 psi @ 16 GPM | | | | 3,500 psi @ 27 GPM | | | |
| MAX FLOW — DO NOT EXCEED | 30 GPM @ 1,800 psi | | | | 42 GPM @ 2,250 psi | | | |
| MAX HP | 33 | | | | 55 | | | |
| PRESSURE RELIEF VALVE | N/A | | | | Included | | | |
| STANDARD OUTPUT SHAFT | 2" Hex | | | | | 2 1/2” Hex | | |
| MAX DRILLING DIAMETER CLAY/SHALE | 12" | 24" | | | | | 30” | |
| MAX DRILLING DIAMETER EARTH | 24" | 30" | | | 40" | | | 48” |
| WEIGHT (LBS) | 101 | 123 | 125 | | 180 | 290 lbs | 477 lbs | 438 lbs |
| OVERALL LENGTH (IN) | 24.5" | 25.9" | | | 29" | 33.7” | | |
| DIAMETER (IN) | 7.4" | 9.4" | | | | 11.4” | | |

*Available to fit machines up to 60,000 lbs. See a full list of extensions and bits in the skid steer section.*

# HYDRAULIC BREAKER
## *HAMMER*

Our 5-year quest to develop a superior hydraulic breaker is now available from Blue Diamond®. This "hammer" design offers technology, simplicity, reliability, ease of setup, and service support. No more downtime! Get started on your demolition, construction, and quarry jobs now. A 3-year warranty comes with all breakers.

### FEATURES INCLUDE

- 3-year warranty
- Mono-block design / no tie rods
- Anti-blank firing system hydraulic brake
- No re-gassing needed
- Only 2 internal moving parts
- 2 speed control / variable stroke
- Quiet Operation
- Self-regulating
- Body bushings around piston

| PART NUMBER | MODEL | WORKING PRESSURE | MAX OIL FLOW | FREQUENCY (BPM) | OPERATING WEIGHT | TOOL DIAMETER | ENERGY CLASS | CARRIER WEIGHT | (PSI) BACK PRESSURE |
|---|---|---|---|---|---|---|---|---|---|
| 335005 | HB50 | 1,750 | 7 | 1,200 | 257 lbs | 1.5 | 100 | 1,500-2,650 lbs | 290-360 |
| 335009 | HB95 | | 11 | | 355 lbs | 1.8 | 200 | 2,650-4,000 lbs | |
| 335016 | HB165 | | 13 | | 498 lbs | 2.2 | 400 | 4,000-6,600 lbs | |
| 335021 | HB210 | | 16 | 1,100 | 598 lbs | 2.5 | 500 | 6,100-9,900 lbs | |
| 335030 | HB300 | | 21.2 | | 921 lbs | 2.9 | 700 | 8,800-15,500 lbs | |
| 335040 | HB400 | | 29.2 | 900 | 1,139 lbs | 3.1 | 1,000 | 13,500-20,900 lbs | 363 |
| 335053 | HB530 | | 32 | | 1,404 lbs | 3.3 | 1,200 | 17,650-25,350 lbs | |
| 335095 | HB950 | 1,950 | 34 | | 2,115 LBS | 4 | 2,000 | 22,000-33,000 lbs | |
| 335098 | HB1400 | 2,050 | 37 | 600-800 | 3,664 LBS | 4.6 | 3,000 | 30,000-50,000 lbs | 145 |
| 335100 | HB1800 | | 53 | 490-630 | 3,723 LBS | 5.4 | 4,000 | 48,000-70,000 lbs | |
| 335105 | HB2500 | 2,200 | 61 | 460-630 | 5,598 LBS | 6 | 5,000 | 60,000-80,000 lbs | |
| 335110 | HB3000 | 2,350 | 75 | 380-500 | 7,292 LBS | 6.5 | 7,000 | 70,000-110,000 lbs | |

**Operating weight does not include any mount used. **Mount Suffixes: (no suffix) – Skid Steer, "-EX" – Excavator, "-25" Mini Universal, "-26", Bobcat MT, "-35" Avant, "-36" – ASV.*

### BREAKER CUTAWAY

**ACCUMULATOR:**
The large dimension accumulator with diaphragm supplies power to the breaker and protects the excavator hydraulic pump and pipeline from damage due to the backshock blows

**ISOLATION:**
An isolation with vulcanized polyurethane between the metal case and the monoblock drastically reduced noise and vibrations

**MONOBLOCK:**
The absence of a tie rod increases reliability and makes eventual servicing more simple and economical



**BODY BUSHINGS:**
In case of a damaged piston, body bushings protect the monoblock

**HYDRAULIC BRAKE:**
A hydraulic brake on the piston prohibits the breaker from harmful blank firing

# BRUSH CUTTER
## *HEAVY DUTY MINI EXCAVATOR*

The Blue Diamond® Heavy Duty Brush Cutter has a rugged direct drive system with a large flywheel that stores energy and keeps the blades cutting, even in difficult conditions. All models use a 3-blade system with straight blades to give better cutting capabilities than the competitors.

42”

50”

### FEATURES INCLUDE

- Bidirectional operation
- Closed deck
- 3 double-sided blades
- Greaseable drive system
- 1/4” deck thickness
- 4” diameter cutting capacity
- 3 1/2” forged drive spindle
- 5-year warranty on drive spindle
- 1-year warranty

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 103600 | 36” Heavy Duty W/ 80CC | 13-24 GPM | 552 lbs* |
| 103610 | 36” Heavy Duty W/ 100CC | 29-36 GPM | 675 lbs* |
| 103650 | 42” Heavy Duty W/ 80CC | 13-24 GPM | 662 lbs* |
| 103660 | 42” Heavy Duty W/ 100CC | 25-31 GPM | 662 lbs* |
| 103709 | 50” Heavy Duty W/ 80CC | 13-22 GPM | 956 lbs* |
| 103712 | 50” Heavy Duty W/ 100CC | 23-28 GPM | 956 lbs* |
| 103713 | 50” Heavy Duty W/ 125CC | 28-33 GPM | 826 lbs* |
| 103714 | 50” Heavy Duty W/ 160CC | 34-41 GPM | 1,216 lbs* |

*Rubber flaps available for 36” and 42” models.*
**Attachment only. Mount weight is additional and varies by machine*

## *SEVERE DUTY MINI EXCAVATOR*

The Blue Diamond® Severe Duty Brush Cutter provides the largest cutting capacity in its class. The high-torque piston motor maintains incredible torque through its RPM range. Industry-leading technology introduced on this brush cutter allows the motor to be used without a case drain line, saving added expense and installation time.

### FEATURES INCLUDE

- 6” diameter cutting capacity
- Open deck
- Fits 10,000 - 19,000 lb machines
- No case drain needed

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 103820 | 42” SD, 80CC Piston Motor | 16-26 GPM | 729 lbs* |

**Attachment only. Mount weight is additional and varies by machine*

# BRUSH CUTTER
## *SEVERE DUTY SERIES 2 MINI EXCAVATOR*

The Blue Diamond® Severe Duty Series 2 Brush Cutter provides the largest cutting capacity in its class. The high-torque piston motor maintains incredible torque through its RPM range. Industry-leading technology introduced on this brush cutter allows the motor to be used without a case drain line, saving added expense and installation time.

### FEATURES INCLUDE

- 6” diameter cutting capacity
- Deck cutouts to expose blades
- Fits 10,000 - 19,000 lb machines
- No case drain needed
- 3/4” thick blade carrier
- Oil-filled direct drive
- Improved wire protection for the oil seal

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 103820-2 | 42” SD, 80CC Piston Motor | 16-26 GPM | 718 lbs* |

**Attachment only. Mount weight is additional and varies by machine*

# BRUSH CUTTER
## *EXTREME DUTY*

This powerful brush cutter is a serious attachment for clearing land! The piston motor will tear through large brush with ease, boasting 40% more torque than geroler/gerotor type motors. The cut-away design allows better access to larger material and keeps grass standing while cutting, leaving a cleaner finish. The three AR400 blades make quick work of brush or grass. Available only in 60” cutting width.

### FEATURES INCLUDE

- 1” thick blade carrier
- 6” cutting capacity
- Cut-away side
- Case drain required on host machine
- Grease-filled drive dramatically improves bearing life
- Fits 28,000-38,000 lb machines
- Bearing seal protection kit under deck

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 103850 | 60” Excavator, Extreme Duty, 150CC Piston Motor | 22-30 GPM | 1,790 lbs* |

**Attachment only. Mount weight is additional and varies by machine*

# BRUSH CUTTER
## *SEVERE DUTY*

The Blue Diamond® Severe Duty 60” Excavator Cutter is the big brother to the 60” Extreme Duty Excavator Cutter. Rated to fit up to 60,000 lb excavators, this cutter will clear any piece of land that you need it to. It is great for reaching down embankments and in hard to access areas. The 1/2” thick deck with strong reinforcements is sure to hold up to whatever you demand of it.

### FEATURES INCLUDE

- 1” thick blade carrier with serrated edges
- 7” cutting capacity
- Cut-away side
- Case drain required on host machine
- Grease-filled drive dramatically improves bearing life
- Fits 38,000-60,000 lb machines
- Bearing seal protection kit under deck

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 303860 | 60” Excavator , SD, 150CC Piston Motor | 22-30 GPM | 2,447 lbs* |
| 303865 | 60” Excavator , SD, 200CC Piston Motor | 30-40 GPM | 2,397 lbs* |
| 303867 | 60” Excavator , SD, 250CC Piston Motor | 40-50 GPM | 2,403 lbs* |

**Attachment only. Mount weight is additional and varies by machine*

# EXCAVATOR BUCKET
## *HEAVY DUTY*

Blue Diamond® Buckets are our most popular general purpose and heavy duty for excavators. They are used for digging in a broad range of materials, including dirt, clay, and rock. Optional side cutters are available for all buckets for machines 12,000 lbs and larger. We use AR400 on the sides, cutting edge, mounting brackets, and wear bars for reinforcement. AR400 is much stronger than T1 and more wear-resistant. The shell is constructed from A-572-50 because it has to be rolled. J Series Style Teeth are standard, but other teeth are available.

EXCAVATOR BUCKETS FOR **JOHN DEERE**

| PART NUMBER | MODEL | SIZE |
|---|---|---|
| 7010512 | 27/35 ZTS Coupler | 12" |
| 7010518 | | 18" |
| 7010524 | | 24" |
| 7010530 | | 30" |
| 7011012 | 50/60 ZTS Coupler | 12” |
| 7011018 | | 18” |
| 7011024 | | 24” |
| 7011030 | | 30” |
| 7011036 | | 36” |
| 7011512 | 75/85 Mount | 12” |
| 7011518 | | 18” |
| 7011524 | | 24” |
| 7011530 | | 30” |
| 7011536 | | 36” |
| 7012018 | 120/135 Mount | 18” |
| 7012024 | | 24” |
| 7012036 | | 36” |
| 7012042 | | 42” |

EXCAVATOR BUCKETS FOR **TAKEUCHI**

| PART NUMBER | MODEL | SIZE |
|---|---|---|
| 7051012 | TB135/ TB235 | 12" |
| 7051018 | | 18" |
| 7051024 | | 24" |
| 7051030 | | 30" |
| 7051512 | TB145/ TB250 | 12” |
| 7051518 | | 18” |
| 7051524 | | 24” |
| 7051530 | | 30” |
| 7051536 | | 36” |
| 7052012 | TB260 | 12” |
| 7052018 | | 18” |
| 7052024 | | 24” |
| 7052030 | | 30” |
| 7052036 | | 36” |
| 7052518 | TB1140 | 18” |
| 7052524 | | 24” |
| 7052530 | | 36” |
| 7052536 | | 42” |

EXCAVATOR BUCKETS FOR **CAT**

| PART NUMBER | MODEL | SIZE |
|---|---|---|
| 7100512 | 303/303.5 304E | 12" |
| 7100518 | | 18" |
| 7100524 | | 24" |
| 7100530 | | 30" |
| 7101012 | 304C 304C-CR | 12” |
| 7101018 | | 18” |
| 7101024 | | 24” |
| 7101030 | | 30” |
| 7101036 | | 36” |
| 7102112 | 307E 308D &E | 12” |
| 7102118 | | 18” |
| 7102124 | | 24” |
| 7102130 | | 30” |
| 7102136 | | 36” |
| 7103018 | 311/312 313/314 | 18” |
| 7103024 | | 24” |
| 7103036 | | 36” |
| 7103042 | | 42” |

EXCAVATOR BUCKETS FOR **KUBOTA**

| PART NUMBER | MODEL | SIZE |
|---|---|---|
| 7200512 | KX057 Quick Coupler | 12" |
| 7200518 | | 18" |
| 7200524 | | 24" |
| 7200530 | | 30" |
| 7200536 | | 36” |
| 7201512 | KX121 KX040 KX91 Quick Coupler | 12” |
| 7201518 | | 18” |
| 7201524 | | 24” |
| 7201530 | | 30” |
| 7201536 | | 36” |
| 7203012 | KX161 Quick Coupler | 12” |
| 7203018 | | 18” |
| 7203024 | | 24” |
| 7203030 | | 30” |
| 7203036 | | 36" |

# BUCKETS
## *SCREENING*

The Blue Diamond® Screening Bucket is used for the screening, aerating, separating and mixing of soils, aggregating wood chips and compost. The efficient screening process is created by the star rotors agitating the material, causing the fines to flow through the rotating stars leaving the oversized material in the bucket. A hydraulic flow regulator is included to maintain correct RPM for poly stars.

| PART NUMBER | MODEL | HOST MACHINE SIZE | WEIGHT |
|---|---|---|---|
| 145110 | 33” MODEL 3-33E | Fits 6K-11K | 557 lbs |
| 145115 | 40” MODEL 4-40HE | Fits 11K-22K | 1,104 lbs |
| 145117 | 47” MODEL 4-47HE | Fits 22K-30K | 1,179 lbs |
| 145120 | 60” MODEL 4-60HE | Fits 28K-35K | 1,585 lbs |
| 145135 | 60” MODEL 6-60HDX | Fits 35K-53K | 1,635 lbs |

*Optional comb kits.*

### FEATURES INCLUDE

- 1” or smaller material will flow through
- Horizontal shafts, fitted with poly stars that rotate in the same upwards direction
- Hardened steel cutting edge
- 2-position mount plate
- Hoses and couplers included
- Mounts available to fit most machines
- 1-year warranty

# COLD PLANER
## *MINI EXCAVATOR*

The Blue Diamond® Mini Excavator Cold Planer uses the most trusted components in the industry. Combined with the highly engineered design, this is one of the most reliable units available for a mini excavator attachment.

### FEATURES INCLUDE

- Manual depth control
- Direct drive
- High drum weight = less vibration
- No case drain line required
- 5/8” thick drum tube
- Easy access tooth replacement
- Finely cut drum available
- 12” – 16” Grinding Widths
- Up to 5” Cutting Depth

| PART NUMBER | MODEL | # OF TEETH | MIN MAX FLOW | MIN MAX PRESSURE | WEIGHT |
|---|---|---|---|---|---|
| 160650 | 12” | 30 | 12-20 GPM | 3,000-3,500 PSI | 556 lbs |
| 160670 | 16” | 38 | 12-29 GPM | 3,000-3,500 PSI | 637 lbs |

*Excavator hydraulic system must prioritise boom and stick flow*

# EXCAVATOR DRUM MULCHER
## *HEAVY DUTY*

The Blue Diamond® Heavy Duty Excavator Drum Mulcher is one of the fastest ways to tear down a forest. Turn trees to wood chips in minutes using our durable drum mulcher built with high strength steel.  It is recommended for 9,000 to 24,000 lb mini and mid size excavators.

No job is too big or small with cutting widths ranging from 30-50 inches. All our drum rotors have fixed teeth set in helical position with “p-cut” depth limiters. Choose the reversible carbide teeth option for maximum tooth lifespan when working in rocky areas! And with centralized grease points and hydraulic quick couplers, you can trust that routine maintenance is straightforward and easy.

The Heavy Duty model comes with a double row of chains to keep material flowing and shield the operator from thrown debris.

### FEATURES INCLUDE

- 9,000 to 24,000 lb excavator size
- Available in 30”, 40”, and 50” cutting widths
- Manually adjustable 26-45cc Bosch Rexroth motor
- Recommended flow is 11-35 GPM
- 4” diameter cutting capacity
- 2,600-4,000 PSI required pressure

| PART NUMBER | MODEL | REQUIRED FLOW | MOTOR SIZE | WEIGHT |
|---|---|---|---|---|
| 190510 | 30” HD Excavator Drum Mulcher, , fits 9K-13K machines | 11-24 GPM | 26-45cc | 893 lbs |
| 190515 | 40” HD Excavator Drum Mulcher, fits 13K-24K machines | 15-35 GPM | 26-45cc | 1,015 lbs |
| 190520 | 50” HD Excavator Drum Mulcher, fits 18K-24K machines | 15-35 GPM | 26-45cc | 1,147 lbs |

# EXCAVATOR DRUM MULCHER
## *EXTREME DUTY*

The Blue Diamond® Extreme Duty Excavator Drum Mulcher is one of the fastest ways to tear down a forest. Turn trees to wood chips in minutes using our durable drum mulcher built with high strength steel. It is recommended for 24,000 to 37,000 lb excavators.

No job is too big or small with cutting widths of 40 and 50 inches. All our drum rotors have fixed teeth set in helical position with “p-cut” depth limiters. Choose the reversible carbide teeth option for maximum tooth lifespan when working in rocky areas! And with centralized grease points and hydraulic quick couplers, you can trust that routine maintenance is straightforward and easy.

The Extreme Duty model comes with a double row of chains to keep material flowing and shield the operator from thrown debris.

### FEATURES INCLUDE

- 24,000 to 37,000 lb excavator size
- Available in 40” and 50” cutting widths
- Variable displacement (55 - 85cc Bosch Rexroth)
- Recommended flow is 32-45 GPM
- 7” diameter cutting capacity
- 4,000-5,500 PSI required pressure
- Chain curtain minimizes discharge
- Hydraulic front cover

| PART NUMBER | MODEL | MOTOR SIZE | REQUIRED FLOW | WEIGHT |
|---|---|---|---|---|
| 190555 | 40” ED Excavator Drum Mulcher, fits 24K-37K machines | 55-85cc | 32-45 GPM | 1,665 lbs |
| 190565 | 50” ED Excavator Drum Mulcher, fits 24K-37K machines | 55-85cc | 32-45 GPM | 1,830 lbs |

# EXCAVATOR DRUM MULCHER
## *SEVERE DUTY*

The Blue Diamond® Severe Duty Excavator Drum Mulcher is one of the fastest ways to tear down a forest. Turn trees to wood chips in minutes using our durable drum mulcher built with high strength steel. It is recommended for 37,000 to 49,000 lb excavators.

No job is too big or small with cutting widths of 40 and 50 inches. All our drum rotors have fixed teeth set in helical position with “p-cut” depth limiters. Choose the reversible carbide teeth option for maximum tooth lifespan when working in rocky areas! And with centralized grease points and hydraulic quick couplers, you can trust that routine maintenance is straightforward and easy.

The Severe Duty model comes with two double rows of chains and rubber side shields to keep material flowing and to provide maximum protection from thrown debris.

### FEATURES INCLUDE

- 37,000 to 49,000 lb excavator size
- Available in 40” and 50” cutting widths
- Variable displacement (80 - 115cc Bosch Rexroth)
- Recommended flow is 37-48 GPM
- 8” diameter cutting capacity
- 4,000-5,500 PSI required pressure
- Chain curtain minimizes discharge
- Hydraulic front cover

| PART NUMBER | MODEL | REQUIRED FLOW | MOTOR SIZE | WEIGHT |
|---|---|---|---|---|
| 190605 | 40” HD Excavator Drum Mulcher, , fits 37K-49K machines | 37-48 GPM | 80-115cc | 2,402 lbs |
| 190615 | 50” HD Excavator Drum Mulcher, fits 37K-49K machines | 37-48 GPM | 80-115cc | 2,822 lbs |

# EXCAVATOR DRUM MULCHER *SDX*

The Blue Diamond® SDX Excavator Drum Mulcher is the one of the quickest ways to turn trees into wood chips in a matter of minutes. Our most durable drum mulcher is built with high strength steel and recommended for 49,000 to 70,000 lb excavators.

With a maximum cutting diameter of 8 inches, no job is too tough! Our drum rotors have fixed teeth set in a helical position with “p-cut” depth limiters. The optional reversible carbide teeth are a must when working in rocky areas because it offers a maximum tooth lifespan. Routine maintenance is quick and easy with the centralized grease points and hydraulic quick couplers.

Two double rows of chains and rubber side shields on our SDX Drum Mulchers provide maximum protection of debris while also keeping the material flowing.

## FEATURES INCLUDE

- 49K-70K Excavator Size
- Available in 60” cutting width
- Variable displacement (80 - 115cc Bosch Rexroth)
- Recommended flow is 45-58 GPM
- 8” diameter cutting capacity
- 4,000-5,500 PSI required pressure
- Chain curtain minimizes discharge
- Hydraulic front cover

| PART NUMBER | MODEL | REQUIRED FLOW | MOTOR SIZE | WEIGHT |
|---|---|---|---|---|
| 190620 | 60” HD Excavator Drum Mulcher, fits 49K-70K machines | 45-58 GPM | 80-115cc | 3,000 lbs |

# LOG SPLITTER

The Blue Diamond® Heavy Duty Excavator Log Splitter is a great tool to get your firewood ready. Fit up to 24” logs and split them with the powerful 25-ton cylinder. The bolt-on mounting plate allows the operator to switch mounts when changing machines. It can be mounted parallel or perpendicular to the operator for visibility preference. The reinforced tubular frame is designed to withstand many years of use.

## FEATURES INCLUDE

- Fits up to 24” long
- 25-ton cylinder
- Protected hose routing
- Bolt-on mount for use with multiple machines
- Single or 4-way wedge
- Perpendicular or parallel to operator for preferred visibility
- Rated for 8,000-20,000 lb. excavators

| PART NUMBER | MODEL | DIMENSIONS | WEIGHT (WITHOUT MOUNT OR WEDGE) |
|---|---|---|---|
| 150112 | HD Excavator Log Splitter | 77” L x 19” W x 13” H | 340 lbs |

# PLATE COMPACTOR

The Blue Diamond® Plate Compactor can be used on excavators, backhoes, skid steers, and mini machines. The industry-leading technology protects the machine from excessive vibrations yet offers excellent compaction ability.

### FEATURES INCLUDE

- Advanced technology for low vibration and noise
- Same width as standard trenching buckets
- High-pressure cut off valve to protect motor

| PART NUMBER | MODEL | HOST MACHINE SIZE | WEIGHT |
|---|---|---|---|
| 151005 | C310, 24”X12” | Fits 5K-12K | 552 lbs |
| 151010 | C410, 32”X16” | Fits 12K-22K | 880 lbs |
| 151015 | C610, 48”X24” | Fits 24K-42K | 2,000 lbs |



# RAKE

## *HEAVY DUTY*

### FITS 6K-10K LB. MACHINES

The Blue Diamond® Rake is an excellent tool for cleaning roots, limbs, and other debris while leaving behind valuable soil. Quickly turn your excavator into the ultimate cleanup machine! It is available to fit 6,000 lbs machines or larger.

| PART NUMBER | MODEL | OVERALL DIMENSIONS | WEIGHT |
|---|---|---|---|
| 170405 | 24” Wide Excavator Rake | 24″ W x 18″ D x 23″ H | 185 lbs |
| 170415 | 36” Wide Excavator Rake | 36″ W x 18″ D x 23″ H | 263 lbs |
| 170425 | 48” Wide Excavator Rake | 48″ W x 18″ D x 23″ H | 263 lbs |
| 170435 | 60” Wide Excavator Rake | 60″ W x 18″ D x 23″ H | 302 lbs |

### FEATURES INCLUDE

- 1/2” thick tines, 6 1/2” centers
- Gusseted tine tips
- Interchangeable mounting system

### FITS 10K-15K LB. MACHINES

| PART NUMBER | MODEL | OVERALL DIMENSIONS | WEIGHT |
|---|---|---|---|
| 170475 | 48” Wide Excavator Rake | 48″ W x 18″ D x 29″ H | 361 lbs |
| 170485 | 60” Wide Excavator Rake | 60″ W x 18″ D x 29″ H | 436 lbs |

# ROCK & CONCRETE GRINDER

The Blue Diamond® Rock & Concrete Grinders are a must-have tool for any application where rock, concrete, or asphalt need to be removed. They allow for a clean trench to be made with vertical walls. Six different models are available with mounts to fit most excavators and skid steers.

## APPLICATIONS:

- Trenching
- Demolition
- Rock Excavation

## FEATURES INCLUDE

- All American-made parts & components
- Powerful high-torque hydraulic motors
- Robust cutting drums to ensure maximum production & prolonged life
- Customizable drums to accommodate performance maximized applications
- Durable spur gears & housing
- Bolt-on mount for excavator or skid steer

| PART NUMBER | MODEL | WEIGHT (WITHOUT MOUNT) | CUTTING WIDTH | HEAD DIAMETER | REQUIRED FLOW (GPM) | CARRIER WEIGHT |
|---|---|---|---|---|---|---|
| 159010 | G1S | 265 lbs | 19” | 9” | 5-12 | 1,300-5,000 lbs |
| 159015 | G1 | 635 lbs | 21” | 11” | 8-20 | 6,900-17,000 lbs |
| 159020 | G2 | 1,035 lbs | 25” | 16 1/2” | 12-26 | 17,000-30,000 lbs |
| 159025 | G3 | 2,045 lbs | 31” | 22” | 30-45 | 22,000-39,000 lbs |
| 159030 | G3XL | 2,290 lbs | 32” | 23” | 34-65 | 33,000-66,000 lbs |
| 159035 | G4 | 4,100 lbs | 40” | 29” | 50-85 | 50,000-90,000 lbs |

# TREE GRUBBER

The Blue Diamond® Tree Grubber attachment is an effective excavator tool for permanent removal of unwanted shrubs and trees. Designed to prevent regrowth from the taproot, the grubber can protect your land from persistent invasive brush and trees.

18X19

24X24

## FEATURES INCLUDE

- Heavy Duty 1" steel construction
- Bolt-on mount for easy machine exchange
- Dull V to grab root instead of cutting through
- Serrated edge for extra grip
- The 18 x 19 version fits 6,000-20,000 lb machines
- The 24 x 24 version fits 20,000-40,000 lb machines

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 102110 | Tree Grubber, W/18 x 19 Blank Plate | 285 lbs |
| 102150 | Tree Grubber, W/24 x 24 Blank Plate | 342 lbs |

# VIBRATORY POST DRIVER

## *SERIES 2*

The Blue Diamond® Vibratory Series 2 Post Driver is the best post driver for full-size skid steers, mini skid steers, and excavators, ideal for both commercial and for rental fleet use! Useful for many industries, a vibratory post driver makes the job faster and more efficient for works in construction, agriculture, solar installation, and more!

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 100502 | Vibrating Post Driver Case Drain Req On Machine (Add Mount) | 264 lbs |
| 100507 | Vibrating Post Driver W/Tilt Case Drain Req On Machine (Add Mount) | 400 lbs |
| 100560 | Vibrating Post Driver Excavator Mount with 18x19 Blank Plate | 115 lbs |

*Requires 18x19 mount (100560), sold separately. Hoses provided may be longer/shorter than needed and may require modification by customer.*

## FEATURES INCLUDE

- Optional tilt function allows for 10 degrees of adjustment
- Hydraulic orbital technology maximizes auxiliary flow
- Available with 4" - 12" round and flat post adapters
- Compact design that is easy to transport and store
- Requires 7-26 GPM auxiliary flow and case drain
- OEM and universal wiring harnesses available
- Easily swap between machines with the interchangeable mount

## 3-POINT CONVERSION ADAPTER

The Blue Diamond® 3-Point Conversion Adapter allows you to use your rear 3-point farm tractor attachments on the front of your skid steer or tractor. The attachment is great for moving or using farm implements that do not require PTO.

### FEATURES INCLUDE

- Allows for quick hookup
- Strong adapter welded to a square tubular frame
- CAT 1 adapter features adjustable upper hook for a perfect connection
- Durable powder-coated finish
- Locking levers for an easy secure attach!
- Made in the USA

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 113105 | Universal To 3 Pt Hitch Conversion, Cat 1 | 147 lbs |
| 113110 | Universal To 3 Pt Hitch Conversion, Cat 2 | 225 lbs |

AUGER DRIVES ON NEXT PAGE

# AUGER DRIVE
## *EXTREME DUTY SERIES 2*

Blue Diamond® Extreme Duty Series 2 Auger Drive offers the ultimate in performance, quality, and cost effectiveness. Designed with high-grade materials and innovation, this design allows the gearbox to go down the hole, maximizing drilling depth while eliminating downtime. These drives are perfect for drilling and augering in most ground conditions.

### FEATURES INCLUDE

- Compact, high-torque manufactured gearbox
- 2-piece shaft design ensures maximum side load ratings
- 2” hex shaft comes standard but also available with 2 9/16” round
- Lifetime shaft pull-out warranty,
- 5-year planetary drive warranty,
- 3-year hydraulic motor warranty,
- 1-year mount and mount components warranty



| MODEL | EX1 | EX2 | EX3 | EX4 | EX4HF |
|---|---|---|---|---|---|
| PART NUMBER | 305705 | 305708 | 305712 | 305715 | 305720 |
| TORQUE FT-LBS @ 3,000 PSI | 1,467 | 2,254 | 2,829 | 3,275 | 3,583 |
| MAX TORQUE FT-LBS @ 3,500 PSI | 1,712 | 2,630 | 3,300 | 3,821 | 4,180 |
| RECOMMENDED FLOW (GPM) | 6–16 | 10–26 | 10–30 | 10–30 | 10–36 |
| PEAK EFFICIENCY (GPM) | 8–11 | 12–16 | 17–20 | 19–23 | 21–26 |
| MOTOR TYPE | Eaton | | | | |
| MAX PRESSURE — DO NOT EXCEED | 3,500 psi @ 16 GPM | | | | 3,500 psi @ 27 GPM |
| MAX FLOW — DO NOT EXCEED | 30 GPM @ 1,800 psi | | | | 42 GPM @ 2,250 psi |
| MAX HP | 33 | | | | 55 |
| PRESSURE RELIEF VALVE | N/A | | | | Included |
| STANDARD OUTPUT SHAFT | 2" Hex | | | | |
| MAX DRILLING DIAMETER CLAY/SHALE | 12" | 24" | | | |
| MAX DRILLING DIAMETER EARTH | 24" | 30" | | | 40" |
| WEIGHT (LBS) | 260 | 277 | 282 | 342 | 337 |
| OVERALL LENGTH (IN) | 24.5" | 25.9" | | | 29" |
| DIAMETER (IN) | 7.4" | 9.4" | | | |

*Mounts available to fit most tractors.*

# BALE SQUEEZE

The Blue Diamond® Bale Squeeze is an excellent alternative to a bale spear, especially when using wrapped bales. This versatile attachment can pick up bales whether they are sitting flat or on their side.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 111105 | Bale Squeeze 2,000 Capacity | 400 lbs |
| 211110 | Optional Bolt-On Grippers (Requires 2) | 60 lbs |

### FEATURES INCLUDE

- Strong, tubular design
- Flat face couplers
- Use on skid steers or tractors with universal or Euro Ag mount
- Opens to 72” for handling up to 60” bales
- Equalizer bar standard

# BOX BLADE SCRAPER

The Blue Diamond® Standard Duty Box Blade Scraper is designed for working topsoil, gravel, mulch, or manure. Ideal for use on the farm, at building sites, or for outdoor arenas. This scraper works with 15 hp to 45 hp tractors and is available in 5 widths, ranging from 48” to 96”.

For tough jobs, the Heavy Duty Box Blade Scraper will stand up to the tasks required to maintain your farm, building site, or landscaping projects. This unit makes quick work of ripping up dirt, grading and leveling land, or spreading soil. Models are available in 3 working widths from 72” to 96”, with adjustable heavy duty ripper shanks, and are compatible with a Category 1 and Category 2 quick hitches, and are designed to work with 30 hp to 70 hp tractors. It comes with a 2-year warranty.

| | STANDARD DUTY | | HEAVY DUTY | | |
|---|---|---|---|---|---|
| PART NUMBERS | 426010 | 426015 | 426110 | 426115 | 426120 |
| MODEL | 48" | 60" | 72" | 84" | 96" |
| HORSEPOWER | 15–45 | 15–45 | 30–70 | 30–70 | 30–70 |
| WIDTH | 48" | 60" | 72" | 84" | 96" |
| MOLDBOARD HEIGHT | 17" | | | | |
| OVERALL DEPTH | 22" | | | | |
| WEIGHT | 290 lbs | 323 lbs | 530 lbs | 586 lbs | 640 lbs |
| NUMBER OF SHANKS | 3 | 4 | 5 | 6 | 6 |
| A-FRAME MATERIAL | 3/8" | | 1/2" | | |
| CUTTING EDGES | 6" | | | | |
| QUICK-HITCH COMPATIBLE | Yes | | | | |
| HITCH | Category 1 | | Category 1 and Category 2 | | |

# GRADER BLADE

## *HEAVY DUTY*

The Blue Diamond® Grader Blade is our toughest grader blade. These heavy duty models will easily meet all of your land grading, leveling, or backfilling needs. Designed for 45 hp to 75 hp tractors, they feature a 5-position angle adjustment and 3-position tilt adjustment and use a ratchet jack for the offset adjustment.

### FEATURES INCLUDE

- Fits Category 1 and Category 2 hitches
- Ratchet jack offset adjustment
- Used for grading, leveling, and backfilling needs
- 5-position angle moving forward and in reverse
- 3-position tilt adjustment

PULL DIRT

PUSH DIRT

| PART NUMBERS | 423010 | 423015 | 423020 |
|---|---|---|---|
| MODEL | 6' | 7' | 8' |
| HORSEPOWER | 45–75 | 50–75 | 55–75 |
| WIDTH | 72" | 84" | 96" |
| MOLDBOARD HEIGHT | 17" | | |
| WEIGHT | 439 lbs | 469 lbs | 503 lbs |
| ANGLE ADJUSTMENT | 5-Position, Forward and Reverse | | |
| TILT ADJUSTMENT | 3-Position | | |
| OFFSET ADJUSTMENT | Ratchet Jack | | |
| A-FRAME MATERIAL | 3/8" | | |
| CUTTING EDGES | 6" | | |
| QUICK-HITCH COMPATIBLE | Yes | | |
| HITCH | Category 1 and 2 | | |

# DUAL-EDGE GRADER

The Blue Diamond® Dual-Edge Grader can be used to maintain gravel driveways, level a garden plot, and smooth dirt areas, including horse arenas and barn floors. It is designed with an adjustable cutting depth, making the shanks optional. These dual-edge graders feature replaceable skid shoes, reversible blades, adjustable blade height, and optional adjustable shanks.

### FEATURES INCLUDE

- Dual cutting edges
- Side plates to float the cutting edges along the surface
- Adjustable/removable shanks with replaceable teeth
- Shank adjustment at grade level. 1 1/2” & 3” below grade level
- 2-year warranty

| PART NUMBERS | 423105 | 423110 | 423112 | 423115 | 423117 | 423120 | 423122 | 423127 |
|---|---|---|---|---|---|---|---|---|
| MODEL | 48” | 60” | 60” | 72” | 72” | 84” | 84” | 96” |
| HORSEPOWER | 20-35 | 25-55 | 25-55 | 35-55 | 30-70 | 40-80 | 30-70 | 30-70 |
| WEIGHT | 421 lbs | 447 lbs | 490 lbs | 545 lbs | 530 lbs | 700 lbs | 586 lbs | 640 lbs |
| HITCH | CAT 1 | | | | CAT 1 & 2 | | | |

# ANGLE BROOM

## *HEAVY DUTY - SERIES 2*

The Blue Diamond® Heavy Duty Series 2 Angle Broom is available in manual and hydraulic angles. A simple-to-use control comes with the hydraulic angle model to handle from inside your cab. The 26” bristles are available in poly, or steel, or poly/steel mix and are protected by retractable legs when not in use.

OPTIONAL WATER KIT

### FEATURES INCLUDE

- Manual or hydraulic angle
- Stands protect bristles when not in use
- 14-pin OEM connector available
- Optional water kit
- 30˚ pivot angle

| PART NUMBERS | 116207 | 116212 | 116217 | 116222 | 116205 | 116210 | 116215 | 116220 |
|---|---|---|---|---|---|---|---|---|
| MODEL | 60” | 72” | 84” | 96” | 60” | 72” | 84” | 96” |
| ANGLE | Manual | | | | Hydraulic | | | |
| WEIGHT | 995 lbs | 1,300 lbs | 1,450 lbs | 980 lbs | 1,300 lbs | 1,450 lbs | 850 lbs | 1,015 lbs |

# BROOMS - PUSH
## *HEAVY & STANDARD DUTY*

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris. The Standard Duty comes with 8 rows of bristles, and the Heavy Duty has 11 rows of bristles. Models are available in 60", 72", or 96" widths.

### FEATURES INCLUDE

- Safe around people and animals
- Less dust than a rotary broom
- Does not require auxiliary power
- Most mounts available to fit forklifts, skid steers, and mini skid steers
- Moves anything from dust to small rocks
- Maintenance free

| PART NUMBER | MODEL | WEIGHT | BRISTLES |
|---|---|---|---|
| 316030 | 60” Standard Duty | 146 lbs | 8 rows |
| 316035 | 72” Standard Duty | 173 lbs | 8 rows |
| 316040 | 60” Push Heavy Duty | 206 lbs | 11 rows |
| 316045 | 72” Push Heavy Duty | 239 lbs | 11 rows |
| 316055 | 96” Push Heavy Duty | 535 lbs | 11 rows |
| 116020 | Forklift Mount (HD Model Req 116027) | 52 lbs | — |
| 116026 | Skid Steer Mount (HD Model Req 116027) | 187 lbs | — |

# DISPENSING BUCKET

The Blue Diamond® Dispensing Bucket is great for any flowable material from feed to concrete. The hopper has splash guards around the top to contain material while traveling on rough terrain. The heavy duty chute is enclosed at the back to control the flow and can be removed for transportation or storage.

### FEATURES INCLUDE

- Available with 1/2-yard or 3/4-yard hopper with tapered front
- Removable chute for cleaning and storage
- Splash guard around top lip
- Available with or without hydraulic door
- 1-year warranty

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 110005 | 1/2 Yard Dispensing Bucket | 393 lbs |
| 110010 | 1/2 Yard Dispensing Bucket W/Hydraulic Door | 403 lbs |
| 110036 | 3/4 Yard Dispensing Bucket Series 2 | 480 lbs |
| 110040 | 3/4 Yard Dispensing Bucket W/Hydraulic Door | 477 lbs |

## ROCK BUCKET

| PART NUMBER | MODEL | TINE THICKNESS | WEIGHT |
|---|---|---|---|
| 108320 | 66” Standard Duty Rock Bucket | 3/8" | 424 lbs |
| 108335 | 72” Standard Duty Rock Bucket | 3/8" | 465 lbs |
| 108350 | 78” Standard Duty Rock Bucket | 3/8” | 512 lbs |
| 108405 | 66” Extreme Duty Rock Bucket | 1/2" | 615 lbs |
| 108410 | 72” Extreme Duty Rock Bucket | 1/2" | 615 lbs |
| 108415 | 78” Extreme Duty Rock Bucket | 1/2" | 656 lbs |
| 108420 | 84” Extreme Duty Rock Bucket | 1/2" | 690 lbs |
| 108425 | 96” Extreme Duty Rock Bucket | 1/2" | 775 lbs |

### FEATURES INCLUDE

- 3” spacing between tines
- Available in 60”, 72”, 78”, 84”, and 96” widths
- 3/8” thick tines
- Available with Euro/Global mount

## SNOW & MULCH BUCKET

### STANDARD / HEAVY DUTY

### FEATURES INCLUDE

- 26” high-back bucket, 38” bottom
- Available in 3/16” or 1/4”
- High-capacity sides
- Predrilled for bolt-on edge

*See pages 27-28 for all Snow and Mulch Bucket Models*

### HIGH-BACK SNOW & MULCH

### FEATURES INCLUDE

- 32” high-back bucket, 38” bottom
- Mesh back increases visibility
- Ribs inside strengthen floor and back
- Pre-drilled for bolt-on edge
- 3/16” material

## TRACTOR BUCKET

The Blue Diamond® Tractor Bucket is a heavy duty upgrade from most OEM buckets. This bucket features a solid top cross tube to prevent crushing and a rolled back for strength and ease of clean out. It is constructed with 10-gauge material for the sides, back, and bottom. Euro/Global and Skid Steer Mounts are available.

### FEATURES INCLUDE

- Heavy duty construction
- 3/4” x 6” cutting edge
- Rolled back for easy clean out
- Bolt-on edge or tooth bar available

| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 108825 | 60” Tractor Bucket, Smooth | 14.4 CU FT | 330 lbs |
| 108830 | 66” Tractor Bucket, Smooth | 15.8 CU FT | 400 lbs |
| 108835 | 72” Tractor Bucket, Smooth | 17.2 CU FT | 420 lbs |
| 108840 | 78” Tractor Bucket, Smooth | 18.7 CU FT | 447 lbs |
| 108845 | 84” Tractor Bucket, Smooth | 20.1 CU FT | 465 lbs |



888-376-7027 BlueDiamondAttachments.com

# 4’ STANDARD DUTY CUTTER

The Blue Diamond® Rotary Cutter is designed for standard duty applications such as weeds, grass, and light brush up to 1 1/2” diameter. This cutter is designed to work with 15 hp to 45 hp tractors, and are available in a 48” width. This cutter uses a single spindle with two free-swinging blades, which reduce the shock of impact when a stationary object is contacted. A standard slip clutch protects the gearbox and driveline from damage. Standard equipment includes driveline, shields, clutch shields, and front and rear chains.

| | |
|---|---|
| PART NUMBER | 403010 |
| MODEL | 4' |
| HORSEPOWER | 15–45 |
| WIDTH | 48" |
| WEIGHT | 538 lbs |
| CUTTING CAPACITY | 1.5" |
| DECK THICKNESS | 11 Gauge |
| SIDE BANDS | 7" |
| PTO DRIVE SHAFT | Series 4 |
| STUMP JUMPER | PAN |
| GEARBOX | 55 hp |
| WHEEL | Laminated |
| HUB | Greasable |
| HITCH | Category 1 |
| GEARBOX WARRANTY | 5-year limited |
| CHAIN GUARDS | Standard |

## FEATURES INCLUDE

- Fully welded gearbox channel and deck
- Replaceable wear skids
- Front/rear chain discharge shield
- 5-year limited gearbox warranty
- 2-year warranty



# ROUND BACK CUTTER

## *HEAVY DUTY*

The Blue Diamond® Heavy Duty Round Back Cutter is designed for heavy duty applications such as thick weeds and grass and brush up to 2 1/2” or 3” diameter, depending on the model. These cutters use a single spindle with two free-swinging blades, which reduce the shock of impact when a stationary object is contacted. A slip clutch protects the gearbox and driveline from damage. Standard equipment includes driveline shields and clutch shields.

### FEATURES INCLUDE

- Fully welded cutter deck
- Heavy duty round back design
- 2 1/2”–3” cutting capacities
- 5-year limited gearbox warranty
- Fully welded cutter gears 1/2” thick
- Replaceable wear skids
- Front chain and rear chain discharge shields
- 2-year warranty

| PART NUMBER | 403110 | 403115 | 403120 |
|---|---|---|---|
| MODEL | 5' | 6' | 7' |
| HORSEPOWER | 35–80 | 40–80 | 55–95 |
| WIDTH | 60" | 72" | 84" |
| WEIGHT | 745 lbs | 900 lbs | 1,305 lbs |
| CUTTING CAPACITY | 3" | | |
| DECK THICKNESS | 10 Gauge | | |
| SIDE BANDS | 7" | | 8" |
| PTO DRIVE SHAFT | Series 4 | | Series 6 |
| STUMP JUMPER | 1/2" Plate | | |
| GEARBOX | 100 hp | | 150 hp |
| TAILWHEEL | 1 | | |
| WHEEL | Laminated | | |
| HUB | Bearing | | |
| HITCH | Category 1 | | Category 2 |
| GEARBOX WARRANTY | 5-year limited | | |
| CHAIN GUARDS | Standard | | |

# DUAL SPINDLE CUTTER

## *LIFT TYPE - HEAVY DUTY*

The Blue Diamond® Lift Type Heavy Duty Dual Spindle Cutter is designed for heavy duty applications, such as thick weeds and grass and brush up to 3” diameter. The cutter uses dual spindles with 2 free-swinging blades each, which reduces the shock of impact when a stationary object is contacted.

| PART NUMBER | 403125 | 403127 |
|---|---|---|
| MODEL | 8' | 10' |
| MIN. HORSEPOWER | 42 | 52 |
| CUTTING WIDTH | 94" | 117" |
| TRANSPORT WIDTH | 98" | 122" |
| HITCH | Lift Type | |
| CUTTING HEIGHT | 2"–10" | |
| MAX. CUTTING CAPACITY | 3" | |
| DECK THICKNESS | 10 Gauge | 7 Gauge |
| SIDE BANDS | 8" | |
| PTO DRIVE SHAFT | Series 5 w/ Slip Clutch | |
| CENTER DRIVE SHAFT | Shock Coupler Protected | |
| STUMP JUMPER | 5/8" Plate | |
| CENTER GEARBOX | 125 hp | |
| OUTBOARD GEARBOXES | 100 hp | |
| WHEEL | Laminated | |
| HUB | Greasable | |
| WEIGHT | 1,250 lbs | 1,405 lbs |
| SKID SHOES | Replaceable | |
| GEARBOX WARRANTY | 5-year limited | |
| CHAIN GUARDS | Standard | |

### FEATURES INCLUDE

- Fully welded cutter deck and gearbox channel
- Heavy duty round back design
- 5-year limited gearbox warranty
- Fully welded cutter gears 1/2” thick
- Replaceable wear skids
- Compact dual spindle design
- Slip clutch protection/dual couplers and front/rear chain discharge shields are standard
- 2-year warranty

FLEX PROTECTION

CUTTING HEIGHT ADJUSTMENT

# DUAL SPINDLE CUTTER

## *PULL TYPE - HEAVY DUTY*

### FEATURES INCLUDE

- Pull type hitch with hydraulic rear wheels
- Compact dual spindle design
- 3” diameter cutting capacity
- Slip clutch protection, dual shock couplers, and front/ rear chain discharge shields are standard
- Laminated flat-proof wheels
- 2-year warranty

DUAL ADJUSTMENT LEVELING

FLAT-PROOF TIRES

HOSES INCLUDED

| PART NUMBER | 403129 | 403130 |
|---|---|---|
| MODEL | 8' | 10' |
| MIN. HORSEPOWER | 42 | 52 |
| CUTTING WIDTH | 94" | 117" |
| TRANSPORT WIDTH | 98" | 122" |
| HITCH | Pull Type | |
| CUTTING HEIGHT | 2"–10" | |
| MAX. CUTTING CAPACITY | 3" | |
| DECK THICKNESS | 10 Gauge | 7 Gauge |
| SIDE BANDS | 8" | |
| PTO DRIVE SHAFT | Series 6 w/ Slip Clutch | |
| CENTER DRIVE SHAFT | Shock Coupler Protected | |
| STUMP JUMPER | 5/8" Plate | |
| CENTER GEARBOX | 125 hp | |
| OUTBOARD GEARBOXES | 100 hp | |
| WHEEL | Laminated | |
| HUB | Greasable | |
| WEIGHT | 1,575 lbs | 1,705 lbs |
| SKID SHOES | Replaceable | |
| GEARBOX WARRANTY | 5-year limited | |
| CHAIN GUARDS | Standard | |

# 12’ & 15’ FLEX-WING ROTARY CUTTER

FLAT-PROOF TIRES



WING LOCKOUT

RACHET LEVEL ADJUSTMENT

### *12' FLEX-WING*

**FEATURES INCLUDE**

- Smooth top deck design
- Protected gearboxes and drivelines
- Debris discharge safety chains
- 6 free-swinging blades
- Storage for jack stand when not in use
- Single-circuit hydraulics; only 1 hose connection required
- Single-spring suspension
- 144” cutting width
- 4 flat-free tires
- 2-year warranty

### *15' FLEX-WING*

**FEATURES INCLUDE**

- Protected gearboxes and drivelines
- Debris discharge safety chains
- 6 free-swinging blades
- Storage for jack stand when not in use
- Easy adjustment leveling with ratchet
- Triple-spring suspension
- 180” cutting width
- 6 flat-free tires
- 2-year warranty

ATTACHMENT SPECS ON NEXT PAGE

# 12’ & 15’ FLEX-WING ROTARY CUTTER

### *12' FLEX-WING*

| | |
|---|---|
| **PART NUMBER** | 403150 |
| **MODEL** | 12' |
| **MIN. HORSEPOWER** | 35 hp (Gear-Drive Trans) |
| **HITCH** | Swivel Clevis |
| **DECK THICKNESS** | 10 Gauge |
| **DECK HEIGHT** | 11" |
| **SIDE SKIRT MATERIAL** | 3/16" |
| **HINGE RODS** | 1" |
| **SUSPENSION** | Single Spring |
| **OUTBOARD GEARBOX** | 75 hp |
| **SPLITTER GEARBOX** | 175 hp |
| **GEARBOX** | 540 RPM |
| **BLADES** | 1/2" x 3" w/ lift |
| **BLADE TIP SPEED** | 15,657 FPM |
| **BLADE OVERLAP** | 6" |
| **BLADE CARRIERS** | 3/16" Formed Plate w/ 3/4" x 6" Blade Bar |
| **CUTTING WIDTH** | 144" |
| **OVERALL WIDTH** | 151" |
| **OVERALL LENGTH** | 158" |
| **TONGUE WEIGHT** | 759 lbs |
| **OVERALL WEIGHT** | 2,630 lbs |
| **CUTTING HEIGHT** | 1 1/2"–12" |
| **CUTTING CAPACITY** | Up to 2" |
| **INPUT PTO** | ASAE Category 5 Constant Velocity |
| **WING DRIVE PTO** | ASAE Category 4 w/ Slip Clutch |
| **SKID SHOES** | Replaceable |
| **CHAIN SHIELDS** | Single Row/Standard |
| **TOWING SAFETY CHAINS** | Standard |
| **GEARBOX WARRANTY** | 5-year limited |
| **WHEEL TYPE** | 5-Lug Laminated Standard |

### *15' FLEX-WING*

| | |
|---|---|
| **PART NUMBER** | 403155 |
| **MODEL** | 15' |
| **MIN. HORSEPOWER** | 55 hp |
| **HITCH** | Swivel Pivot |
| **DECK THICKNESS** | 10 Gauge |
| **BODY DEPTH** | 9 1/2" |
| **SIDE SKIRT MATERIAL** | 1/4" x 13 1/2" |
| **UNDERNEATH DECK** | Heavily Braced |
| **OUTBOARD GEARBOX** | 190 hp |
| **SPLITTER GEARBOX** | 235 hp |
| **GEARBOX** | 540 RPM (1,000 optional) |
| **BLADES** | 1/2" x 4" |
| **BLADE TIP SPEED** | 17,135 FPM |
| **BLADE OVERLAP** | 6" |
| **BLADE CARRIERS** | 3/16" Formed Plate w/ 5/8" x 10" x 23" Blade Bar |
| **CUTTING WIDTH** | 15’ |
| **OVERALL WIDTH** | 188" |
| **OVERALL LENGTH** | 189" |
| **OVERALL WEIGHT** | 5,175 lbs |
| **CUTTING HEIGHT** | 2"–15" |
| **CUTTING CAPACITY** | 3 1/2" |
| **INPUT PTO** | ASAE Category 6 |
| **WING DRIVE PTO** | ASAE Category 4 |
| **SKID SHOES** | Replaceable |
| **CHAIN SHIELDS** | Standard |
| **TOWING SAFETY CHAINS** | Standard |
| **GEARBOX WARRANTY** | 5-year limited |
| **WHEEL TYPE** | 5-Lug Laminated Standard |

| | | |
|---|---|---|
| **PART NUMBERS** | 403157 | 403158 |
| **WHEEL TYPE** | Aircraft tires | Aircraft tires w/ LED lights |

# TRACTOR ROTARY CUTTER
## *STANDARD DUTY*

The Blue Diamond® Standard Duty Rotary Cutters easily handle limbs and branches up to 1 inch, clearing your way without trouble. The implement is made of thick steel that will last season after season. The stump jumper avoids damage by lifting the mower up and over rocks and other obstacles, keeping your cutter protected.

| PART NUMBER | 403060 | 403065 | 403070 |
|---|---|---|---|
| MODEL | 4’ | 5' | 6' |
| HORSEPOWER REQ. | 18 - 45 HP | 20 - 50 HP | 25 - 60 HP |
| WEIGHT | 463 lbs | 530 lbs | 623 lbs |
| LENGTH (W/TAILWHEEL) | 77” | 86” | 93” |
| OVERALL WIDTH | 51” | 64” | 75” |
| CUTTING WIDTH | 48” | 60” | 72” |
| CUTTING HEIGHT | 1 1/2” - 9” | 1 1/2” - 9” | 1 1/2” - 9” |
| CUTTING CAPACITY | Up to 1” | Up to 1” | Up to 1” |
| DECK THICKNESS | 12 GA. | 12 GA. | 12 GA. |
| HITCH | Category 1 | Category 1 | Category 1 |
| QUICK HITCH COMPATIBLE | Yes | Yes | Yes |
| GEARBOX | 45 HP* | 45 HP* | 45 HP* |
| STUMP JUMPER | 1/8” Thick, Round 22.3” Pan-type | 1/8” Thick, Round 22.3” Pan-type | 1/8” Thick, Round 22.3” Pan-type |
| BLADES | 1/2” x 3” w/Suction Lift** | 1/2” x 3” w/Suction Lift** | 1/2” x 3” w/Suction Lift** |
| BLADE TIP SPEED | 9,982 ft/min | 12,478 ft/min | 14,974 ft/min |
| DRIVELINE PROTECTION | Shear Bolt | Shear Bolt | Shear Bolt |
| TAILWHEEL | 15” Laminated Tire | 15” Laminated Tire | 15” Laminated Tire |
| SAFETY GUARD | Opt. Rubber Front/ Metal Rear | Opt. Rubber Front/Metal Rear | Opt. Rubber Front/ Metal Rear |

**Gearbox has a cast iron housing and precision forged steel gears. **Blades are heat-treated free swinging.*

### FEATURES INCLUDE

- Available in 4’, 5’, and 6’ widths
- Fits 18 – 60 HP machines
- 1” cutting capacity
- 1 1/2” to 9” cutting height
- 45 HP gearbox
- Laminated 15” tire
- Category 1 hitch

# TRACTOR ROTARY CUTTER
## *MEDIUM DUTY*

The Blue Diamond® Medium Duty Rotary Cutters easily handle limbs and branches up to 2 inches, clearing your way without trouble. The implement is made of thick steel that will last season after season. The stump jumper avoids damage by lifting the mower up and over rocks and other obstacles, keeping your cutter protected..

| PART NUMBER | 403075 |
|---|---|
| MODEL | 7' |
| HORSEPOWER REQ. | 45 - 90 HP |
| WEIGHT | 1,110 lbs |
| LENGTH (W/TAILWHEEL) | 124” |
| OVERALL WIDTH | 88” |
| CUTTING WIDTH | 84” |
| CUTTING HEIGHT | 3” – 11” |
| CUTTING CAPACITY | Up to 2” |
| DECK THICKNESS | 10 GA. Steel Deck |
| HITCH | Clevis Style Category 1 & 2 |
| QUICK HITCH COMPATIBLE | Yes |
| GEARBOX | 65 HP Cast Iron Housing & Forged Steel Gears |
| STUMP JUMPER | HD 32 1/2” Diameter Blade Pan |
| BLADES | 1/2” x 4” Heat-Treated & Free Swinging w/Suction Lift |
| BLADE TIP SPEED | 14,380 ft/min |
| DRIVELINE PROTECTION | Slip Clutch |
| TAILWHEEL | Dual 15” Laminated Tires |
| SAFETY GUARD | Front and Rear Chain Guards (Std) |

### FEATURES INCLUDE

- Available in 7’ width
- Fits 45 – 90 HP machines
- 2” cutting capacity
- 3” to 11” cutting height
- 65 HP gearbox
- 10 GA steel deck
- Dual laminated 15” tires
- Clevis style Category 1 & 2 hitch

# DISC HARROW

The Blue Diamond® Disc Harrow is for medium duty usage with notched discs that easily break up and redistribute cultivated topsoil. It will certainly meet the needs of commercial landscapers, larger nurseries, gardens as well as small farms. Accepts a Category 1 quick hitch.

| PART NUMBER | 445010 | 445015 | 445020 |
|---|---|---|---|
| MODEL | 5' | 6' | 7' |
| HORSEPOWER | 30–40 | 35–45 | 40–60 |
| CUTTING WIDTH | 60" | 72" | 84" |
| WEIGHT | 650 lbs | 700 lbs | 750 lbs |
| NUMBER OF DISC BLADES | 16 | 20 | 24 |
| DISC BLADE SIZE | 18" | | |
| DISC BLADE SPACING | 7 1/2" | | |
| BEARINGS | Sealed | | |
| QUICK-HITCH COMPATIBLE | Yes | | |
| HITCH | Category 1 | | |

## FEATURES INCLUDE

- Sealed bearings for long life
- Heavy duty tube frame construction
- 2-year warranty

# FINISHING MOWER

The Blue Diamond® Finishing Mower suits 20 hp to 60 hp tractors with a Category 1 hitch and can be used in front of or behind the tractor. The finishing mower will make your land look sharp with fine and controlled cuts in small to medium grass, thanks to its 3 blades.

| PART NUMBER | 403510 | 403515 | 403520 | 403525 |
|---|---|---|---|---|
| MODEL | 4' | 5' | 6' | 7' |
| OVERALL WIDTH | 52" | 65" | 76" | 89" |
| WORKING WIDTH | 48" | 60" | 72" | 84" |
| TRACTOR HP RANGE | 20-50 | 25-50 | 30-50 | 35-60 |
| CUTTING HEIGHT | 1"–4" | | | |
| 3-POINT HITCH TYPE | Category 1 | | | |
| NUMBER OF BLADES | 3 | | | |
| PTO INPUT SPEED | 540 rpm | | | |
| DECK THICKNESS | 7 Gauge | | | |
| PTO SHAFT TYPE | Series 4 | | | |
| WEIGHT W/OUT PTO | 529 lbs | 440 lbs | 590 lbs | 720 lbs |
| BELTS | 2 | | | |
| FRONT ROLLER | Standard | | | |

## FEATURES INCLUDE

- Usable on front or rear of tractor
- Quickly converts tractor to turf maintenance
- 2-year warranty

# FLAIL MOWER

The Blue Diamond® Flail Mower is suitable for tractors from 40 hp to 100 hp. The Standard Duty fits Category 1 hitches and the Heavy Duty fits Category 2. The flails or hammers allow them to mow grass and brush up to 1 1/2" thick. Both models feature hydraulic side shift, rear roller, and rakes.

## FEATURES INCLUDE

- Multi-purpose for grass and brush
- 1 1/2" diameter brush capacity
- Dual tapered bearing design for easy adjustment
- Minimum tractor weight of 2,000 lbs
- Counterweight recommended
- Hydraulic side shift
- Rear anti-scalp roller
- 2-year warranty

## STANDARD DUTY

| PART NUMBER | 403710 | 403720 | 403730 |
|---|---|---|---|
| SIZE | 69" | 81" | 87" |
| OVERALL WIDTH | 69" | 75.5" | 87.4" |
| MOWING WIDTH | 63" | 69" | 80.7" |
| TRACTOR HP RANGE | 35-70 | 40-70 | 45-70 |
| 3-POINT HITCH TYPE | Category 1 | | |
| HYDRAULIC OFFSET | 12" | | |
| NUMBER OF HAMMERS | 20 | 22 | 26 |
| WEIGHT W/OUT PTO | 1,100 lbs | 1,120 lbs | 1,160 lbs |
| BELTS | 4 | | |

## HEAVY DUTY

| PART NUMBER | 403740 | 403750 |
|---|---|---|
| SIZE | 87" | 98" |
| OVERALL WIDTH | 96" | 106" |
| WORKING WIDTH | 87" | 98" |
| TRACTOR HP RANGE | 50–100 | |
| 3-POINT HITCH TYPE | Category 2 | |
| HYDRAULIC OFFSET | 15" | |
| NUMBER OF HAMMERS | 20 | 24 |
| NUMBER OF BLADES | 60 | 72 |
| ROLLER DIAMETER | 6.69" | |
| ROTOR DIAMETER | 6.69" | |
| WEIGHT W/OUT PTO | 1,730 lbs | 1,840 lbs |
| BELTS | 4 | 5 |

# TRACTOR GRAPPLE

The Blue Diamond® Tractor Grapple was designed to fill a gap in the market where a quality grapple was needed at an economical price. With dual independent cylinders and constructed on 1/2" steel, this grapple is sure to meet all your needs for general purpose tasks and light land clearing.

## FEATURES INCLUDE

- 1" thick steel end tines
- 8" spacing between tines
- Opens to 42"
- Available with universal skid steer, Euro-Ag/Global, or JD 400/500 mounts
- Hoses included with 1/2" flat face couplers
- OEM colors available

| PART NUMBER | 107204 | 107207 | 107210 |
|---|---|---|---|
| MODEL | 60" | 66" | 72" |
| WEIGHT | 727 lbs | 756 lbs | 725 lbs |

# GRAPPLES

## Light Duty Root Grapple

**FEATURES INCLUDE**

- Dual independent clamps
- 3/8" steel
- Greasable 1" pivot pins
- 1-piece tines
- Flat face couplers included
- Opens to 30"

## Light Duty Grapple Bucket

**FEATURES INCLUDE**

- 3/8” steel
- Dual independent clamps
- Greasable 1” pivot pins
- Flat face couplers included
- Opens to 30”



## Heavy Duty Grapple Rake

**FEATURES INCLUDE**

- 3/8” steel
- Dual cylinders
- Greasable 1” pivot pins
- Flat face couplers included
- Opens to 30”

## Heavy Duty Root Grapple

**FEATURES INCLUDE**

- 1/2” thick top clamps
- Cylinder protection covers
- Opens to 32”
- Best for machines up to 50HP or 1800 lb lift capacity



## Heavy Duty Grapple Bucket

**FEATURES INCLUDE**

- 1/2″ thick top clamps
- Cylinder protection covers
- Opens to 32″
- Best suited for machines up to 50 hp or 1800 lb lift capacity
- Protected hoses

## Heavy Duty Rock Bucket Grapple

**FEATURES INCLUDE**

- 1/2” top tines
- Centered, protected cylinders
- No-pinch hose routing
- Protected hydraulic lines

## Severe Duty Root Grapple

**FEATURES INCLUDE**

- 1/2″, extra strong 1-piece tines throughout
- Closed in quick attach area
- Reinforced top clamps
- No pinch hose routing

## Severe Duty Grapple Bucket

**FEATURES INCLUDE**

- No-pinch hose routing
- Bolt-on sides
- 3/4” top tines
- Heavily reinforced top clamps

## Severe Duty Grapple Rake

**FEATURES INCLUDE**

- Dual top clamps
- 3/4” tine width
- Replaceable teeth

*See pages 39-43 for all Grapple Models*

# HAY SPEARS

The Blue Diamond® Hay Spear is high quality yet compact. It is available in 3 styles: a single spear with standard or heavy duty stabilizers for round bales, a double bottom and a quad bottom style for large square bales, which can also be used as a pallet fork. The high-quality German-made spear tines are rated for 3,500 lbs each, and the lower stabilizers are replaceable. These strong frames are powder-coated, and a bolt-on back rack is available.

***All of our hay spears carry a 1-year warranty with a 2-year warranty on tines.***

DOUBLE BOTTOM SPEAR

QUAD BOTTOM SPEAR

OPTIONAL BOLT-ON RACK SHOWN ON DOUBLE BOTTOM

3 PT. TRACTOR SPEAR

| PART NUMBER | MODEL | SPEAR LENGTH | WEIGHT |
|---|---|---|---|
| 311003 | Hay Spear W/ HD Stabilizers | 36" | 154 lbs |
| 311006 | Hay Spear W/Standard Stabilizers | 48" | 165 lbs |
| 311007 | Hay Spear W/Standard Stabilizers & Back Rack | 48" | 204 lbs |
| 311008 | Hay Spear W/ HD Stabilizers | 48" | 160 lbs |
| 311009 | Double Bottom Hay Spear (Short Spears) | 36" | 180 lbs |
| 311010 | Double Bottom Hay Spear | 48" | 214 lbs |
| 311011 | Double Bottom Hay Spear W/Rack | 48" | 218 lbs |
| 311040 | Double Top Tine Hay Spear W/Bottom Stabilizers | 48" | 180 lbs |
| 311045 | Quad Bottom Hay Spear, 45" Wide | 48" | 280 lbs |
| 311050 | Quad Bottom Hay Spear, 60" Wide | 48" | 262 lbs |
| 311060 | Quad Bottom Hay Spear, 75" Wide | 48" | 304 lbs |
| 311405 | 3 pt. Tractor Hay Spear, Category 1 Mount | 49” | 86 lbs |
| 311408 | 3 pt. Tractor Hay Spear, Category 2 Mount | 49” | 128 lbs |

*High-quality tines, removable stabilizers, Euro-Ag/Global, and John Deere mounts available. Double spears are spaced at 30”.*

# MOUNT PLATE

Make your own attachment or make your old attachments fit your new skid steer. Mounts available to fit to all universal hitch machines, John Deere 400/500, and Euro-AG. Made from ¼” or ½” thick solid plate.

| PART NUMBER | MOUNT | THICKNESS | WEIGHT |
|---|---|---|---|
| 113005 | Universal Skid Steer | 1/4” | 75 lbs |
| 113005-14 | JD 400/500 | 1/4” | 54 lbs |
| 113005-16 | Euro-AG | 1/4” | 55 lbs |
| 113006 | Universal Skid Steer | 1/2” | 140 lbs |

# PALLET FORKS

Blue Diamond® Pallet Forks are some of the most used attachments, next to a bucket, and must be built well. Being able to see your tines is an important consideration, and all Blue Diamond® frames have excellent visibility. We offer pallet forks from 2,000 lbs to 6,000 lbs capacity with a variety of tine lengths.

**Heavy Duty Pallet Fork**

**HD Extra Large Pallet Fork**

**Block & Brick Pallet Fork HD**

**Light Duty Pallet Fork**

**Heavy Duty with D-Ring Pallet Fork**

**Heavy Duty Hydraulic Pallet Fork**

**Standard Duty Pallet Fork**

**Wide-Frame Heavy Duty Pallet Fork**

**Grapple Pallet Fork**

*See pages 35-37 for all Pallet Fork Models*

# MOLDBOARD PLOW

The Blue Diamond® Moldboard Plows come in single bottom and double bottom models, designed for tractors ranging from 18 hp to 50 hp. Both models are our basic moldboard plow, best suited for gardens, nurseries, hobby farms, and wild game food plots. They are designed to turn over and aerate the soil for primary tillage and to bury residue. Both are available in single or double 16” plowshare lengths with replaceable plowshares and are shear-bolt protected and compatible with a Category 1 hitch.

SINGLE BOTTOM

DOUBLE BOTTOM

## FEATURES INCLUDE

- 16” plowshare length
- Replaceable share and moldboard
- 2-year warranty

| PART NUMBER | 440012 | 440010 | 440015 |
|---|---|---|---|
| MODEL | 14” (single) | 16” (single) | 16” (double) |
| WEIGHT | 188 lbs | 205 lbs | 348 lbs |

# POWER RAKE

## *EXTREME DUTY*

When productivity matters, look no further. Travel faster, cut deeper, and get on to the next job! With skid steer machine sizes increasing in the industry, there is a need for a more powerful and durable power rake/soil conditioner attachment. The Blue Diamond® Extreme Duty Power Rake is designed to power though jobs where others fail, and is set up for simple servicing. This massive 6,000 series motor and optimal drum size produce maximum torque, and the motor is kept out of the way, maximizing usable width in tighter areas. The aggressive 2” teeth are ideal for leaving a fresh seed bed with fewer passes.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 432105 | 72” Power Rake, Replaceable Teeth | 1,217 lbs |
| 432107 | 72” Power Rake, Fixed Teeth | 981 lbs |
| 432110 | 84” Power Rake, Replaceable Teeth | 1,124 lbs |
| 432112 | 84” Power Rake, Fixed Teeth | 1,155 lbs |
| 432115 | 96” Power Rake, Replaceable Teeth | 1,685 lbs |
| 432117 | 96” Power Rake, Fixed Teeth | 1,310 lbs |
| 332735 | Power Rake HD, 3 pt. Hitch Hydraulic Angle Kit w/60” long hoses | 25 lbs |
| 332740 | Power Rake HD, 3 pt. Hitch Hydraulic Angle Kit w/84” long hoses | 25 lbs |

## FEATURES INCLUDE

- 4” x 4” square tube frame
- 18 – 26 GPM hydraulic flow, max 4000 PSI
- Optional replaceable teeth versus fixed teeth that require welding to replace
- 1.5” spindle on castors with spacers versus friction adjusters that work loose
- Airless tires – no flats
- 1” front wheel axles versus competitive ¾”
- 1.5” motor shaft and high pressure seals
- 5 position, 20 degree angle, manual or hydraulic
- Optional bolt-on skid shoes add 30% load capacity over side plates alone
- 6 3/4” drum diameter, 10 3/4” including teeth
- Replaceable teeth hardness is HRC 50
- Double struts on the castors

# POWER RAKE
## *HEAVY DUTY SERIES 2*

This Heavy Duty Series 2 Power Rake follows close on the heels of our previously released Severe Duty model. This lighter unit is suited to smaller compact tractors with a Category 1 hitch.



| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 432402 | 48” Power Rake, HD, Replaceable Teeth | 690 lbs |
| 432401 | 48” Power Rake, HD, Fixed Teeth | 690 lbs |
| 432404 | 60” Power Rake, HD, Replaceable Teeth | 850 lbs |
| 432403 | 60” Power Rake, HD, Fixed Teeth | 750 lbs |
| 432409 | 72” Power Rake, HD, Replaceable Teeth | 825 lbs |
| 432405 | 72” Power Rake, HD, Fixed Teeth | 825 lbs |
| 332760 | Power Rake HD, 3 pt. Hitch Hydraulic Angle Kit w/60” long hoses | — |
| 332765 | Power Rake HD, 3 pt. Hitch Hydraulic Angle Kit w/84” long hoses | — |

*Select base model, mount and hydraulic kit*

### FEATURES INCLUDE

- 7” diameter drum with 1.5” teeth
- Chain drive unit for increased torque
- Pre-lubricated chain for easy service
- Spindles on drum are 1 3/8” diameter in greaseable bearings
- Drum widths: 48”, 60”, and 72”
- Overall width 9” more than drum width
- 7/8” greaseable axles on wheels
- Airless tires
- Flip up wheels
- 1.25” spindles with adjustable height
- Bolt-on mount

REVERSIBLE SIDE SHIELD

FLIP UP WHEELS

HEAVY DUTY PROTECTED BEARING

HYDRAULIC ANGLE KIT SHOWN ATTACHED



# LANDSCAPE RAKE

## *STANDARD DUTY*

The Blue Diamond® Standard Duty Landscape Rake works well for cleaning and preparing sites for seeding. It can spread rocks, move debris, and reshape soil. Designed for use by landscapers and contractors, it will meet the demands required for golf course maintenance, terracing hillsides, shaping run-off control ditches, and preparing areas for reforestation.

| PART NUMBER | 433010 | 433015 | 433020 | 433025 | 433030 |
|---|---|---|---|---|---|
| MODEL | 4' | 5' | 6' | 7’ | 8’ |
| HORSEPOWER | 15–45 | 20–45 | 25–45 | 30-45 | 35-45 |
| TINES/FOOT | 6 per ft | | | | |
| WORKING WIDTH | 48" | 60" | 72" | 84” | 96” |
| WEIGHT | 174 lbs | 198 lbs | 224 lbs | 251 lbs | 281 lbs |
| A-FRAME MATERIAL | 3/8" | | | | |
| MAINFRAME | 4" x 4" Angle | | | | |
| ANGLE ADJUSTMENT | 5-Position, Forward and Reverse | | | | |
| HITCH | Category 1 & 3 Point | | | | |

### FEATURES INCLUDE

- 5-position angle adjustment
- Category 1 hitch & 3 Point
- Quick hitch compatible
- 2-year warranty



# ROTOTILLER

Blue Diamond® Rototillers are designed and manufactured for many years of dependable use. Designed to work with 20 hp to 65 hp tractors, this rototiller is available in 48”, 60”, 72”, and 84” widths. With our heavy gear-driven transmission, you can till up to 8” deep. A standard slip clutch protects the gearboxes and the driveline from damage.

## FEATURES INCLUDE

- Available in 48”, 60”, 72”, or 84” widths
- Up to 8” cutting depth
- Heavy duty gear-driven system
- Standard slip clutch protects gearbox and driveline
- Quick hitch compatible
- 2-year warranty
- 2-year limited gearbox warranty

ADJUSTABLE HITCH FOR CATEGORY 1 AND CATEGORY 2



DEPTH ADJUSTMENT

SPRING TENSIONED SMOOTHER

| PART NUMBERS | 429010 | 429015 | 429020 | 429030 |
|---|---|---|---|---|
| MODEL | Light Duty | Standard Duty | Standard Duty | Heavy Duty |
| HORSEPOWER | 20–25 | 25-50 | 25-50 | 50-65 |
| WORKING WIDTH | 48" | 60” | 73" | 85" |
| WEIGHT | 397 lbs | 578 lbs | 684 lbs | 993 lbs |
| DRIVE TYPE | Heavy Duty Gear Driven | | | |
| FLANGES | 6 | 7 | 9 | 9 |
| DEPTH | 7” | 7” | 7” | 8” |
| NUMBER OF TINES | 36 | 42 | 54 | 54 |
| DEFLECTOR | Rear Hinged | | | |
| DRIVELINE | Heavy Duty Slip Clutch | | | |
| HITCH | CAT 1 | CAT 1 | CAT 1 | CAT 1 & 2 |

# SILT FENCE INSTALLER

## *3 POINT HITCH*

The Blue Diamond® Silt Fence Installer is essential for erosion control. Easily install silt fencing in a fraction of the time. The design allows a trench to be cut and installs the fence up to 20” deep without needing to pre-trench and backfill.

Two models are available to best suit your application; a fixed center mount fits most applications, or a sliding offset mount for installation near buildings or other structures.

### FEATURES INCLUDE

- Trench and install fencing in one pass
- 40° pivot to either side of center for turning
- Fits up to 30” diameter roll
- Spring-loaded coulter easily cuts through trash, roots and other debris
- Installs up to 20” deep
- Fits 36”, 42”, and 48” tall fencing
- Sliding offset mount allows for installation next to buildings/structures
- Install thousands of feet of fencing per hour



| PART NUMBER | MODEL | WEIGHT | DIMENSIONS |
|---|---|---|---|
| 475015 | Fixed, Center Mount | 760 LBS | 41”W x 78”L x 70”H |
| 475020 | Sliding Offset, 84” Wide | 1,165 LBS | 84”W x 89”L x 70”H |

# AUTOWING SNOW PLOW

Move more snow with a snow plow that thinks for itself - the Blue Diamond® Autowing Snow Plow. Its mechanical wings automatically adjusting from scoop mode to windrow position as you angle the plow, allowing multiple angles to add torsional strength and prevent twisting under heavy loads. By combining the ease of straight blade operation with the productivity of a winged snow plow, the Blue Diamond® Auto Wing Snow Plow clears big jobs fast to ensure quality and consistency on every plow.

## FEATURES INCLUDE

- 103” width
- 29” blade height
- Side wings adjust automatically
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle
- 6° oscillation to follow ground contour

FULL-TRIP MOLDBOARD

FULLY ANGLED BLADE

| PART NUMBER | STRAIGHT WIDTH | ANGLED WIDTH | ANGLE | COUPLERS | MOUNT | SIDE MARKERS | CYLINDERS |
|---|---|---|---|---|---|---|---|
| 120720 | 103” | 93.4° | 25° | 1/2” Flat Face | Universal Skid Steer | Yes | 2 |

# SNOW BLADE

## *HEAVY DUTY SERIES 2 MULTI-PURPOSE*

The Blue Diamond® Heavy Duty Series 2 Multi-Purpose Blade is designed for commercial contractors. At 28” tall, this blade is purpose-built for large applications and has an optional 8” height extension that can be bolted on for even more capacity. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.

| PART NUMBER | STRAIGHT WIDTH | ANGLED WIDTH | ANGLE | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| 123470 | 84” | 72 1/2” | 30° | 28” | 901 lbs |
| 123475 | 96” | 83” | 30° | 28” | 946 lbs |
| 123480 | 108” | 93” | 30° | 28” | 986 lbs |
| 123485 | 120” | 104” | 30° | 28” | 1,016 lbs |

## FEATURES INCLUDE

- Available in 84”, 96”, 108”, and 120” widths
- 28” blade height
- Optional bolt-on 8” height extension
- Full-trip moldboard
- Steel cutting edge
- Hydraulic angle

# SNOW BLADE

## *STANDARD DUTY SERIES 2 MULTI-PURPOSE*

The Blue Diamond® Standard Duty Series 2 Multi-Purpose Blade is great for snow and light dirt work. At 22” tall, this blade is a great fit for most users and has an optional 8” height extension that can be bolted on for high-volume applications. The curved back keeps the material rolling for maximum efficiency. Adjustable skid shoes allow the cutting edge to land perfectly every time. The full-trip moldboard protects the operator and equipment from hidden obstacles or curbs. These blades have a trip-lockout pin that can be installed when using the blade for dirt applications.

SHOWN WITH OPTIONAL HEIGHT EXTENSION

| PART NUMBER | STRAIGHT WIDTH | ANGLED WIDTH | ANGLE | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| 123415 | 72” | 62 1/4” | 30° | 22” | 590 lbs |
| 123420 | 84” | 72 1/2” | 30° | 22” | 620 lbs |

### FEATURES INCLUDE

- Available in 72” and 84” widths
- 22” blade height
- Optional bolt-on 8” height extension
- Full-Trip moldboard
- Steel cutting edge
- Hydraulic angle

# SNOW PUSHER

The Blue Diamond® Snow Pusher is great! It uses a rolled moldboard to keep the snow rolling and reduce the horsepower required to move the snow. The bolt-on wear shoes are made from AR400 steel with excellent wear resistance. The basic design and profile are the same between the standard and heavy duty models, but the heavy duty uses more crosstubes and braces for commercial use.

## *STANDARD DUTY*

| PART NUMBER | 120310 | 120111 | 120113 | 120115 |
|---|---|---|---|---|
| SIZE | 48” | 60” | 72” | 96” |
| WEIGHT | 403 lbs | 625 lbs | 650 lbs | 835 lbs |
| HEIGHT | 35" | 35" | 35" | 35" |

## *HEAVY DUTY*

| PART NUMBER | 120135 | 120150 | 120155 |
|---|---|---|---|
| SIZE | 72" | 96" | 120" |
| WEIGHT | 686 lbs | 770 lbs | 839 lbs |
| HEIGHT | 35" | 35" | 35" |



888-376-7027 BlueDiamondAttachments.com

# SOD ROLLER

The Blue Diamond® Sod Roller makes laying large sod rolls simple. Slide the roller shaft through the center of the roll, then pick it up with the attachment, and roll the sod out. The sod roll can be mounted to roll out while driving either forward or in reverse.

ADJUSTABLE WIDTH MODEL

### FEATURES INCLUDE

- 36”, 42”, and 50” models
- Fixed and adjustable width models

FIXED WIDTH MODEL

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 102200 | 36” Sod Roller with 40” Arms | 235 lbs |
| 102202 | 36” Sod Roller with 32” Arms | 205 lbs |
| 102210 | 42” Sod Roller with 40” Arms | 240 lbs |
| 102215 | 50” Sod Roller with 40” Arms | 264 lbs |
| 302310 | Adjustable, 36” - 48” Wide Roll, 32” Arms | 265 lbs |
| 302305 | Adjustable, 36” - 48” Wide Roll, 40” Arms | 280 lbs |

# TRAILER SPOTTER

The Blue Diamond® Trailer Spotter is a great tool for moving trailers in tight areas with your tractor. It accepts 2” trailer hitch.

### FEATURES INCLUDE

- 3,500 lbs capacity full-size version
- Also able to accept salt/seed spreader
- Many mounts available
- Accepts 2” trailer hitch

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 112010 | Trailer Spotter, Skid Steer Mount | 118 lbs |

# TREE BOOM

The Blue Diamond® Tree Boom is designed for setting new trees or moving cut trees. The 3,500 or 5,000 lb capacity makes this attachment useful in many applications.

## FEATURES INCLUDE

- 3,500 lbs or 5,000 lbs capacity
- Made from heavy duty tubing
- Hole for mounting a chain, strap, or our optional clevis with hook

3,500 LB CAPACITY

HEAVY DUTY SERIES 2
5,000 LB CAPACITY

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 112005 | Tree Boom, Standard Duty, 3,500 Lift Cap | 169 lbs |
| 112003 | Tree Boom, HD, Series 2,5,000 Lift Cap | 328 lbs |
| 212050 | Optional Clevis W/Swivel Hook | 4 lbs |

# TREE PULLER

The Blue Diamond® Tree Puller is an excellent tool for removing small trees and shrubs when the roots need to be pulled out. The serrated teeth lock onto the base of the tree, then pry or pull roots and all from the ground, shake the dirt out of the roots, and carry removed tree or shrub to where you want to stack your material. The Heavy Duty version has 2 rows of teeth for added grip.

HEAVY DUTY

## FEATURES INCLUDE

- Heavy Duty has protected cylinder
- Heavily gusseted quick attach
- Opens to 11”
- Available in Standard and Heavy Duty
- 1-year warranty

STANDARD DUTY

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 127006 | Tree & Post Puller, Standard Duty | 291 lbs |
| 127010 | Tree & Post Puller, Heavy Duty | 415 lbs |

## AUGER DRIVE

Blue Diamond® Attachments is known for its reliability and quality, especially in the auger drives. This mini auger drive exceeds expectations and backed by an industry-leading warranty. Available to fit most mini-walk behind skid steers and compact track loaders.

### FEATURES INCLUDE

- 2” hex shaft
- Double swing action
- Lifetime shaft pull-out warranty,
- 5-year planetary drive warranty
- 3-year hydraulic motor warranty
- 1-year mount and mount components warranty

| PART NUMBER | MODEL | WEIGHT | HEX SHAFT |
|---|---|---|---|
| 105700 | MS1 2-Way | 136 lbs | 2” |
| 105702 | MS1 4-Way | 145 lbs | 2” |
| 305706 | EX1, 8-11 GPM | 165 lbs | 2” |
| 305709 | EX2, 12-16 GPM | 188 lbs | 2” |
| 305713 | EX3, 17-20 GPM | 195 lbs | 2” |
| 305716 | EX4, 29-23 GPM | 195 lbs | 2” |

*Part numbers listed are not machine specific. Specify which mount is needed.*

MS1

## BACKHOE

The Blue Diamond® Mini Backhoe will take a serious beating! Designed specifically for Mini Skid Steers, this attachment is engineered to deliver full-size performance in a compact format. Select between 42” and 48” arm lengths and access tight spaces and hard to reach areas with ease. Great for digging trenches, moving dirt, removing shrubbery and roots, plus much more.

### FEATURES INCLUDE

- 42” or 48” arm lengths
- 8″, 10″, and 12″ bucket sizes
- Pivot linkage increases bucket rotation and breakout force
- Grease fittings on all pivot points
- Easy to operate and requires no electrical connections

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 130500 | 42”Mini Hyd, Backhoe Only, Requires Bucket | 106 lbs |
| 130505 | 48” Mini Hyd, Backhoe Only, Requires Bucket | 113 lbs |
| 130509 | 8” Mini Backhoe Bucket | 41 lbs |
| 130512 | 10” Mini Backhoe Bucket | 45 lbs |
| 130515 | 12” Mini Backhoe Bucket | 49 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# BLADES

## MINI BLADE

### FEATURES INCLUDE

- Manual or hydraulic angle
- 48” & 60” widths
- Trip lockout function for dirt work
- Wear shoes and trip springs for snow use
- Non-marking edge available for delicate surfaces

## MINI V-BLADE

### FEATURES INCLUDE

- Easy-to-use 9 position angle
- Replaceable cutting edge
- Optional height extender
- Heavy duty main pivot
- Adjustable skid shoes
- Trip lockout
- Mounts available to fit most mini machines

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 123165 | 48” Multi Purpose | 296 lbs |
| 123170 | 60” Multi Purpose | 322 lbs |
| 122305 | 48” V-Blade, Manual Angle | 315 lbs |
| 122310 | 60” V-Blade, Manual Angle | 325 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# HYDRAULIC BREAKER
## *HAMMER*

Our 5-year quest to develop a superior hydraulic breaker is now available from Blue Diamond®. This “hammer” design offers technology, simplicity, reliability, ease of setup, and service support. No more downtime! Get started on your demolition, construction, and quarry jobs now.

### FEATURES INCLUDE

- 3-year warranty
- Mono-block design / no tie rods
- Anti-blank firing system hydraulic brake
- No re-gassing needed
- Only 2 internal moving parts
- 2 speed control / variable stroke
- Quiet operation
- Self-regulating
- Body bushings around piston

| PART** NUMBER | MODEL | MAX OIL FLOW | FREQUENCY (BPM) | OPERATING WEIGHT* | TOOL DIAMETER | ENERGY CLASS | CARRIER WEIGHT | (PSI) BACK PRESSURE |
|---|---|---|---|---|---|---|---|---|
| 335005 | HB50 | 7 | 1,200 | 257 lbs | 1.5 | 100 | 1,500-2,650 lbs | 290-360 |
| 335009 | HB95 | 11 | | 355 lbs | 1.8 | 200 | 2,650-4,000 lbs | |
| 335016 | HB165 | 13 | | 498 lbs | 2.2 | 400 | 4,000-6,600 lbs | |
| 335021 | HB210 | 16 | 1,100 | 598 lbs | 2.5 | 500 | 6,100-9,900 lbs | |

*Part numbers listed are not machine specific. Specify which mount is needed. Working pressure is 1,750. *Operating weight does not include any mount used. **Mount Suffixes: (no suffix) – Skid Steer, “-EX” – Excavator, “-25” Mini Universal, “-26”, Bobcat MT, “-35” Avant, “-36” – ASV.*

# ROTARY ANGLE BROOMS
## *HEAVY DUTY SERIES 2*

The Blue Diamond® Mini Angle Broom is a smaller version of our original angle broom. It still uses the heavy duty bearings, frame, and motor. The bidirectional motor allows debris to be swept while moving forward or in reverse. The manual or hydraulic angle is perfect to make sure you put your debris where you want it.

OPTIONAL WATER KIT

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 116180 | 36” Hydraulic Angle | 495 lbs |
| 116182 | 36” Manual Angle | 495 lbs |
| 116200 | 48” Hydraulic Angle | 564 lbs |
| 116202 | 48” Manual Angle | 564 lbs |
| 116205 | 60” Hydraulic Angle | 760 lbs |
| 116207 | 60” Manual Angle | 760 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed. Includes Poly/Steel Bristles & requires wire harness.*

### FEATURES INCLUDE

- 36”, 48”, or 60” widths
- 26” Bristles
- Poly or poly/steel bristles available
- Manual or hydraulic angle
- Stands protect bristles when not in use
- 1-year warranty

# PICKUP BROOM

The Blue Diamond® Attachments Mini Pickup Broom is just as robust as the full size pickup broom, just in a smaller package! The reinforced hood and heavy front bumper protects the bristles from any impact. The greasable bearings and pivot points allow for extra longevity. It is available in 42”, 48”, and 54” widths with mounts available to fit most machines.

## FEATURES INCLUDE

- 18” poly/steel bristles
- Reinforced hood and bumper
- Optional dust suppression water kit
- Adjustable sweeping height
- Mounts available to fit most machines

| PART NUMBER | MODEL | MOUNT | REQUIRED FLOW | WEIGHT |
|---|---|---|---|---|
| 116810-25 | 42" - 315CC Motor | Mini Universal | 12-20 GPM | 584 lbs |
| 116810-26 | 42" - 315CC Motor | Bobcat MT | 12-20 GPM | 584 lbs |
| 116810-35 | 42" - 315CC Motor | Avant | 12-20 GPM | 584 lbs |
| 116812-26 | 42" - 200CC Motor | Bobcat MT | 8-12 GPM | 584 lbs |
| 116815-25 | 48" - 315CC Motor | Mini Universal | 12-20 GPM | 655 lbs |
| 116815-26 | 48" - 315CC Motor | Bobcat MT | 12-20 GPM | 655 lbs |
| 116815-35 | 48" - 315CC Motor | Avant | 12-20 GPM | 655 lbs |
| 116817-25 | 48" - 200CC Motor | Mini Universal | 8-12 GPM | 655 lbs |
| 116817-26 | 48" - 200CC Motor | Bobcat MT | 8-12 GPM | 655 lbs |
| 116817-35 | 48" - 200CC Motor | Avant | 8-12 GPM | 655 lbs |
| 116820-25 | 54" - 315CC Motor | Mini Universal | 12-20 GPM | 705 lbs |
| 116820-26 | 54" - 315CC Motor | Bobcat MT | 12-20 GPM | 705 lbs |
| 116820-35 | 54" - 315CC Motor | Avant | 12-20 GPM | 705 lbs |
| 116822-26 | 54" - 200CC Motor | Bobcat MT | 8-12 GPM | 705 lbs |
| 316565 | Optional 16 gal Water Tank fits 42” | N/A | N/A | 34 lbs |
| 316567 | Optional 16 gal Water Tank fits 48” | N/A | N/A | 36 lbs |
| 316569 | Optional 16 gal Water Tank fits 54” | N/A | N/A | 39 lbs |

*Optional water tank includes harness and spray bar.*

# PUSH BROOM
## *STANDARD & HEAVY DUTY*

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris. The Standard Duty comes with 8 rows of bristles, and the Heavy Duty has 11 rows of bristles. Models are available in 60”, 72”, or 96” widths.

### FEATURES INCLUDE

- 60”, 72”, and 96” widths
- 8 or 11 rows of bristles
- Easy to change mount
- Does not require hydraulics

| PART NUMBER | MODEL | WEIGHT | BRISTLES |
|---|---|---|---|
| 316030 | 60” Standard Duty Push Broom | 271 lbs | 8 Rows |
| 316035 | 72” Standard Duty Push Broom | 341 lbs | 8 Rows |
| 316040 | 60” Push Heavy Duty Push Broom | 426 lbs | 11 Rows |
| 316045 | 72” Push Heavy Duty Push Broom | 459 lbs | 11 Rows |
| 316055 | 96” Push Heavy Duty Push Broom | 535 lbs | 11 Rows |

*Part numbers listed are not machine specific. Specify which mount is needed.*

## *LIGHT DUTY*

The Blue Diamond® Light Duty Push Broom is an economical solution for sweeping. Available in 36”, 48”, and 60” widths, the Light Duty Push Broom is a great fit for mini skid steers and fork lifts. 5 rows of bristles push dust and debris with ease.

### FEATURES INCLUDE

- Bolt-on mount for use with multiple machines
- Mounts available to fit mini skid steers, mini excavators, and forklifts
- 5 rows of bristles
- 36”, 48”, and 60” widths

| PART NUMBER | MODEL | DIMENSIONS | WEIGHT |
|---|---|---|---|
| 316010 | 36” LD Push Broom | 36”W x 28”H x 28”D | 114 lbs |
| 316015 | 48” LD Push Broom | 48”W x 28”H x 28”D | 130 lbs |
| 316020 | 60” LD Push Broom | 60”W x 28”H x 28”D | 146 lbs |

# MINI BRUSH CUTTER
## *SERIES 2*

The Blue Diamond® Series 2 Mini Brush Cutter has top performance in grass and up to 4” brush. With a minimum required flow of 9 GPM, this mini brush cutter can go on almost any machine! The 3 double-sided blades with bi-directional cutting extend the lifespan of your blades and keep you working longer. The exceptionally strong direct drive makes this mini brush cutter a front runner in its class. Choose the open front design to allow for a good bite at the base of trees and shrubs.



OPEN-FRONT

CLOSED-FRONT

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 303716 | 36” Cut, 80cc, Closed Front | 9-20 GPM | 500 lbs |
| 303728 | 42” Cut, 80cc, Open Front | 12-20 GPM | 600 lbs |
| 303722 | 42” Cut, 80cc, Closed Front | 12-20 GPM | 600 lbs |
| 303731 | 50” Cut, 80cc, Closed Front | 10-20 GPM | 800 lbs |

*Mini Universal (-25), Bobcat MT (-26) and Avant (-35) mounts are available for the open and closed front models. Specify which machine that you have. Weights could increase by 50 lbs, depending on the mount.*

### FEATURES INCLUDE

- 3 double-edged blades
- 4” cutting capacity
- Direct drive with lifetime warranty on the spindle
- Minimum required flow: 9 GPM
- Bidirectional cutting

# BUCKETS
## *MINI 4-IN-1*

The Blue Diamond® Mini 4-in-1 Bucket for mini skid steers is modeled after its big brother, our Skid Steer 4-in-1 bucket. With the same durable build and versatility, it’s a great tool to have on your mini machine.

### FEATURES INCLUDE

- Smooth or tooth options
- 36”, 42”, 48”, or 50” widths available
- Mounts available to fit most mini skid steers

| PART NUMBER | MODEL | STRUCK CAP. | WEIGHT |
|---|---|---|---|
| 108755 | 36” Bucket, 4-In-1, Smooth | 4.64 CU FT | 355 lbs |
| 108760 | 42” Bucket, 4-In-1, Smooth | 5.59 CU FT | 375 lbs |
| 108765 | 48” Bucket, 4-In-1, Smooth | 6.48 CU FT | 341 lbs |
| 108766 | 48” Bucket, 4-In-1, Tooth | 6.48 CU FT | 356 lbs |
| 108770 | 50” Bucket, 4-In-1, Smooth | 7.7 CU FT | 425 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# BUCKETS

## *MINI DISPENSING BUCKET*

The Blue Diamond® Dispensing Bucket is great for flowable material and can be used for anything from feed to concrete! This 1/4-yard model is the perfect size for Mini Skid Steers. The tapered front helps material flow freely and the removable chute makes cleaning and storage easy!

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 110002-26 | 1/4 Yard Dispensing Bucket W/ Bobcat Mt Mount | 393 lbs |
| 110002-36 | 1/4 Yard Dispensing Bucket W/ASV RT25 | 403 lbs |
| 110002-25 | 1/4 Yard Dispensing Bucket W/ Mini Universal Mount | 452 lbs |

### FEATURES INCLUDE

- Available with 1/4-yard hopper with tapered front
- Splash guard around top lip
- 1-year warranty

## *MINI FRONT DUMP BUCKET*

The Blue Diamond® Front Dump Bucket allows you to load trucks and dumpsters you normally could not reach. You gain up to 43" when fully extended.

| PART NUMBER | MODEL | STRUCK CAP. | WEIGHT |
|---|---|---|---|
| 108990 | 36" Bucket, Front Dump | 5.89 CU FT | 340 lbs |
| 108992 | 38" Bucket, Front Dump | 6.1 CU FT | 350 lbs |
| 108994 | 42" Bucket, Front Dump | 7.3 CU FT | 360 lbs |
| 108996 | 44" Bucket, Front Dump | 7.43 CU FT | 375 lbs |
| 108998 | 50" Bucket, Front Dump | 8.6 CU FT | 395 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- Available widths: 36", 38", 42" 44", or 50"
- Gain up to 43" height
- Single cylinder
- Greasable pivot pins

## *MINI ROCK BUCKET*

The Blue Diamond® Mini Rock Bucket is an excellent multi-purpose bucket! Designed as a sifting bucket for mini skid steers, it does exceptionally well when used as a land plane or for light clearing. Move rocks and firewood and leave the dirt behind with this bucket, then rake your ground smooth again when you are done.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 108305 | 36" Bucket, Rock | 160 lbs |
| 108310 | 42" Bucket, Rock | 175 lbs |
| 108315 | 48" Bucket, Rock | 190 lbs |
| 108317 | 52" Bucket, Rock | 200 lbs |
| 108311 | 42" w/Grapple | 425 lbs |
| 108316 | 48" w/Grapple | 450 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed. See Page 113 for Rock Bucket w/grapple.*

### FEATURES INCLUDE

- 3/8" tines throughout
- Great visibility through the back
- Available from 36" to 52" wide
- Available with grapple
- Webbed front edge for raking & smoothing

# BUCKETS
## *MINI LOW-PROFILE - 15” & 20”*

Blue Diamond® Mini Buckets come with either a 15” or 20” back height. Constructed sturdier than most OEM buckets, these durable buckets are built for the long haul when paired with your mini skid steer! They are available in smooth and tooth, and a bolt-on edge is an available option for extra protection against wear and tear. Standard widths are from 36” to 60” wide with a bottom length of 25” deep. Each bucket comes standard with a D-ring. Rental Recommended.

### FEATURES INCLUDE

- Bottom length depth of 25”
- Constructed of 3/16” A36 steel
- Available with smooth or tooth edge
- 15” or 20” tall
- Comes standard with D-ring
- Optional bolt-on cutting edge (for smooth)
- Mounts available to fit most mini skid steers

### *15” BACK*

| PART NUMBER | MODEL | STRUCK CAP. | WEIGHT |
|---|---|---|---|
| 108005 | 34” Bucket, Low Profile, 15” Back Smooth | 3.83 CU FT | 160 lbs |
| 108007 | 34” Bucket, Low Profile, 15” Back Tooth | 3.83 CU FT | 135 lbs |
| 108010 | 36” Bucket, Low Profile, 15” Back Smooth | 4.43 CU FT | 181 lbs |
| 108015 | 36” Bucket, Low Profile, 15” Back Tooth | 4.43 CU FT | 200 lbs |
| 108020 | 42” Bucket, Low Profile, 15” Back Smooth | 5.17 CU FT | 225 lbs |
| 108025 | 42” Bucket, Low Profile, 15” Back Tooth | 5.17 CU FT | 250 lbs |
| 108030 | 44” Bucket, Low Profile, 15” Back Smooth | 5.42 CU FT | 200 lbs |
| 108031 | 44” Bucket, Low Profile, 15” Back Tooth | 5.42 CU FT | 269 lbs |
| 108040 | 48” Bucket, Low Profile, 15” Back Smooth | 5.91 CU FT | 275 lbs |
| 108045 | 48” Bucket, Low Profile, 15” Back Tooth | 5.91 CU FT | 285 lbs |
| 108060 | 52” Bucket, Low Profile, 15” Back Smooth | 6.40 CU FT | 195 lbs |
| 108065 | 52” Bucket, Low Profile, 15” Back Tooth | 6.40 CU FT | 215 lbs |
| 108075 | 54” Bucket, Low Profile, 15” Back Tooth | 6.12 CU FT | 215 lbs |
| 108090 | 60” Bucket, Low Profile,  Back Smooth | 6.83 CU FT | 334 lbs |
| 108095 | 60” Bucket, Low Profile, Back Tooth | 6.83 CU FT | 373 lbs |
| 108140 | 60” Bucket, Low Profile, Long Bottom, Smooth | 6.83 CU FT | 385 lbs |

### *20” BACK*

| PART NUMBER | MODEL | STRUCK CAP. | WEIGHT |
|---|---|---|---|
| 108006 | 34” Bucket, 20” Back Smooth | 5.53 CU FT | 140 lbs |
| 108012 | 36” Bucket, 20” Back Smooth | 6.14 CU FT | 249 lbs |
| 108017 | 36” Bucket, 20” Back Tooth | 6.14 CU FT | 249 lbs |
| 108022 | 42” Bucket, 20” Back Smooth | 7.16 CU FT | 269 lbs |
| 108027 | 42” Bucket, 20” Back Tooth | 7.16 CU FT | 225 lbs |
| 108032 | 44” Bucket, 20” Back Smooth | 7.50 CU FT | 275 lbs |
| 108037 | 44” Bucket, 20” Back Tooth | 7.50 CU FT | 247 lbs |
| 108042 | 48” Bucket, 20” Back Smooth | 8.19 CU FT | 310 lbs |
| 108047 | 48” Bucket, 20” Back Tooth | 8.19 CU FT | 276 lbs |
| 108052 | 50” Bucket, 20” Back Smooth | 8.59 CU FT | 195 lbs |
| 108057 | 50” Bucket, 20” Back Tooth | 8.59 CU FT | 195 lbs |
| 108062 | 52” Bucket, 20” Back Smooth | 8.87 CU FT | 300 lbs |
| 108067 | 52” Bucket, 20” Back Tooth | 8.87 CU FT | 215 lbs |
| 108072 | 54” Bucket, 20” Back Smooth | 9.29 CU FT | 215 lbs |
| 108077 | 54” Bucket, 20” Back Tooth | 9.29 CU FT | 215 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# BUCKETS
## *MINI LOW-PROFILE - HEAVY DUTY*

The Blue Diamond® Mini Skid Steer Heavy Duty Low Profile Bucket is great for grading and leveling applications as well as transporting, loading and other material handling. With a reduced overall height of 20” and curved back, it enables efficient loading and unloading in tight spaces. This bucket is built of high-quality materials with 1/2” thick reinforcement braces and 3” wide bottom wear bars that ensure exceptional strength and longevity. It is available in 36”, 44”, and 52” widths.




### FEATURES INCLUDE

- ½” thick reinforcement braces
- Optional bolt-on edge
- Top bracket for tie-down or transportation
- 3/8” side cutters
- 3” wide bottom wear bars




| PART NUMBER | MODEL | STRUCK CAPACITY | WEIGHT |
|---|---|---|---|
| 107850-25 | 36” Low Profile, Heavy Duty, Smooth w/Mini Uni Mount | 11.4 CU FT | 200 lbs |
| 107855-25 | 44” Low Profile, Heavy Duty, Smooth w/Mini Uni Mount | 11.4 CU FT | 300 lbs |
| 107860-25 | 52” Low Profile, Heavy Duty, Smooth w/Mini Uni Mount | 11 CU FT | 400 lbs |

# BUCKETS

## *MINI SNOW & MULCH BUCKET*

### FEATURES INCLUDE

- Available to fit most mini skid steers
- 34” to 60” widths available
- Reinforced frame
- 22” tall
- D-Ring
- Optional bolt-on cutting edge

| PART NUMBER | MODEL | STRUCK CAP. | WEIGHT |
|---|---|---|---|
| 108503 | 34” Bucket, Snow/Mulch, 22” Back | 8.51 CU FT | 101 lbs |
| 108505 | 36” Bucket, Snow/Mulch, 22” Back | 9.41 CU FT | 218 lbs |
| 108510 | 44” Bucket, Snow/Mulch, 22” Back | 11.50 CU FT | 317 lbs |
| 108512 | 48” Bucket, Snow/Mulch, 22” Back | 12.09 CU FT | 325 lbs |
| 108515 | 50” Bucket, Snow/Mulch, 22” Back | 12.55 CU FT | 310 lbs |
| 108517 | 52” Bucket, Snow/Mulch, 22” Back | 13.64 CU FT | 321 lbs |
| 108518 | 54” Bucket, Snow/Mulch, 22” Back | 14.09 CU FT | 340 lbs |
| 108520 | 60” Bucket, Snow/Mulch, 3/16” Wrap | 15.17 CU FT | 450 lbs |
| 108685 | 44” Bucket, Snow/Mulch, High Back W/Mesh | 12.31 CU FT | 244 lbs |
| 108690 | 48” Bucket, Snow/Mulch, High Back W/Mesh | 13.5 CU FT | 266 lbs |
| 108513 | 48” Bucket, Snow/Mulch | 1 YARD | 507 lbs |
| 108612 | 48” Bucket, Snow/Mulch, 1/4 Wrap | 1 YARD | 620 lbs |
| 108525 | 60” Bucket, Snow/Mulch, 3/16” | 1 YARD | 509 lbs |
| 108625 | 60” Bucket, Snow/Mulch, 1/4 Wrap, Mini Uni Mount | 1 YARD | 600 lbs |

*Part numbers listed are not machine specific. Weight could vary depending on mount.*



## *MINI STUMP BUCKET*

The Blue Diamond® Mini Stump Bucket is designed exactly like its big brother, the Extreme Duty Stump Bucket. This incredible tool is like having a crowbar on the front of your machine. Digging stumps is just one job this tough little attachment can do.

### FEATURES INCLUDE

- 1/2” thick x 6” wide cutting edge
- 3/8” thick sides and 1/4” thick bottom plate
- 42” overall length
- Curved bottom for better leverage
- 3 replaceable side pin cast teeth
- Serrated teeth on sides
- Powder-coated finish
- Mounts available for most mini machines

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 101990 | 42" Stump Bucket | 185 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# FORK
## *GRAPPLE*

The Blue Diamond® Mini Grapple Fork for mini skid steers is a versatile attachment for carrying everything from pipes and logs to pallets.

| PART NUMBER | MODEL | LIFT CAP. | WEIGHT |
|---|---|---|---|
| 306000 | Grapple Fork, 36” Tines | 3,000 LBS | 405 lbs |
| 306005 | Grapple Fork, 42” Tines | 3,000 LBS | 423 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- 36” top clamp
- Available with 36” or 42” tines
- Greaseable pivot pins
- Includes hoses and couplers

## *NURSERY*

The Blue Diamond® Mini Nursery Fork is a perfect tool for moving trees and other landscaping materials around. They open to 42” wide at the inside tip of tines and can hold up to 2,000 lbs. The tines also allow them to be used as pallet forks in some applications. The curved 50” tall back rest holds trees steady during transportation. Grease fittings are on all pivot points to ensure a long life.

### FEATURES INCLUDE

- 45” long tines
- Hoses and couplers included
- Can be used as pallet fork
- Mounts available to fit most mini skid steers
- 1-year warranty

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 114088 | Nursery Fork, Hydraulic | 400 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

## *PALLET*

The Blue Diamond® Mini Pallet Forks for mini skid steer and mini track loaders offer great visibility without sacrificing durability. The Class 2 fork tines are hooked in the top and bottom of the machine carriage bar. These tines can be locked into various positions and range from 24” to 48” long. The Low Profile Mini Forks are built just like our larger frame but offer more visibility and clearance when needed.

STANDARD

LOW-PROFILE

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 313940 | 1 1/4"X 36” Tines, Pallet Fork, Low Profile | 250 lbs |
| 313950 | 1 1/4" X 42” Tines, Pallet Fork, Low Profile | 280 lbs |
| 313970 | 1 1/2" X 48” Tines, Pallet Fork, Low Profile | 330 lbs |
| 314002 | 1 1/4" X 36” Tines, Pallet Fork | 240 lbs |
| 314001 | 1 1/4" X 42” Tines, Pallet Fork | 313 lbs |
| 314000 | 1 1/2" X 48” Tines, Pallet Fork | 313 lbs |
| 314040 | 24” Tines, Pallet Fork, 1,300 Lbs Cap | 180 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- Non-floating tines are hooked in top and bottom and adjust from side to side
- 2-year warranty

# FORK
## *HYDRAULIC - PALLET*

The Blue Diamond® Mini Hydraulic Pallet Fork offers great load visibility and adjusts hydraulically from 8″ to 40″ on center.

### FEATURES INCLUDE

- Offers great load visibility
- 4,000 lbs capacity
- Includes hoses and couplers
- 48″ tines

| PART NUMBER | MODEL | LIFT CAP. | WEIGHT |
|---|---|---|---|
| 114045 | Pallet Fork, Hydraulic, 48" Tines | 4,000 LBS | 419 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# GRAPPLE
## *BUCKET*

SINGLE CLAMP

DUAL CLAMP

### FEATURES INCLUDE

- 1” pivot pins in bushings
- Welded cylinder with 2” bore
- Protected cylinder and lines
- Available from 36” to 50” wide
- Bolt-on edge included with grapple bucket

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106020 | 36” Grapple Bucket, Single Clamp | 342 lbs |
| 106030 | 38” Grapple Bucket, Single Clamp | 350 lbs |
| 106032 | 42” Grapple Bucket, Single Clamp | 358 lbs |
| 106035 | 44” Grapple Bucket, Single Clamp | 350 lbs |
| 106045 | 50” Grapple Bucket, Single Clamp | 370 lbs |
| 106036 | 44” Grapple Bucket, Dual Clamp | 441 lbs |
| 106042 | 50” Grapple Bucket, Dual Clamp | 488 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# *RAKE*

The Blue Diamond® Mini Grapple Rake is a great tool for ripping up roots, pushing them into a pile, and grabbing that pile of roots. It also can be used in other applications for brush or small logs. The independently acting top clamps allow you to grab loads that are not even on both sides.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 107105 | 42" Grapple Rake | 350 lbs |
| 107110 | 48" Grapple Rake | 360 lbs |
| 107120 | 60" Grapple Rake | 450 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- Curved bottom
- 42” long
- Serrated teeth on sides
- Largest in its class

# GRAPPLE
## *ROCK BUCKET*

The Blue Diamond® Mini Rock Bucket/Grapple sifts and rakes and includes dual grapples to hold your load. The leading edge can skim high spots, and the rear crossbar smooths loose soil.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 108311 | 42” Bucket, Rock W/Grapple | 425 lbs |
| 108316 | 48” Bucket, Rock W/Grapple | 450 lbs |
| 108318 | 54” Bucket, Rock W/Grapple, Dual Top Clamps | 475 lbs |

54” WITH DUAL TOP CLAMPS

## *ROOT*

Blue Diamond® offers Mini Root Grapples. These exceptionally tough grapples were designed because of the need for a tough yet light grapple for interior demolition. This very demanding application gave this grapple an opportunity to make a name for itself as the top in its class. Industrial-grade components, from the pivot pins to the cylinders, make this attachment ready for the most demanding conditions.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106022 | 36" Grapple Root, Single Top Clamp | 350 lbs |
| 106025 | 38" Grapple Root, Single Top Clamp | 360 lbs |
| 106031 | 42" Grapple Root, Single Top Clamp | 450 lbs |
| 106033 | 44" Grapple Root, Single Top Clamp | 358 lbs |
| 106040 | 50" Grapple Root, Single Top Clamp | 368 lbs |
| 106043 | 50" Grapple Root, Double Top Clamp | 500 lbs |
| 106425 | 54" Grapple Root, Severe Duty | 520 lbs |
| 106435 | 60" Grapple Root, Severe Duty | 550 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- 1” pivot pins in bushings
- Welded cylinder with 2” bore
- Protected cylinder and lines
- Available from 36” to 60” wide
- Bolt-on edge included with grapple bucket

# LAND PLANE

The Blue Diamond® Land Plane, also known as a land leveler, is a useful tool for doing fine leveling and site preparation. Cut, grade, and level with this bidirectional attachment.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 115030 | 49” Wide, Land Plane | 275 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- Bidirectional use
- Level and grade quickly
- Available for most mini machines

# LOG GRAPPLE

The Blue Diamond® Mini Rotating Log Grapple is a high-quality attachment for tree work. Whether you are working in the log yard or clearing land, this tool can handle the load. The serrated brace helps stabilize logs when moving. The impressive clamping force holds onto large logs very tightly. Two models are offered: manual rotation and hydraulic rotation.

### FEATURES INCLUDE

- 2,000 lb capacity
- Manual or hydraulic rotation
- Serrated teeth on grapples
- Opens to 66 1/2”
- Closes to under 4”
- Load stabilization brace
- Rope tie off point



| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 106715 | Log Grapple, Manual Rotation | 337 lbs |
| 106720 | Log Grapple, Hydraulic Rotation | 330 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# LOG SPLITTER

The Blue Diamond® Mini Log Splitter can be used horizontally or vertically. The log splitter’s powerful cylinder is controlled by a single, easy-to-use lever. It can handle up to a 24” log with ease. The cylinder is a 4” bore, 24” stroke with a 1 1/4” rod.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 150000 | Log Splitter | 475 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- 4″ bore, 24″ stroke, and 1 1/4″ rod cylinder
- Can be used vertical or horizontal
- Splits up to 24″ logs

# VIBRATORY POST DRIVER

## *SERIES 2*

The Blue Diamond® Mini Vibratory Series 2 Post Driver packs more of a punch than most hammer-style drivers. By using hydraulic orbital technology, the Blue Diamond® Post Driver uses your machine’s auxiliary flow in the most efficient way. Available with 4”, 6”, 9”, 10”, or 12” post adapters.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 100502 | Post Driver | 264 lbs |
| 100507 | Post Driver w/tilt | 400 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# POWER RAKE
## *STANDARD DUTY*

The Blue Diamond® Standard Duty Power Rake is a lighter unit suited to smaller frame skid steers and walk-behind machines. The bolt-on mount allows greater flexibility for rental companies and dealers to have the correct model for the right machine, with mounts offered for mini and full size skid steer machine.




| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 332450 | 48” Power Rake With Fixed Mount | 550 lbs |
| 332451 | 48” Power Rake With Manual Angle Mount | 600 lbs |
| 332452 | 48” Power Rake With Hydraulic Angle Mount | 625 lbs |
| 332453 | 60” Power Rake With Fixed Mount | 600 lbs |
| 332454 | 60” Power Rake With Manual Angle Mount | 650 lbs |
| 332455 | 60” Power Rake With Hydraulic Angle Mount | 675 lbs |
| 332456 | 72” Power Rake With Fixed Mount | 700 lbs |
| 332457 | 72” Power Rake With Manual Angle Mount | 750 lbs |
| 332458 | 72” Power Rake With Hydraulic Angle Mount | 775 lbs |

*Part numbers listed are not machine specific. add -25 for Mini Universal and add -26 for Bobcat MT. Weight varies on mount*

### FEATURES INCLUDE

- Flip up wheels
- No-flat airless wheels
- Drum width 48″, 60″, and 72″
- 5/8″ greaseable axles on wheels
- 7″ diameter drum with 1 1/2″ teeth
- Overall width 12″ more than drum width
- 1 1/4″ spindles with adjustable height
- Bolt-on mount (can be switched for a different mini or full size skid steer mount)
- Spindles on drum are 1 3/8″ diameter greaseable bearings
- Fixed carbide teeth
- Available with manual or hydraulic angle

# POWER RAKE
## *HEAVY DUTY SERIES 2*

The Blue Diamond® Heavy Duty Series 2 Mini Power Rake follows close on the heels of our previously released severe duty model. This lighter unit is suited to smaller-frame skid steers and walk-behind machines. The bolt-on mount provides greater flexibility for rental companies and dealers to have the right model for the right machine, with mounts offered for mini and full size skid steer machines.

### FEATURES INCLUDE

- 7” diameter drum with 1 1/2” teeth
- Chain drive unit for increased torque
- Pre-lubricated chain for easy service
- Spindles on drum are 1 3/8” diameter in greasable bearings
- 7/8” greasable axles on wheels
- Airless tires and flip up wheels
- 1 1/4” spindles with adjustable height

HYDRAULIC ANGLE KIT SHOWN ATTACHED

| PART NUMBER | 132407 | 132400 | 132408 | 132401 | 132409 | 132402 | 132403 |
|---|---|---|---|---|---|---|---|
| SIZE/ MODEL | 48” | 48” | 60” | 60” | 72” | 72” | Power Rake Mount |
| TEETH | Replaceable | Fixed | Replaceable | Fixed | Replaceable | Fixed | - |
| WEIGHT | 580 lbs | 580 lbs | 600 lbs | 600 lbs | 628 lbs | 628 lbs | 94 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed. Weights do not include mounts. Select base model, mount and hydraulic kit.*

# ROTOTILLER
## *HEAVY DUTY*

The Blue Diamond® Mini Rototiller is brutally strong for mini skid steer machines and uses all the same components as our full-size unit. The specially designed 315cc motor has built-in, oversized nose cone bearings for longevity. It has swinging tines that rotate to a maximum performance angle in either direction.

### FEATURES INCLUDE

- 6” tilling depth
- 12 GPM minimum flow required
- 315cc specially designed motor
- 1-year warranty

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 129005 | 48” Rototiller | 382 lbs |
| 129007 | 56” Rototiller | 410 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# SNOW BLOWER

The Blue Diamond® Mini Skid Steer Snow Blower is engineered for years of use. A high pressure bypass relief system eliminates the need for shear pins during sudden stops. With a choice of widths and motor packages, you can find the optimal snow blower to match your machine's capacity.

### FEATURES INCLUDE

- All hydraulic fan, auger and discharge chute
- Independent fan and auger high pressure relief, no shear pins
- Direct drive auger motor, enclosed for long term protection
- Standard discharge chute with 7" opening, 52" discharge height
- 270° hydraulic rotary chute with deflector
- Single 16" auger with 4" center tube and 1 1/2" shaft
- 7-gauge auger ribbon flighting with aggressive cutting edge
- Adjustable rear skid shoes
- 18" x 6 1/2" 4-paddle fan, 7-gauge material
- 14-gauge blower shell with 12-gauge end plates
- 12-gauge fan housing with 7-gauge motor mount plate
- Powder-coat finish
- Mounts available for mini universal or full size skid steer

| PART NUMBER | MODEL | BEST FLOW | WEIGHT |
|---|---|---|---|
| 119058 | 48" Snow Blower | 10-13 GPM | 396 lbs |
| 119060 | 48" Snow Blower | 14-18 GPM | 396 lbs |
| 119070 | 60" Snow Blower | 14-18 GPM | 450 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*



# SNOW PUSHER

The Blue Diamond® Mini Snow Pusher with its rubber edge is great for clearing sidewalks and other narrow spots. The durable rubber edge cleans away the snow while not scratching the concrete or asphalt. Several sizes are available to best suit your application, and most mini skid steer mounts can be attached.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 120305 | 42" Snow Pusher | 271 lbs |
| 120310 | 48" Snow Pusher | 271 lbs |
| 120320 | 60" Snow Pusher | 320 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

### FEATURES INCLUDE

- Available in 42", 48", and 60" widths
- Replaceable cutting edge
- Mounts available to fit most machines

## SOD ROLLER

The Blue Diamond® Mini Skid Steer Sod Roller makes laying large sod rolls simple. Slide the roller shaft through the center of the roll and then pick it up with the attachment and roll the sod out. The sod roll can be mounted to roll out while driving either forward or in reverse. This easy to use attachment comes in 36″ or 42″ widths for use on a variety of sod-installing projects. This attachment can also be used to roll out other products, such as barbed wire rolls, cable, and wire

ADJUSTABLE MODEL

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 102202 | 36” Sod Roller with 32” Arms | 205 lbs |
| 102200 | 36” Sod Roller with 40” Arms | 235 lbs |
| 102206-25 | 42” Sod Roller with 32” Arms w/Mini Uni Mount | 248 lbs |
| 102210 | 42” Sod Roller with 40” Arms | 240 lbs |
| 102216-25 | 50” Sod Roller with 32” Arms | 248 lbs |
| 102215 | 50” Sod Roller with 40” Arms | 264 lbs |
| 302310 | 36”- 48” Adjustable Sod Roller with 32” Arms | 265 lbs |
| 302305 | 36”- 48” Adjustable Sod Roller with 40” Arms | 280 lbs |

*Part numbers listed are not machine specific.*

### FEATURES INCLUDE

- Fits 36”, 42”, and 50” rolls
- Works in forward or reverse
- Variety of mounts available
- Adjustable model available

## STUMP GRINDER

The Blue Diamond® Mini Stump Grinder offers extremely high torque to take the mini capability to an entirely new level. The incredibly efficient radial piston motor, dual direction grinding, and the tooth setup make stump grinding a breeze.

### FEATURES INCLUDE

- High-torque piston motor
- Cut moving forward or in reverse
- Greenteeth series 900 teeth
- Excellent visibility
- Case drain line required
- 16-20 GPM minimum

| PART NUMBER | MODEL | MIN. FLOW | WEIGHT |
|---|---|---|---|
| 104110-25 | 24" Cutting Wheel | 16-20 GPM | 795 lbs |

## TRAILER SPOTTER

The Mini Trailer Spotter is a great tool for moving trailers in tight areas with your mini skid steer. It accepts a 2” trailer hitch.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 112012 | Trailer Spotter | 48 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

# TREE BOOM

The Blue Diamond® Tree Boom is designed for setting new trees or moving cut trees. The 2,500 lb. capacity makes this attachment useful in many applications.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 112007-25 | Tree Boom (Mini Uni Mount) | 94 lbs |
| 112007-26 | Tree Boom (Bobcat MT/S70 Mount) | 122 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*

## FEATURES INCLUDE

- 2,500 lb. capacity
- Made from heavy structural square tube
- Total attachment height: 60″
- Hole for chain or strap to mount
- 3” thick main tube
- Mini Universal Mount: extends reach 48″ over 94 lbs mount.
- Bobcat MT Mount: extends reach 40″ over 122 lbs. mount

# TRENCHER

The challenge with a trencher on a mini is that the limited flow range affects the performance. By using the planetary drive offered by Blue Diamond®, torque and durability are both improved substantially.

## FEATURES INCLUDE

- Cuts up to 36” deep
- 4”, 6”, or 8” cut width
- Dirt, rock, and combo teeth setups

| PART NUMBER | MODEL | REQUIRED FLOW | WEIGHT |
|---|---|---|---|
| 131110-25 | 36”Depth, 4” Dirt Chain | 8-14 GPM | 310 lbs |
| 131115-25 | 36”Depth, 6” Dirt Chain | 8-14 GPM | 600 lbs |
| 131100-25 | 36”Depth, 4” Combo Chain | 8-14 GPM | 685 lbs |
| 131125-25 | 36”Depth, 4” Combo Chain | 13-25 GPM | 625 lbs |
| 131104-25 | 36”Depth, 6” Combo Chain | 8-14 GPM | 700 lbs |
| 131130-25 | 36”Depth, 6” Combo Chain | 8-14 GPM | 575 lbs |
| 131107-25 | 36”Depth, 8” Combo Chain | 8-14 GPM | 715 lbs |
| 131140-25 | 36”Depth, 4” Rock Chain | 8-14 GPM | 570 lbs |
| 131145-25 | 36”Depth, 6” Rock Chain | 8-14 GPM | 580 lbs |

*Part numbers listed are not machine specific. Specify which mount is needed.*



## INDUSTRIAL JIB

Get the extra reach you need with the Blue Diamond® Industrial Jib. Simply pull out the spring pin and go from 6' 9" to 12'. It has a lift capacity of 6,000 lbs at 6' 9" and 3,000 lbs fully extended. It slides onto forks for quick attachment. Add this jib to your inventory to get the most out of your telehandler.




| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 118000 | Industrial Jib, Adjustable, 6,000 Cap | 450 lbs |
| 118050 | Industrial Jib, 10,000 Cap, Rigid Length | 345 lbs |
| 118060 | Industrial Jib, 10,000 Cap, Retracted, 4500 Lbs Cap | 885 lbs |

### FEATURES INCLUDE

- Lift capacity of 6,000 lbs at 6′ 9″ and 3,000 lbs fully extended
- Slides onto forks for quick attachment

# PUSH BROOM

This incredible broom will amaze you! Clean up job sites, push light snow, sweep leaves, squeegee water, or groom ball fields. Add our heavy duty magnet for picking up screws, nails, and other steel debris. The Standard Duty comes with 8 rows of bristles, and the Heavy Duty has 11 rows. Models are available in 60", 72", or 96" widths.

### FEATURES INCLUDE

- Safe around people and animals
- Less dust than a rotary broom
- Does not require auxiliary power
- Moves anything from dust to small rocks
- Maintenance free
- 1-year warranty
- Also available to fit full size or mini skid steers

| PART NUMBER | MODEL | WEIGHT | BRISTLES |
|---|---|---|---|
| 316030 | 60” Standard Duty | 158 lbs | 8 rows |
| 316035 | 72” Standard Duty | 180 lbs | 8 rows |
| 316040 | 60” Push Heavy Duty | 216 lbs | 11 rows |
| 316045 | 72” Push Heavy Duty | 262 lbs | 11 rows |
| 316055 | 96” Push Heavy Duty | 535 lbs | 11 rows |
| 116020 | Forklift Mount (Hd Model Req 116027) | 52 lbs | — |

# WORK PLATFORM

The Blue Diamond® Work Platform is tough, lightweight, and has many features. The mesh floor gives the driver visibility while providing stable, non-slip footing. The weight capacity is 2,000 lbs, and end-fork pockets are standard on 8' and larger platforms for moving and loading in tight areas.

| PART NUMBER | MODEL | WEIGHT |
|---|---|---|
| 117010 | 4’ X 6’ Work Platform | 305 lbs |
| 117015 | 4’ X 8’ Work Platform | 557 lbs |
| 117016 | 4’ X 8’ Work Platform, w/large fork pockets | 675 lbs |
| 117020 | 4’ X 9’8" Work Platform | 875 lbs |
| 117021 | 4’ X 9’8" Work Platform, w/large fork pockets | 675 lbs |
| 117023 | 4' X 11'6" Work Platform | 685 lbs |
| 117025 | 4’ X 12’ Work Platform* | 750 lbs |
| 117026 | 4’ X 12’ Work Platform, w/large fork pockets | 890 lbs |

### FEATURES INCLUDE

- Anchors behind fork heel
- Safety harness tie-downs
- Safety pins on doors

*For a full version of Parts & Accessories, please see our Parts & Accessories Catalog or visit our website at bluediamondattachments.com.*

## INTERFACE CONVERSION ADAPTERS

For use with mini universal mount machine to Bobcat MT50.
*Part Number: 125004*

For use with universal mount machine to universal skid steer.
*Part Number: 125010*

For use with John Deere 400/500 mount machine to universal skid steer mount.
*Part Number: 125108*

For use with Avant/ Multi-one mount machine to full size skid steer mount.
*Part Number: 125020*

For use with skid steer to blank back; no plate, just frame tubing.
*Part Number: 125055-00*

For use with John Deere 600/700 mount machine to universal skid steer mount.
*Part Number: 125110*

For use with skid steer mount machine to Bobcat MT mount.
*Part Number: 125013*

For use with old style New Holland mount machine to full size skid steer mount.
*Part Number: 125030*

# INTERFACE CONVERSION ADAPTERS

For use with blank 18x19 mini excavator machine to skid steer mount (45˚ angle).
*Part Number: 125050*

For use with Euro AG/ JD Global machine to universal skid steer mount.
*Part Number: 125075*

For use with ASV PT30/ RT40 skid steer mount machine to skid steer.
*Part Number: 125022*

For use with universal skid steer mount machine to mini universal mount.
*Part Number: 125012*

For use with Bobcat MT50 machine to mini universal skid steer mount.
*Part Number: 125005*

For use with ASV PT30/RT40 skid steer mount machine to mini universal mount.
*Part Number: 125011*

For use with Avant/ Multi-one mount machine to mini universal mount.
*Part Number: 125025*

# SAFETY WINDSHIELDS
## *1/2” THICK, MILLED EDGE INSERT*

### TL Series
Fits Takeuchi model: TL250

*Part Number: 203241*

### M Series
Fits Bobcat models: S450, S510, S530, S550, S570, S590, S630, S650, S750, S770, S850

*Part Number: 203207*

### G Cab Machines
Fits John Deere models: 314G, 317G, 318G, 320G, 324G, 325G, 330G, 332G, 333G

*Part Number: 203256*

### SVL Series
Fits Kubota models: SVL75, SVL90, SVL95

*Part Number: 203261*

### G Series
Fits Bobcat models: 751, 753, 763, 863, 873, 883, S130, S150, S160, S170, S185, S205, S220, S250, S300, S330, T140, T180, T190, T200, T250, T300, T320, A220, A300

*Part Number: 203205*

### Cab Machines
Fits John Deere models: 318D, 319D, 320D, 323D, 326D, 328D, 329D, 332D, 333D

*Part Number: 203251*

### SSV Series
Fits Kubota models: SSV65, SSV75

*Part Number: 203263*

### JCB
Fits models: 135, 150, 175, 190, 205, 210, 215, 225, 250, 260, 270, 280, 300, 320, 3TS-8T, 3TS-8W

*Part Number: 203271*

### CAT
Fits models: C Cab Machines

*Part Number: 203212*

### Terex
Fits models: ASV-TR75, VT70

*Part Number: 203281*

# SAFETY WINDSHIELDS
## *1/2” THICK, MILLED EDGE INSERT*

**Gehl**
Fits model: RT250

*Part Number: 203247*

**Terex**
Fits models: PT75, PT80

*Part Number: 203283*

**CAT**
Fits models: D Cab Machines

*Part Number: 203214*

**Positrack**
Fits models: ASV-RC85 and RC100

*Part Number: 203266*

# MARKETING & PROMOTIONAL PRODUCTS

Blue Diamond® Attachments offers dealers a variety of marketing materials that provide product support and showcase the quality of Blue Diamond®. In addition to this full-color product catalog, we also offer a full-color, four-panel product overview brochure. This condensed version of our catalog acts as a great takeaway piece for our customers.

Marketing materials are available in digital and printed versions at no cost to Blue Diamond® dealers. Contact us for more information on Blue Diamond® marketing items!

*Blue Diamond® Attachments offers our dealers a variety of marketing literature and promotional items that provide support and drive the quality of our brand.*

# STORAGE & DISPLAY SOLUTIONS

**Universal Stand**
*Part Number: 700006*

**Auger Bit Holder**
*Part Number: 105950*

**Hydraulic Breaker Holder**
Holds up to 6 units (size HB50–HB300).
*Part Number: 135900*

**Hydraulic Breaker Stand**
*Part Number: 700020*

**Brush Cutter Display Stand**
*Part Number: 700005, Severe Duty models requires part 700005-SDKIT*

COMPLETE ATTACHMENT SOLUTIONS

4512 Anderson Road | Knoxville, TN 37918
ph 888-376-7027 | fax 865-246-2007
info@bluediamondattachments.com | BlueDiamondAttachments.com

© 2024 Blue Diamond® Attachments. All Rights Reserved. V2